Pro-Grade® 285 Fast Set by Henry Company

Health Product Declaration v2.0

created via: HPDC Online Builder

PRODUCT DESCRIPTION: PRO-GRADE® 285 FAST SET ACRYLIC ELASTOMERIC COATING IS A COLD-APPLIED COATING FOR ROOFS WHERE A BREATHER COATING IS DESIRED. USED AS REFLECTIVE SURFACE COATINGS OVER SPF, THESE COATINGS CAN BE USED TO ACHIEVE A CLASS A ROOFING SYSTEM IN ACCORDANCE WITH UNDERWRITERS LABORATORIES 790.



CONTENT

Section 1: Summary

INVENTORY	Residuals and	Based on the selected Content Inventory Threshold:		
Threshold per material	impurities considered in	Characterized Are the Percent Weight and Role provided for all substances?	⊙ Yes	O No
⊙ 100 ppm	1 of 1 materials	Screened	•	0
O 1,000 ppm O Per GHS SDS O Per OSHA MSDS	see Section 2:Material Notessee Section 5:	Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Other	General Notes	Identified	0	0
- Ouici	General Notes	Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

285 ACRYLIC ELASTOMERIC COATING [ALUMINA TRIHYDRATE BM-2 | RES WATER BM-4 2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN ZINC OXIDE BM-1 | AQU | RES | MUL PROPYLENE GLYCOL BM-2 HYDROXYETHYL CELLULOSE LT-UNK OCTHILINONE LT-P1 | MAM | SKI | AQU | MUL 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-UNK | CAN ACETIC ACID, **SODIUM SALT LT-UNK**]

Number of Greenscreen BM-4/BM3 contents...... 1 Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1 Nanomaterial..... No

INVENTORY AND **SCREENING NOTES:**

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 10 Regulatory (g/l): Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

O Self-Published* VERIFIER: SCREENING DATE: January 29, 2017 EXPIRY DATE*: January 29, 2020

VERIFICATION #:



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

ntory Threshold: 100 ppm rial Notes:	Kesidua	ls Considered: Yes			
ALUMINA TRIHYDRATE			ID: 21645-51-2		
%: 25.0000 - 35.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Filler/film strengthener	
HAZARDS:		AGE	NCY(IES) WITH WARNIN	GS:	
RESPIRATORY	ESPIRATORY AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
SUBSTANCE NOTES:					
WATER			ID: 773	2-18-5	
%: 25.0000 - 35.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent	
HAZARDS:		AGE	NCY(IES) WITH WARNIN	GS:	
None Found		No w	rarnings found on HPD Price	ority lists	
SUBSTANCE NOTES:					
2-PROPENOIC ACID, POPENOATE	OLYMER WITH ETHE	NYLBENZENE AND 2-ETH	YLHEXYL 2- ID: 250	85-19-2	
%: 20.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Polymer film	
HAZARDS:		AGE	NCY(IES) WITH WARNIN	GS:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
TITANIUM DIOXIDE			ID: 134	63-67-7	

HAZARDS:	AGENCY(IE	AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
SUBSTANCE NOTES: N	lot present in a respirable form.				
ZINC OXIDE		ID: 1314-13-2			
%: 1.0000 - 5.0000	GS: BM-1 RC: None	NANO: NO ROLE: Fungus, mold mildew resistance			
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life			
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects			
MULTIPLE	German FEA - Substances Hazardous to Water	s Class 2 - Hazard to Waters			
SUBSTANCE NOTES: N	lot present in a respirable form.				
PROPYLENE GLYCOL		ID: 57-55-6			
%: 1.0000 - 5.0000	GS: BM-2 RC: None	NANO: NO ROLE: Coalecsing ag			
HAZARDS:	AGENCY(IE	S) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
SUBSTANCE NOTES:	ULOSE	ID: 9004-62-0			
	ULOSE GS: LT-UNK RC: None	ID: 9004-62-0 NANO: NO ROLE: Thixotrope			

SUBSTANCE NOTES:

OCTHILINONE			ID: 26530	0-20-1		
%: 0.0100 - 0.1000	GS: LT-P1	RC: None	NANO: NO	ROLE: Preservative		
HAZARDS:		AGENCY(IE	S) WITH WARNING	S:		
MAMMALIAN	EU - R-phrases R22 - Harmful if Swallowed			if Swallowed		
MAMMALIAN	EU - R-phras	R-phrases R23 - Toxic by Inhalation (gas, vapour, dus				
MAMMALIAN	EU - R-phras	ses	R24 - Toxic in Contact with Skin			
SKIN IRRITATION	EU - R-phras	ses	R34 - Causes b	ourns		
SKIN SENSITIZE	EU - R-phras	ses	R43 - May caus	se sensitization by skin contact		
ACUTE AQUATIC	EU - R-phras	ses	R50 - Very Toxic to Aquatic Organisms			
ACUTE AQUATIC	EU - GHS (H	l-Statements)	H400 - Very tox	H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H	l-Statements)	H410 - Very tox effects	H410 - Very toxic to aquatic life with long lasting effects		
MAMMALIAN	EU - GHS (H	l-Statements)	H311 - Toxic in	H311 - Toxic in contact with skin		
SKIN IRRITATION	EU - GHS (H	l-Statements)	H314 - Causes damage	H314 - Causes severe skin burns and eye damage		
SKIN SENSITIZE	EU - GHS (H	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		
MAMMALIAN	EU - GHS (H	l-Statements)	H331 - Toxic if inhaled			
MULTIPLE	German FEA	- Substances Hazardous to Water	to Waters Class 3 - Severe Hazard to Waters			
SKIN SENSITIZE	MAK Sensitizing Substance Sh - Danger o sensitization		ostance Sh - Danger of skin			
SUBSTANCE NOTES:						
1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE ID: 25265-77-4		5-77-4				
%: 0.0100 - 0.1000	GS: LT-UNK	RC: None	NANO: NO	ROLE: UV Stability		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
CANCER	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			

ACETIC ACID, SODIUM SALT			ID: 127-09-3		
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:		AGE	NCY(IES) WITH WARNING	9S:	
None Found		No w	rarnings found on HPD Prior	rity lists	
SUBSTANCE NOTES:					



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd.

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.