# **Pro-Grade® 586 Fibered Aluminum Roof Coating** by Henry Company

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: Pro-Grade® 586 Fibered Aluminum Roof Coating is a premium fibered aluminum coating for new or aged smooth surface BUR, modified bitumen membranes, aged galvanized metal roofs and new asphalt emulsion that forms a tough, brilliant reflective surfacing. It can decrease air conditioning costs and can lower the inside temperature of buildings, up to 20° F cooler in the summer.



# Section 1: Summary

## **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

# **Inventory Reporting Format**

Nested Materials Method

Basic Method

## **Threshold Disclosed Per**

Material

Product

## Threshold level

€ 100 ppm

C 1,000 ppm

Per GHS SDS C Per OSHA MSDS

C Other

## Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

RUBBERIZED ALUMINUM ROOF COATING [ SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN 0,1 % W/W BENZENE LT-P1 | MAM | MUL | END ALUMINUM BM-1 | END | PHY | RES STYRENE BUTADIENE RUBBER (SBR) LT-UNK ASPHALT LT-1 | CAN WOLLASTONITE LT-UNK SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC, SHOWN TO CONTAIN LESS THAN 3 % DMSO EXTRACT LT-1 | CAN | MUL SILICA GEL LT-UNK HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-UNK 1,2,4-TRIMETHYLBENZENE BM-2 | AQU | SKI | EYE | MUL XYLENES BM-1 | SKI |

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

No additional notes

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 400 Regulatory (g/l): 400

END | MUL | REP 1,2,3-TRIMETHYLBENZENE BM-2 ]

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VFRIFIFR. VERIFICATION #: **SCREENING DATE: 2020-04-12** PUBLISHED DATE: 2020-04-12 EXPIRY DATE: 2023-04-12



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

## RUBBERIZED ALUMINUM ROOF COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered down to 100 ppm

OTHER PRODUCT NOTES: None

## SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN **0,1 % W/W BENZENE**

ID: 64742-95-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCRE	ENING DATE: 20	20-04-12
%: <b>15.00 - 25.00</b>	GS: LT-P1		RC: None	nano: <b>No</b>	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MAMMALIAN	EU - GHS (H-Statements)	H304 - May l	oe fatal if swal	lowed and ente	ers airways
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haz	zard to Waters	3	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	docrine Disrup	otor	

SUBSTANCE NOTES: None

ALUMINUM				ID: <b>7429-90-5</b>
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREEN	IING DATE: <b>2020-0</b>	04-12
%: 10.00 - 20.00	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	ROLE: Reflectance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential E	ndocrine Disrupto	or
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flar	mmable solid	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In c	ontact with water	releases flammable gases
RESPIRATORY	AOEC - Asthmagens	Asthmager	ı (Rs) - sensitizer-	induced

SUBSTANCE NOTES: Not in available in a dry or respirable form.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-12			
%: 10.00 - 20.00	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Flexible polymer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings	found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None						

HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-12		
%: 10.00 - 20.00	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	ROLE: Waterproofing/flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
CANCER	IARC	G	roup 2b - Possik	ply carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	0	ccupational Car	cinogen
CANCER	CA EPA - Prop 65	С	arcinogen	
CANCER	IARC		roup 2B - Possil ccupational sour	oly carcinogenic to humans - inhaled from rces
CANCER	MAK		• .	o 3B - Evidence of carcinogenic effects

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not intended for that application.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-12		
%: <b>5.00 - 10.00</b>	gs: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Filler/film strengthener
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

SOLVENT NAPHTHA (PETROLEUN	/I), MEDIUM ALIPHATIC			ID: <b>64742-88-7</b>
HAZARD SCREENING METHOD: Pharos Ch	emical and Materials Library	HAZARD SCREENIN	NG DATE: <b>2020-04-</b>	-12
%: 3.00 - 7.00	gs: LT-P1	RC: None	nano: <b>No</b>	ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: None

# DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC, SHOWN TO CONTAIN LESS THAN 3 % DMSO EXTRACT

ID: 64742-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12
%: 1.00 - 5.00	gs: <b>LT-1</b>	RC: None NANO: No ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: Contains less than 3% DMSO extractables. Not a carcinogen or mutagen.

SILICA GEL

ID: 112926-00-8

HAZARD SORFFAINS METHOD: Phares Chemical and Materials Library

HAZARD SORFFAINS DATE: 2020-04-12

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-12		
%: 1.00 - 5.00	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Thixotrope	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		١	No warnings found	on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Not available in respirable form

## HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED

ID: 69430-35-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	IING DATE: <b>2020-0</b>	4-12
%: <b>1.00 - 5.00</b>	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Adhesion
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	on HPD Priority Hazard Lists

1,2,4-TRIMETHYLBENZENE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12			
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
CHRON AQUATIC	EU - GHS (H-Statements)	H411	- Toxic to aquati	c life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-Statements)	H315	- Causes skin irri	tation	
EYE IRRITATION	EU - GHS (H-Statements)	H319	- Causes serious	eye irritation	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to Wa	aters	

SUBSTANCE NOTES: None

XYLENES ID: 1330-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: Impurity/Residual	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 -	· Causes skin irri	tation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE	GHS - Japan	Toxic	to reproduction	- Category 1B [H360]

SUBSTANCE NOTES: None

1,2,3-TRIMETHYLBENZENE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES: None



## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

04-12

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

**VOC CONTENT** 

**EPA Method 24 - Volatile Matter Content (EPA 24)** 

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-12

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

No additional general notes for this product

### MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive) **REP** Reproductive toxicity

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both Both Preconsumer and Postconsumer** Unk Inclusion of recycled content is unknown None Does not include recycled content

## Other Terms

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.