Pro-Grade® 588 Aluminum WB Roof Coating by Henry Company

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: PRO-GRADE® 588 ALUMINUM WB ROOF COATING IS DESIGNED TO ADD YEARS OF SERVICE AND REFLECTIVITY TO ASPHALTIC MEMBRANES, AGED GALVANIZED METAL AND NEW ASPHALT EMULSION SURFACES. ITS COMBINATION OF PREMIUM ALUMINUM FLAKES SUSPENDED IN EMULSIFIED ASPHALT PROVIDES OUTSTANDING WEATHERING RESISTANCE AND REFLECTANCE. THIS PRODUCT REDUCES SURFACE TEMPERATURE AND PENETRATION OF THE SUN'S RAYS TO THE ROOF SURFACE, THEREBY RETARDING DETERIORATION OF THAT SURFACE. IT HELPS REDUCE INTERIOR TEMPERATURE AND PROTECTS THE ROOF AND ROOFING MEMBRANE BY REDUCING HEAT ABSORPTION, ASPHALT OXIDATION, AND RAPID THERMAL DIMENSIONAL CHANGES.

Section 1: Summary

CONTENT INVENTORY

Threshold per material • 100 ppm • 1,000 ppm • Per GHS SDS • Per OSHA MSDS • Other impurities considered in 1 of 1 materials • see Section 2: Material Notes • see Section 5: General Notes

Residuals and

Based on the selected Content Inventory Threshold:

Characterized	Ο	0
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened	Ο	Ο
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified	Ο	Ο
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM ROOF COATING [WATER BM-4 ASPHALT LT-1 | CAN ALUMINUM LT-P1 | RES | END | PHY TALC BM-3 | CAN 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-PROPENOATE, ETHENYLBENZENE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK KAOLIN CLAY LT-UNK | CAN BENTONITE LT-UNK DOLOMITE UNK QUARTZ LT-1 | CAN] INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

 Material (g/l): 8.0
 Regulatory (g/l):

 Does the product contain exempt VOCs: No

 Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

 Self-Published* VERIFIER:
 Third Party Verified VERIFICATION #: *See HPDC website for details SCREENING DATE: January 22, 2017 RELEASE DATE: January 22, 2017 EXPIRY DATE*: January 22, 2020 * or within 3 months of significant change in product content

Health Product Declaration v2.0

created via: HPDC Online Builder This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

	%: 100.0000 - 100.0000 Residuals Considered: Ye				
WATER			ID: 7732-1	18-5	
%: 60.0000 - 70.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent	
HAZARDS:		AGENC	Y(IES) WITH WARNINGS	3:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
ASPHALT	ID: 8052-42-4				
%: 10.0000 - 20.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Waterprrofing/flexibility	
HAZARDS:		AGENC	Y(IES) WITH WARNINGS	3:	
CANCER	IARC		Group 2b - Poss	ibly carcinogenic to humans	
CANCER	US CDC - Occupational Carcinogens Occupational Carcinogen				
CANCER	MAK Carcinogen Group 2 - Considered to be carcinogenic for man				
SUBSTANCE NOTES: IA	ARC considers asphalt to be	e a carcinogen in road pav	ing operations. This produ	ct is not used in this application.	
ALUMINUM			ID: 7429-5	90-5	
%: 5.0000 - 15.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Reflection	
HAZARDS:		AGENC	Y(IES) WITH WARNINGS	S:	
	AOEC - Asthmagens			Asthmagen (ARs) - sensitizer-induced - inhalable forms only	
RESPIRATORY	AOEC - Asthmag	gens	Asthmagen (AR: forms only	s) - sensitizer-induced - inhalable	

PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H228 - Flammal	H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H	-Statements)	H261 - In contac gases	H261 - In contact with water releases flammable gases		
SUBSTANCE NOTES:						
TALC		ID: 14807-96-6				
%: 5.0000 - 10.0000	GS: BM-3	RC: None	NANO: NO	ROLE: Filler/film strengthener		
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	S:		
CANCER	МАК	MAK Carcinogen Group 3B - Evidence of carcinogen effects but not sufficient for classification		up 3B - Evidence of carcinogenic ufficient for classification		
SUBSTANCE NOTES:	Not available in respirabl	e form				
	2-METHYL-, POLYMER \ ND METHYL 2-METHYL	WITH BUTYL 2-PROPENO -2-PROPENOATE	ATE, ID: 25987	-66-0		
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Flexibility		
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	S:		
None Found		No w	arnings found on HPD Priorit	ty lists		
SUBSTANCE NOTES:						
KAOLIN CLAY			ID: 1332-5	58-7		
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope		
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	S:		
CANCER	MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification					
SUBSTANCE NOTES:						
BENTONITE			ID: 1302-7	78-9		
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope		

HAZARDS:		AGENO	Y(IES) WITH WARNING	S:	
None Found		No warr	nings found on HPD Priori	ty lists	
SUBSTANCE NOTES:					
DOLOMITE			ID: 16389	9-88-1	
%: Impurity/Residual	GS: UNK	RC: None	NANO: NO	ROLE: Impurity/Residua	
HAZARDS:		AGENC	Y(IES) WITH WARNING	S:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
QUARTZ			ID: 14808	3-60-7	
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residua	
HAZARDS:		AGENC	Y(IES) WITH WARNING	S:	
CANCER	US CDC - Occupational Carcinogens		Occupational Ca	Occupational Carcinogen	
CANCER	CA EPA - Prop 65		Carcinogen - sp exposure route	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC			Group 1: Agent is carcinogenic to humans - inhaled from occupational sources	
CANCER	US NIH - Report on Carcinogens		Known to be Hu occupational se	Known to be Human Carcinogen (respirable size - occupational setting)	
CANCER	МАК		Carcinogen Gro cancer in man	Carcinogen Group 1 - Substances that cause cancer in man	
SUBSTANCE NOTES: N	lot available in respirab	le form.			

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd. Suite 800 El Segundo, CA 90245 USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.