Pro-Grade® 920 Silicone White Roof Sealant by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: Pro-Grade® 920 Silicone Roof Sealant is a solvent-free sealant offering excellent UV resistance and weathering characteristics with no hardening, chalking, crazing, cracking or reverting. It also offers excellent adhesion to a wide variety of building materials. This one-component, moisture-curing, silicone sealant is used on existing spray polyurethane foam, smooth built-up, smooth modified bitumen, granulated modified bitumen, aged single ply membrane roofs, and metal roof seams, flashings, fasteners, drains and other various repair areas. Pro-Grade® 920 Silicone Roof Sealant is also used in non-structural glazing, as a weather seal, for vertical and horizontal crack repairs, vertical and horizontal 2-point adhesion on control joints, and can also be used in concrete restoration, stucco repairs/restoration, EIFS installation and restoration. It is fungus and mildew resistant.

Residuals/Impurities

Considered



Section 1: Summary

Basic Method / Product Threshold

)RY

Inventory Reporting Format			
Nested Materials Method			
Basic Method			
Threshold Disclosed Per			
C Material			
© Product			

Threshold level			
⊙ 100 ppm			
C 1,000 ppm			

C Other

C Partially Considered Per GHS SDS Not Considered C Per OSHA MSDS

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

Screened ○ Yes Ex/SC Yes No All substances screened using Priority Hazard Lists with results disclosed.

C Yes Ex/SC C Yes C No Identified All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

92 SILICONE ROOF SEALANT [SILOXANES AND SILICONES, DI-ME, **HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK** POLYDIMETHYL SILOXANE LT-P1 | PBT 2-BUTANONE, 0,0',0"-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END CARBON BLACK BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial No.

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Regulatory (g/l): 0.0 Material (q/l): 0.0

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No
 No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-04-15 PUBLISHED DATE: 2020-04-15 EXPIRY DATE: 2023-04-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

92 SILICONE ROOF SEALANT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: 70131-67-8

40.00 GS: BM-2	RC: None NANO: No ROLE: Polymer
E AGENCY AND LIST TITLES	WARNINGS
nd	No warnings found on HPD Priority Hazard Lis

SUBSTANCE NOTES: None

NEPHELINE SYENITE	ID: 37244-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: 30.00 - 40.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler/film strengthener
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No war	nings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Not in respirable form

POLYDIMETHYL SILOXANE ID: 9016-00-6

HAZARD SCREENING METHOD: Pharos Chem	ical and Materials Library	HAZARD SCREENIN	IG DATE: 2020-04	-15
%: 20.00 - 30.00	GS: LT-P1	BC: None	NANO: No	ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
SUBSTANCE NOTES: None		

2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI)

ID: 22984-54-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-15		
%: 3.00 - 7.00	gs: LT-UNK	RC: None	nano: No	ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	varnings found on	HPD Priority Hazard List
SUBSTANCE NOTES: None				

FUMED SILICA, CRYSTALLINE-FREE

ID: 112945-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-1	HAZARD SCREENING DATE: 2020-04-15		
%: 0.00 - 5.00	GS: BM-1	RC: None NANO: No	ROLE: Thixotrope		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H3	50]		
CANCER	GHS - Australia	H350i - May cause cancer by inha	lation		

SUBSTANCE NOTES: Not in respirable form

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	HAZARD SCREENING DATE: 2020-04-15		
%: 0.00 - 7.00	GS: LT-1	RC: None	NANO: No	ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Not available in a respirable form.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15			
%: 0.00 - 3.00	GS: BM-1	RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen -	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	•	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	-	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Not available in a respirable form.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-15

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

EXPIRY DATE:

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-15

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.