Pro-Grade® 957 Silicone Fibered Roof Sealer by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: Pro-Grade® 957 Silicone Fibered Roof Sealer is an exceptionally versatile, tough yet flexible fibered mastic membrane that is easily trowel-applied at thicknesses up to 1/2" thick. It is also an excellent repair material for direct-to-metal repairs, spray polyurethane foam, smooth built-up, smooth modified bitumen, granulated modified bitumen, aged single ply roof membrane, flashings, fasteners and drains.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

92 SILICONE ROOF SEALANT [SILOXANES AND SILICONES, DI-ME, **HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK** POLYDIMETHYL SILOXANE LT-P1 | PBT 2-BUTANONE, 0,0',0"-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END CARBON BLACK BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2020-04-15 PUBLISHED DATE: 2020-04-15 EXPIRY DATE: 2023-04-15

Pro-Grade 957 Silicone Fibered Roof Sealer hpdrepository.hpd-collaborative.org



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

92 SILICONE ROOF SEALANT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: 70131-67-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-15		
%: 30.00 - 40.00	GS: BM-2	RC: None	nano: No	ROLE: Polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		N	o warnings found c	on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

NEPHELINE SYENITE	ID: 37244-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-04-15		
%: 30.00 - 40.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler/film strengthener	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS		
None found			No war	nings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Not in respirable form

POLYDIMETHYL SILOXANE ID: 9016-00-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15			
%: 20.00 - 30.00	GS: LT-P1	RC: None	NANO: No	ROLE: Plasticizer	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
SUBSTANCE NOTES: None		

2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI)

ID: 22984-54-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE!	HAZARD SCREENING DATE: 2020-04-15		
%: 3.00 - 7.00	gs: LT-UNK	RC: None	nano: No	ROLE: Catalyst	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No v	varnings found on	HPD Priority Hazard List	
SUBSTANCE NOTES: None					

FUMED SILICA, CRYSTALLINE-FREE

ID: 112945-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15	HAZARD SCREENING DATE: 2020-04-15		
%: 0.00 - 5.00	GS: BM-1	RC: None NANO: No ROLE:	Γhixotrope		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350i - May cause cancer by inhalation			

SUBSTANCE NOTES: Not in respirable form

TITANIUM DIOXIDE	ID: 13463-67-7
------------------	-----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	-15		
%: 0.00 - 7.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Not available in a respirable form.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-15		
%: 0.00 - 3.00 GS: BM-1		RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen -	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CANCER	MAK	-	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Not available in a respirable form.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilites

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

04-15

04-15

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.