Pro-Grade® 988 Silicone Safety Yellow Roof Coating by Henry Company

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: PRO-GRADE® 988 SILICONE ROOF COATING IS A SOLVENT-FREE, ONE-COMPONENT, MOISTURE-CURING SILICONE RUBBER ROOF COATING SYSTEM FOR USE ON EXISTING SMOOTH ASPHALTIC BUR, SMOOTH OR GRANULATED CAP SHEET, SINGLE PLY ROOF MEMBRANE, WELL-ADHERED ACRYLIC COATING, METAL, SPRAYED-IN-PLACE POLYURETHANE FOAM AND VARIOUS AGED MEMBRANE ROOFING.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY

Threshold per material
- (●) 100 ppm
- ( ) 1,000 ppm
- ( ) Per GHS SDS
- ( ) Per OSHA MSDS
- ( ) Other

Residuals and impurities considered in 1 of 1 materials
- (●) see Section 2: Material Notes
- (●) see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized..... Are the Percent Weight and Role provided for all substances?	(●) Yes	( ) No
Screened..... Are all substances screened using Priority Hazard Lists with results disclosed?	(●) Yes	( ) No
Identified..... Are all substances disclosed by Name (Specific or Generic) and Identifier?	(●) Yes	( ) No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

100% SILICONE WHITE ROOF COATING [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK TITANIUM DIOXIDE LT-1 | CAN POLYDIMETHYL SILOXANE LT-P1 | PBT OCTAMETHYLCYCLOTETRASILOXANE (D4) BM-1 | REP | END | PBT | MUL 2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE LT-UNK *QUARTZ* LT-1 | CAN CARBON BLACK LT-1 | CAN FERRIC OXIDE BM-2 | CAN]

Number of Greenscreen BM-4/BM3 contents..... 0

Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1

Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 10 Regulatory (g/l):

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

(●) Self-Published*	VERIFIER:	SCREENING DATE: January 29, 2017	EXPIRY DATE*: January 29, 2020
( ) Third Party Verified	VERIFICATION #:	RELEASE DATE: January 29, 2017	* or within 3 months of significant change in product contents

See HPDC website for details

Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

100% SILICONE WHITE ROOF COATING **%: 100.0000 - 100.0000** **HPD URL:**

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED ID: 70131-67-8

%: 50.0000 - 60.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Waterproofing/polymer

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

NEPHELINE SYENITE ID: 37244-96-5

%: 20.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler/film strengthener

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE ID: 13463-67-7

%: 5.0000 - 10.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment

HAZARDS:		AGENCY(IES) WITH WARNINGS:
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Not available in respirable form.

POLYDIMETHYL SILOXANE ID: 9016-00-6

%: 5.0000 - 10.0000 GS: LT-P1 RC: None NANO: NO ROLE: Flexibilizer

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES:

OCTAMETHYLCYCLOTETRASILOXANE (D4) ID: 556-67-2

%: 3.0000 - 7.0000 GS: BM-1 RC: None NANO: NO ROLE: Solvent

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
REPRODUCTIVE	EU - R-phrases	R62 - Possible risk of impaired fertility
ENDOCRINE	EU - Priority Endocrine Disrupters	Category 1 - In vivo evidence of Endocrine Disruption Activity
PBT	EU - ESIS PBT	Under PBT evaluation
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment

SUBSTANCE NOTES:

2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) ID: 22984-54-9

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Catalyst

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

FUMED SILICA, CRYSTALLINE-FREE ID: 112945-52-5

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

QUARTZ ID: 14808-60-7

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1: Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: Not available in respirable form.

CARBON BLACK ID: 1333-86-4

%: 0.0000 - 1.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment

HAZARDS:		AGENCY(IES) WITH WARNINGS:
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Not available in respirable form.

FERRIC OXIDE ID: 1309-37-1

%: 0.0000 - 3.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Pigment

HAZARDS:		AGENCY(IES) WITH WARNINGS:
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd.
Suite 800
El Segundo, CA 90245
USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
MAM Mammalian/systemic/organ toxicity
MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion
PBT Persistent Bioaccumulative Toxic
PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)
LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.