### **Pro-Grade® 988 Silicone Terra Cotta Roof Coating** by Henry Company

**Health Product** Declaration v2.0

created via: HPDC Online Builder

PRODUCT DESCRIPTION: PRO-GRADE® 988 SILICONE ROOF COATING IS A SOLVENT-FREE, ONE-COMPONENT, MOISTURE-CURING SILICONE RUBBER ROOF COATING SYSTEM FOR USE ON EXISTING SMOOTH ASPHALTIC BUR, SMOOTH OR GRANULATED CAP SHEET, SINGLE PLY ROOF MEMBRANE, WELL-ADHERED ACRYLIC COATING, METAL, SPRAYED-IN-PLACE POLYURETHANE FOAM AND VARIOUS AGED MEMBRANE ROOFING.



## **Section 1: Summary**

INVENTORY	Residuals and	Based on the selected Content Inventory Threshold:		
Threshold per material	impurities considered in	CharacterizedAre the Percent Weight and Role provided for all substances?	<ul><li>Yes</li></ul>	O No
• 100 ppm • 1,000 ppm • Per GHS SDS • Per OSHA MSDS	1 of 1 materials  • see Section 2:  Material Notes  • see Section 5:	ScreenedAre all substances screened using Priority Hazard Lists with results disclosed?	• Yes	O No
O Other	General Notes	IdentifiedAre all substances disclosed by Name (Specific or Generic) and Identifier?	<b>⊙</b> Yes	O No

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE | HAZARD TYPE** 

100% SILICONE WHITE ROOF COATING [ SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK TITANIUM DIOXIDE LT-1 | CAN POLYDIMETHYL SILOXANE LT-P1 | PBT OCTAMETHYLCYCLOTETRASILOXANE (D4) BM-1 | REP | END | PBT | MUL 2-BUTANONE, O,O',O"-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE LT-UNK QUARTZ LT-1 | CAN CARBON BLACK LT-1 | CAN FERRIC OXIDE BM-2 | CAN ]

Number of Greenscreen BM-4/BM3 contents..... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1 Nanomaterial..... No

**INVENTORY AND SCREENING NOTES:** 

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 10 Regulatory (g/l): Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** 

No certifications have been added to this HPD.

O Self-Published\* VERIFIER: SCREENING DATE: January 29, 2017 EXPIRY DATE\*: January 29, 2020

VERIFICATION #:



# Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

s SILICONE WHITE ROC tory Threshold: 100 ppm rial Notes:		0000 - 100.0000 HPD URL s Considered: Yes			
SILOXANES AND SILIC	ONES, DI-ME, HYDRO	XY-TERMINATED	ID: 70131-	-67-8	
%: 50.0000 - 60.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Waterproofing/polyme	
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	3:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
NEPHELINE SYENITE	ID: 37244-96-5				
%: 20.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler/film strengthener	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
TITANIUM DIOXIDE	ID: 13463-67-7				
%: 5.0000 - 10.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	US CDC - Occupational Carcinogens Occupational Carcinogen		ırcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - spe exposure route	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC			sibly carcinogenic to humans -	

SUBSTANCE NOTES: Not available in respirable form.

#### POLYDIMETHYL SILOXANE

ID: 9016-00-6

%: 5.0000 - 10.0000

GS: LT-P1

RC: None

NANO: NO

ROLE: Flexibilizer

**HAZARDS:** 

#### **AGENCY(IES) WITH WARNINGS:**

PBT

EC - CEPA DSL

Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES:

#### OCTAMETHYLCYCLOTETRASILOXANE (D4)

ID: 556-67-2

%: 3.0000 - 7.0000

GS: BM-1

RC: None

NANO: NO

ROLE: Solvent

HAZARD	S:
--------	----

#### **AGENCY(IES) WITH WARNINGS:**

	7.02.10.1(120)	7.52.101 (12.5) 11.111 11.1111111001				
REPRODUCTIVE	EU - R-phrases	R62 - Possible risk of impaired fertility				
ENDOCRINE	EU - Priority Endocrine Disrupters	Category 1 - In vivo evidence of Endocrine Disruption Activity				
PBT	EU - ESIS PBT	Under PBT evaluation				
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1				
PBT	EC - CEPA DSL  Persistent, Bioaccumulative a (PBiTE) to the Environment (borganisms)					
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans				
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development				
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility				
MULTIPLE ChemSec - SIN List CMR - Ca Toxicant		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant				
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor				
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters				
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment				

**CARBON BLACK** 

%: 0.0000 - 1.0000

GS: LT-1

2-BUTANONE, O,O',O"-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) ID: 22984-54-9 GS: LT-UNK RC: None NANO: NO %: 1.0000 - 5.0000 **ROLE: Catalyst HAZARDS:** AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: FUMED SILICA, CRYSTALLINE-FREE ID: 112945-52-5 %: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: NO ROLE: Thixotrope **HAZARDS: AGENCY(IES) WITH WARNINGS:** None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: **QUARTZ** ID: 14808-60-7 GS: LT-1 RC: None NANO: NO %: Impurity/Residual ROLE: Impurity/Residual **HAZARDS: AGENCY(IES) WITH WARNINGS: CANCER** US CDC - Occupational Carcinogens Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route **CANCER IARC** Group 1: Agent is carcinogenic to humans inhaled from occupational sources **CANCER** US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size occupational setting) CANCER MAK Carcinogen Group 1 - Substances that cause cancer in man SUBSTANCE NOTES: Not available in respirable form.

RC: None

ID: 1333-86-4

ROLE: Pigment

NANO: NO

HAZARDS:		AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - O	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CANCER	CA EPA - Pr	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CANCER	IARC	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
CANCER	MAK	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
SUBSTANCE NOTES:	Not available in respirab	e form.			
FERRIC OXIDE		ID: 1309-37-1		37-1	
%: 0.0000 - 3.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Pigment	
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	S:	
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			
SUBSTANCE NOTES:					



## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



## **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



### **Section 5: General Notes**

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd.

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

**Hazard Types** 

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspeci ed (insu cient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown **None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

**Declaration Level** 

**Self-declared** Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.