Pro-Grade® Elite 966 Epoxy Primer by Henry Company

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: PRO-GRADE® ELITE 966 EPOXY PRIMER IS A PREMIUM, TWO-COMPONENT, MULTI-PURPOSE, WATER-BASED EPOXY PRIMER. IT OFFERS EXCELLENT ADHESION TO MOST ROOF SUBSTRATES, ENHANCES ADHESION OF SILICONE TOP COATINGS, AND PREVENTS BLEEDTHROUGH, DISCOLORING, AND STAINING.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

	Residuals and	Based on the selected Content Inventory Threshold:		
Threshold per material	impurities considered in	Characterized Are the Percent Weight and Role provided for all substances?	⊙ Yes	O No
 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS 	1 of 1 materials See Section 2: Material Notes	Screened Are all substances screened using Priority Hazard Lists with results disclosed?	⊙ Yes	O No
O Per OSHA MSDS O Other	See Section 5: General Notes	Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	⊙ Yes	O No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

WATER-BASED EPOXY PRIMER [WATER BM-4 POLYETHYLENEPOLYAMINE, DIMER FATTY ACID CONDENSATE LT-P1 | MUL EPICHLOROHYDRIN-BISPHENOL A RESIN LT-P1 | EYE | SKI | AQU | MUL SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN 0,1 % W/W BENZENE LT-P1 | MAM | MUL TITANIUM DIOXIDE LT-1 | CAN 1,2,4-TRIMETHYLBENZENE BM-2 | MAM | EYE | SKI | AQU | MUL] Number of Greenscreen BM-

4/BM3 contents....... 1 Contents highest concern GreenScreen Benchmark or List translator Score...... LT-1 Nanomaterial...... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

 Material (g/l): 60
 Regulatory (g/l):

 Does the product contain exempt VOCs: No

 Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

 Self-Published* VERIFIER:
 Third Party Verified VERIFICATION #: *See HPDC website for details SCREENING DATE: January 28, 2017 RELEASE DATE: January 28, 2017 EXPIRY DATE*: January 28, 2020 * or within 3 months of significant change in product contents This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

NATER-BASED EPOXY PRIM nventory Threshold: 100 ppm Material Notes:	NER %: 100.0000 - 100 Residuals Conside				
WATER			ID: 7732-18-5		
%: 55.0000 - 65.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Carrier	
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
POLYETHYLENEPOLYA	MINE, DIMER FATTY A	ACID CONDENSATE	ID: 68410-	23-1	
%: 10.0000 - 15.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Polymer	
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:	
MULTIPLE	German FEA	- Substances Hazardous t	o Waters Class 2 - Hazard	to Waters	
SUBSTANCE NOTES:					
EPICHLOROHYDRIN-BI	SPHENOL A RESIN		ID: 25068-	38-6	
%: 10.0000 - 15.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Polymer	
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:	
EYE IRRITATION	EU - R-phrase	es	R36 - Irritating to	eyes	
SKIN IRRITATION	EU - R-phrase	es	R38 - Irritating to	skin	
SKIN SENSITIZE	EU - R-phrase	es	R43 - May cause	e sensitization by skin contact	
ACUTE AQUATIC	EU - R-phrase	es	R51 - Toxic to Ac	quatic Organisms	
CHRON AQUATIC	EU - GHS (H-	Statements)	H411 - Toxic to a	aquatic life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-	Statements)	H315 - Causes s	kin irritation	

SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an a	H317 - May cause an allergic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious	H319 - Causes serious eye irritation	
MULTIPLE	German FEA - Substances Hazardous to W	aters Class 2 - Hazard to Wa	Class 2 - Hazard to Waters	
SUBSTANCE NOTES:				
SOLVENT NAPHTHA (F THAN 0,1 % W/W BENZ	PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN ZENE	LESS ID: 64742-95-6		
%: 3.0000 - 7.0000	GS: LT-P1 RC: None	NANO: NO	ROLE: Solvent	
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if s airways	H304 - May be fatal if swallowed and enters airways	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mu Toxicant	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MULTIPLE	German FEA - Substances Hazardous to W	aters Class 2 - Hazard to Wa	ters	
SUBSTANCE NOTES:				
TITANIUM DIOXIDE	ID: 13463-67-7			
%: 1.0000 - 5.0000	GS: LT-1 RC: None	NANO: NO	ROLE: Pigment	
HAZARDS:	HAZARDS: AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinog	Occupational Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen - specific to exposure route	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC	Group 2B - Possibly ca inhaled from occupation	rcinogenic to humans - nal sources	
CANCER	МАК	Carcinogen Group 3A - effects but not sufficien value	Evidence of carcinogenic to establish MAK/BAT	
SUBSTANCE NOTES: Not available as a respirable dust.				
1,2,4-TRIMETHYLBENZ	1,2,4-TRIMETHYLBENZENE ID: 95-63-6			
%: Impurity/Residual	GS: BM-2 RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:	AGENC	(IES) WITH WARNINGS:		

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd Suite 800 El Segundo, CA 90245 USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.