Synko-Flex® by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 13 52.00

PRODUCT DESCRIPTION: SF302 Synko-Flex® waterstop is a specially formulated non-swelling preformed joint sealant that provides a lasting, watertight bond to both fresh and cured concrete surfaces. It is a single component, self-sealing adhesive compound, extruded in a square cross-section between two quick-release protective wrappers. It bonds to cured concrete surfaces and fuses with fresh concrete during the hydration and curing process to achieve a watertight seal within cold joints at footings, walls and slabs on a wide variety of concrete structures. It does not rely on swelling to achieve its watertight seal, and therefore, it is unaffected by rain or wet conditions which may occur prior to joint completion.

Section 1: Summary

Basic Method / Product Threshold

Inventory Reporting Format Nested Materials Method Basic Method Threshold Disclosed Per Material Product	Threshold level 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS Other	Residuals/I Considered Partially Co Not Considered Supplementation(s) provider Residuals/Impu Yes No	d onsidered dered ided rities?	Characterized % weight and role position Screened All substances screet results disclosed. Identified	C Yes Ex/SC O Yes O No rovided for all substances. O Yes Ex/SC O Yes O No ened using Priority Hazard Lists with O Yes Ex/SC O Yes O No ened by Name (Specific or Generic) and
				Identifier.	
CONTENT IN DESCENDING ORDER O	F QUANTITY		Number of G	reenscreen BM-4/BM3	contents 0
Summary of product contents and resusubstances against HPD Priority Hazar Chemicals®. The HPD does not assess product will expose individuals to its chafer to Section 2 for further details. MATERIAL SUBSTANCE RESIDUAL GREENSCREEN SCORE HAZARD TYLESTANCE ASPHALT LT-1 CAN RECELULOSE, MICROCRYSTALLINE LEND LT-UNK QUARTZ LT-1 END]	d Lists and the GreenScrees whether using or handlin nemical substances or any OR IMPURITY PE (AOLIN CLAY LT-UNK CT-UNK RES STYRENE B)	een for Safer g this y health risk. AN UTADIENE	Contents hig Benchmark of Nanomateria	hest concern GreenScr or List translator Score .	een LT-1

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2020-04-10
C Yes	VERIFIER:	PUBLISHED DATE: 2020-04-10
© No	VERIFICATION #:	EXPIRY DATE: 2023-04-10



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

SYNKO-FLEX

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10			
%: 50.00 - 60.00	GS: LT-1	RC: None	nano: No	ROLE: Waterproofing/flexibility	
HAZARD TYPE	AGENCY AND LIST TITLES	١	WARNINGS		
CANCER	IARC	(Group 2b - Possibly carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	(Occupational Carcinogen		
CANCER	CA EPA - Prop 65	(Carcinogen		
CANCER	IARC		Group 2B - Possil occupational sour	oly carcinogenic to humans - inhaled from rces	
CANCER	MAK		Carcinogen Group	o 3B - Evidence of carcinogenic effects for classification	

SUBSTANCE NOTES: IARC considers asphalt a carcinogen when used in road paving applications. This product is not intended for use in this application.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
%: 30.00 - 40.00	GS: LT-UNK	RC: None NANO: No ROLE: Filler/strengther	er	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER MAK		Carcinogen Group 3B - Evidence of carcinogenic e	ffects	

SUBSTANCE NOTES: Not in respirable form

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-10		
%: 5.00 - 10.00	gs: LT-UNK	RC: None NANO: No ROLE: Filler/film streng		ROLE: Filler/film strengthener	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		ensitizer-induced	

SUBSTANCE NOTES: Not in respirable form

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-10			
%: 1.00 - 5.00	GS: LT-UNK	RC: None	nano: No	ROLE: Flexibility	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found	on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SC	REENING DATE: 2020)-04-10
%: Impurity/Residual	GS: LT-1	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure re		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause can man		Substances that cause cancer in
CANCER	IARC	Group 1 - Agent is Carcinogenic to hu		rcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhal occupational sources		
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	Н	50i - May cause ca	ncer by inhalation

 $\hbox{\scriptsize SUBSTANCE NOTES: $Not available in respirable form.}$

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10			
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
CANCER	US CDC - Occupational Carcinogens	0	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled froccupational sources			
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic of but not sufficient to establish MAK/BAT value		<u> </u>	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	crine Disruptors Potential Endocrine Disruptor			
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen v risk under MAK/BAT levels			

SUBSTANCE NOTES: Not available in respirable form.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-10

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.