Timberline Cool Series by GAF

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 31 00

PRODUCT DESCRIPTION: Timberline® Cool Series® Roofing Shingles can help reduce cooling energy costs.* They are highly reflective to help reduce temperatures in your attic. According to the Cool Roof Rating Council, cool roofs may save homeowners an average of 7-15% on total cooling costs.* *Savings depend on various factors including, but not limited to climate zone, utility rates, location, and HVAC equipment efficiency.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

Yes Ex/SC
 Yes
 No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC quidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TIMBERLINE COOL SERIES [LIMESTONE; CALCIUM CARBONATE LT-UNK SC:GRANULES Not Screened ASPHALT, OXIDIZED LT-1 | CAN SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK | CAN TITANIUM DIOXIDE LT-1 | CAN | END QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2019-11-11 PUBLISHED DATE: 2019-11-11

EXPIRY DATE: 2022-11-11



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

TIMBERLINE COOL SERIES

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: NO

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities have not been considered.

OTHER PRODUCT NOTES:

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-11		
%: 25.00 - 45.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler, adds bulk and weight, adjusts pH
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Filler, adds bulk and weight, adjusts pH

SC:GRANULES ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-11			
%: 20.00 - 45.00	GS: Not Screened	RC: None	NANO: No	ROLE: UV blocker, weather resistance, appearance	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	Hazard Screening not performed				

SUBSTANCE NOTES:

Version: SCGeoMats/2018-02-23

Origin: United States

Typical Composition: This disclosure does not provide typical composition.

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials.

ASPHALT, OXIDIZED ID: 64742-93-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-11			
%: 10.00 - 30.00	GS: LT-1	RC: No	ne	NANO: No	ROLE: Binder, waterproofing
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans			probably Carcinogenic to humans
CANCER	CA EPA - Prop 65		Carc	inogen	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			nogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled fro occupational sources			•
CANCER	MAK			inogen Group 3 not sufficient for	BB - Evidence of carcinogenic effects r classification

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-11		
%: 1.00 - 3.00	GS: LT-UNK	RC: None NANO: No ROLE	Improves Tear Strength	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		

SUBSTANCE NOTES: Improves Tear Strength

SUBSTANCE NOTES: Binder, waterproofing

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-11			
%: 0.00 - 4.00	GS: LT-1	RC: None NANO: No ROLE: Color,	UV blocker		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rou			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled froccupational sources			
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic car risk under MAK/BAT levels	rcinogen with low		

SUBSTANCE NOTES: Color, UV blocker

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-11-11			
%: 0.00 - 10.00	GS: LT-1	RC: None	NANO: No	ROLE: Sand - prevents sticking together in shipment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNIN	igs		
CANCER	IARC		Group 1 - Agent is Carcinogenic to humans			
CANCER	US CDC - Occupational Carcinog	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	US NIH - Report on Carcinogens	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	MAK		Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	IARC			o 1 - Agent is carcinogenic to humans - inhaled from pational sources		
CANCER	GHS - New Zealand	GHS - New Zealand		6.7A - Known or presumed human carcinogens		
CANCER	GHS - Japan	Ca		Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia		H350i	- May cause cancer by inhalation		

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Sand\ -\ prevents\ sticking\ together\ in\ shipment}$



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: All

10-28

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC Emissions testing has not been performed on this product.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: GAF

ADDRESS: 1 Campus Dr

Parsippany NJ 07054, United States

WEBSITE: www.gaf.com

CONTACT NAME: Ana Meyer

TITLE: Executive Director of Sustainability

PHONE: 973-628-3110

EMAIL: ana.meyer@gaf.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.