

CLASSIFICATION: 08 13 00 Metal Doors

PRODUCT DESCRIPTION: Regent combines the aesthetic advantage of a beveled lock edge with the rigidity and impact resistance of honeycomb core construction. Where the versatility of a non-handed door is an important advantage, the Omega offers a honeycomb core construction which can be switched on the job site to right or left handed openings, swing in or out, or as double doors. This declaration covers all 3' x 7' Regent and Omega Honeycomb Doors with Lite produced by ASSA ABLOY Door Group.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

Residuals/Impurities
Considered in 7 of 7 Materials

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STEEL, COLD ROLLED, ALLOY [STEEL NoGS] GLASS - TEMPERED [CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK] GLASS KIT [STEEL NoGS] STEEL, GAVANNEAL, ALLOY [STEEL NoGS] ZINC (POWDER) LT-P1 | AQU | PHY | END | MUL] HONEYCOMB CORE UNSANDED [CELLULOSE, MICROCRYSTALLINE NoGS WATER BM-4] ADHESIVE [UNDISCLOSED ADHESIVE SUBSTANCE 1 BM-4] UNDISCLOSED ADHESIVE SUBSTANCE 2 LT-UNK] ADHESIVE PRIMER [ACETONE LT-P1 | PHY | EYE | END | DEL SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC LT-1 | MAM | GEN | CAN | MUL N-HEPTANE, BRANCHED, CYCLIC AND LINEAR NoGS N-HEXANE LT-1 | REP | AQU | PHY | MAM | SKI | MUL | END]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This product is screened to the 1000ppm threshold. Several substances are proprietary and therefore remain unidentified in this disclosure.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Omega GREENGUARD Gold
VOC emissions: Regent GREENGUARD Gold

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared
VERIFIER: GreenCircle Certified
VERIFICATION #: 6H3-7120

SCREENING DATE: 2019-04-18
PUBLISHED DATE: 2019-04-23
EXPIRY DATE: 2022-04-18



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STEEL, COLD ROLLED, ALLOY

#: 67.3490

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered and are below the 1000ppm reporting threshold.

OTHER MATERIAL NOTES:

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-18

#: 100.0000

GS: NoGS

RC: None

NANO: No

ROLE: Steel Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

GLASS - TEMPERED

#: 19.5360

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered and are below the 1000ppm reporting threshold.

OTHER MATERIAL NOTES:

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-18

#: 100.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Glass - tempered component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

GLASS KIT

%: 7.7580

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals are considered and are below the 1000ppm reporting threshold.**

OTHER MATERIAL NOTES:

STEEL

ID: **12597-69-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-18**

%: **100.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Glass Kit Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

STEEL, GAVANNEAL, ALLOY

%: 2.6680

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals are considered and are below the 1000ppm reporting threshold.**

OTHER MATERIAL NOTES:

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-18**%: **99.0900 - 100.0000**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Steel Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Substance ranges based on alloy composition.****ZINC (POWDER)**

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-18**%: **0.0000 - 0.1000**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Steel Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H260 - In contact with water releases flammable gases which may ignite spontaneously

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: **Substance ranges based on alloy composition.****HONEYCOMB CORE UNSANDED**%: **1.9130**PRODUCT THRESHOLD: **1000 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **Residuals are considered and are below the 1000ppm reporting threshold.**

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-04-18**

#: **92.0000 - 98.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Honeycomb Core Unsanded Component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: **Substance ranges based on core composition.**

WATER

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-04-18**

#: **6.0000 - 7.0000** GS: **BM-4** RC: **None** NANO: **No** ROLE: **Honeycomb Core Unsanded Component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: **Substance ranges based on core composition.**

ADHESIVE

#: **0.3160**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals are considered and are below the 1000ppm reporting threshold.**

OTHER MATERIAL NOTES:

UNDISCLOSED ADHESIVE SUBSTANCE 1ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-18**%: **40.0000 - 50.0000**GS: **BM-4**RC: **None**NANO: **No**ROLE: **Adhesive Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **The identity of this substance is withheld due to confidentiality. Substance range is based on adhesive composition.****UNDISCLOSED ADHESIVE SUBSTANCE 2**ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-18**%: **30.0000 - 40.0000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Adhesive Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **The identity of this substance is withheld due to confidentiality. Substance range is based on adhesive composition.****ADHESIVE PRIMER**%: **0.3160**PRODUCT THRESHOLD: **1000 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **Residuals are considered and are below the 1000ppm reporting threshold.**

OTHER MATERIAL NOTES:

ACETONEID: **67-64-1**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-18**%: **30.0000 - 60.0000**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Adhesive Primer Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H225 - Highly flammable liquid and vapour

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

DEVELOPMENTAL

MAK

Pregnancy Risk Group B

SUBSTANCE NOTES: **Substance ranges based on primer composition.**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-18**

#: **10.0000 - 30.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Adhesive Primer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Substance ranges based on primer composition.

N-HEPTANE, BRANCHED, CYCLIC AND LINEAR

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-18**

#: **10.0000 - 30.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Adhesive Primer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: Substance ranges based on primer composition.

N-HEXANE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-18**

#: **10.0000 - 30.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Adhesive Primer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Substance ranges based on primer composition.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Omega GREENGUARD Gold

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2011-**

EXPIRY DATE: **2019-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

05-11

05-11

CERTIFICATE URL: <https://spot.ul.com>

CERTIFICATION AND COMPLIANCE NOTES: **Certificate Number: 20351-420**

VOC EMISSIONS

Regent GREENGUARD Gold

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2011-**

EXPIRY DATE: **2019-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

05-11

05-11

CERTIFICATE URL: <https://spot.ul.com>

CERTIFICATION AND COMPLIANCE NOTES: **Certificate Number: 20350-420**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The material composition of Regent and Omega Honeycomb Doors with Lite are identical and therefore both products are included in this Health Product Declaration. This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of ASSA ABLOY Door Group.



MANUFACTURER INFORMATION

MANUFACTURER: **ASSA ABLOY**

ADDRESS: **9159 Telecom Drive
Milan Tennessee 38358, USA**

WEBSITE:

<https://www.cecodoor.com/en/site/cecodoor/>

CONTACT NAME: **Dan Glover**

TITLE: **Product Manager**

PHONE: **731-514-8418**

EMAIL: **dan.glover@assaabloy.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.