

CLASSIFICATION: N/A

PRODUCT DESCRIPTION: EUCON AIR MAC6 is formulated for use as an air entraining admixture for concrete of all types and is manufactured under rigid control which assures uniform and precise performance. EUCON AIR MAC6 adds microscopic air bubbles in concrete and is acceptable to use in all types of concrete, including mixtures that have been traditionally difficult to entrain air. EUCON AIR MAC6 does not contain added chlorides and will not promote the corrosion of steel.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

EUCON AIR MAC6 | WATER | BM-4 | ACIDS, TALL OIL | LT-UNK
UNDISCLOSED | LT-UNK | ALKENES, C14-16 ALPHA-, SULFONATED,
SODIUM SALTS | LT-UNK | SODIUM HYDROXIDE | LT-P1 | SKI | PHY
UNDISCLOSED | LT-P1 | EYE | MUL | CAMEL COLOR | NoGS |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1 using HPDC Builder. The HPD discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the product, along with the role and weight percent. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-02-07

PUBLISHED DATE: 2019-02-08

EXPIRY DATE: 2022-02-07



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

EUCON AIR MAC6

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities that are known, or expected to be present, have been disclosed based on information provided to us by our suppliers.

OTHER PRODUCT NOTES: Component substances are listed in percent by weight ranges to protect proprietary formulation information.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-07

#: 80.0000 - 95.0000

GS: BM-4

RC: None

NANO: No

ROLE: Diluent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Component substances are listed in percent by weight ranges to protect proprietary formulation information.

ACIDS, TALL OIL

ID: 61790-12-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-07

#: 1.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Air Entrainer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Component substances are listed in percent by weight ranges to protect proprietary formulation information.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-07

#: 1.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES: Component substances are listed in percent by weight ranges to protect proprietary formulation information.

ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-07**

#: **1.0000 - 15.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Air Entrainer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES: Component substances are listed in percent by weight ranges to protect proprietary formulation information.

SODIUM HYDROXIDE

ID: 1310-73-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-07**

#: **0.1000 - 1.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **pH Adjuster**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
-----------------	-------------------------	--

PHYSICAL HAZARD (REACTIVE)	Korea - GHS	H290 - May be corrosive to metals
----------------------------	-------------	-----------------------------------

SUBSTANCE NOTES: Component substances are listed in percent by weight ranges to protect proprietary formulation information.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-07**

#: **0.1000 - 5.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Chelating Agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
----------------	-------------------------	----------------------------------

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
----------	---	----------------------------

SUBSTANCE NOTES: Component substances are listed in percent by weight ranges to protect proprietary formulation information.

CARAMEL COLOR

ID: 8028-89-5

#: **0.0100 - 0.0500**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Component substances are listed in percent by weight ranges to protect proprietary formulation information.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **The Euclid**

APPLICABLE FACILITIES: **All Euclid facilities**

02-07

Chemical Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **EUCON AIR MAC6 has not been tested for VOC emissions. There is no applicable CDPH Standard Method emission scenario for this type of product.**

VOC CONTENT

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **The Euclid**

APPLICABLE FACILITIES: **All Euclid facilities**

02-08

Chemical Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **The calculated regulatory VOC is =< 1 g/L.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

EUCON AIR MAC6 does not contain chemicals identified on the Living Building Challenge 'Red List' Imperative V3.1.



MANUFACTURER INFORMATION

MANUFACTURER: **The Euclid Chemical Company**
ADDRESS: **19215 Redwood Road**
Cleveland Ohio 44110, United States
WEBSITE: **www.euclidchemical.com**

CONTACT NAME: **Glenn Strasshofer**
TITLE: **Director of EHS**
PHONE: **216-531-9222**
EMAIL: **gstrasshofer@euclidchemical.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.