

CLASSIFICATION: 07 13 52

created via: HPDC Online Builder

PRODUCT DESCRIPTION: THERMOFUSIBLE SBS-MODIFIED BITUMEN WATERPROOFING MEMBRANE USED ON VERTICAL FOUNDATION WALLS AND OTHER BELOW GRADE VERTICAL SURFACES THAT ALLOWS THE DIRECT INSTALLATION OF PROTECTION BOARD, INSULATION BOARD OR DRAINAGE PANEL WITHOUT ADDITIONAL ADHESIVE.

Section 1: Summary

CONTENT INVENTORY

- | | |
|--|--|
| Threshold per material | Residuals and impurities considered in 0 of 5 materials |
| <input type="radio"/> 100 ppm | <input checked="" type="radio"/> see Section 2: Material Notes |
| <input checked="" type="radio"/> 1,000 ppm | <input checked="" type="radio"/> see Section 5: General Notes |
| <input type="radio"/> Per GHS SDS | |
| <input type="radio"/> Per OSHA MSDS | |
| <input type="radio"/> Other | |

Based on the selected Content Inventory Threshold:

- | | | |
|---|----------------------------------|-----------------------|
| Characterized..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are the Percent Weight and Role provided for all substances? | Yes | No |
| Screened..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are all substances screened using Priority Hazard Lists with results disclosed? | Yes | No |
| Identified..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are all substances disclosed by Name (Specific or Generic) and Identifier? | Yes | No |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 0
 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1
 Nanomaterial..... No

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SBS-MODIFIED BITUMEN MIXTURE [ASPHALT **LT-1** | CAN
 LIMESTONE; CALCIUM CARBONATE **LT-UNK** STYRENE BUTADIENE RUBBER (SBR) **LT-UNK**] SATURANT FOR POLYESTER REINFORCEMENT [ASPHALT, OXIDIZED **LT-1** | CAN] POLYESTER MAT [POLYESTER **NoGS**] POLYPROPYLENE FILM [POLYPROPYLENE **LT-UNK**] COLORED SAND [QUARTZ **LT-1** | CAN
 2-(2-BUTOXYETHOXY)ETHANOL **LT-P1** | EYE | END
 TRIETHOXY(ETHYL)SILANE **LT-UNK**]

INVENTORY AND SCREENING NOTES:

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. The precise composition of the SBS-modified-bitumen mixture was not disclosed to protect proprietary information; ranges were given.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

Management: ISO-9001:2008
 Management: ISO-14001:2004
 Management: OHSAS 18001:2007

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: May 11, 2017	EXPIRY DATE*: May 11, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: May 11, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

SBS-MODIFIED BITUMEN MIXTURE

%: 67.1000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: No

Material Notes: The SBS-modified bitumen is composed of different substances blended to a homogeneous mixture. Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

ASPHALT

ID: 8052-42-4

%: 45.0000 - 55.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Main waterproofing compound

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 2b - Possibly carcinogenic to humans

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 35.0000 - 50.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Mineral stabilizer and hardener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

%: 5.0000 - 10.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Polymeric modifier for heat resistance and low temperature flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

SATURANT FOR POLYESTER REINFORCEMENT

%: 22.0000 - 24.0000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: No

Material Notes: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

ASPHALT, OXIDIZED

ID: 64742-93-4

%: 100.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Saturation of reinforcing mat

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 2a - Agent is probably Carcinogenic to humans

SUBSTANCE NOTES: Oxidized asphalt is one option for reinforcement saturation.

POLYESTER MAT

%: 8.5000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: No

Material Notes: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

POLYESTER

ID: 113669-95-7

%: 100.0000

GS: NoGS

RC: None

NANO: NO

ROLE: Carrier material responsible for mechanical properties

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Polyester fibres in a non-woven configuration.

POLYPROPYLENE FILM

%: 0.4000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: No

Material Notes: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

POLYPROPYLENE

ID: 9003-07-0

%: 100.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Surface material (top and bottom faces) - burns when membrane is installed

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

COLORED SAND

%: 0.3000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: No

Material Notes: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

QUARTZ

ID: 14808-60-7

%: 98.0000 - 99.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Main component of powder used for lay lines.

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

2-(2-BUTOXYETHOXY)ETHANOL

ID: 112-34-5

%: 0.2000

GS: LT-P1

RC: None

NANO: NO

ROLE: Additive for color of sand

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

TRIETHOXY(ETHYL)SILANE

ID: 78-07-9

%: 0.1000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Additive for color of sand

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

**Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

MANAGEMENT

CERTIFYING PARTY: Third Party
 APPLICABLE FACILITIES: Soprema plants: Drummondville, Québec, Canada Chilliwack, British Columbia, Canada Wadsworth, Ohio, USA Gulfport, Mississippi, USA
 CERTIFICATE URL: <http://soprema.ca/wp-content/uploads/2016/08/ISO-9001-2008.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

ISO-9001:2008

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR
2016-04-14	2018-09-14	LAB: BSI

MANAGEMENT

CERTIFYING PARTY: Third Party
 APPLICABLE FACILITIES: Soprema plants: Drummondville, Québec, Canada Chilliwack, British Columbia, Canada Wadsworth, Ohio, USA Gulfport, Mississippi, USA
 CERTIFICATE URL: <http://soprema.ca/wp-content/uploads/2016/08/ISO-14001-2004.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

ISO-14001:2004

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR
2016-04-14	2018-09-14	LAB: BSI

MANAGEMENT

CERTIFYING PARTY: Third Party
 APPLICABLE FACILITIES: Soprema plants: Drummondville, Québec, Canada Chilliwack, British Columbia, Canada Wadsworth, Ohio, USA Gulfport, Mississippi, USA
 CERTIFICATE URL: <http://soprema.ca/wp-content/uploads/2016/08/OHSAS-18001-2007.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

OHSAS 18001:2007

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR
2016-04-14	2019-01-04	LAB: BSI

**Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

**Section 5: General Notes**

Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.



MANUFACTURER INFORMATION

MANUFACTURER: Soprema

CONTACT NAME: Jean-François Côté

ADDRESS: 1688 Jean-Berchmans-Michaud
Drummondville, Quebec J2C 8E9
Canada

TITLE: Director, Standards and Scientific Affairs

PHONE: 819-478-8166 x.3290

WEBSITE: www.soprema.ca

EMAIL: jfcote@soprema.ca

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2**
Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.