Complete Contact[™] RS Fortified Mortar by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A polymer-modified, full-contact mortar that has a rapid curing formula that allows grouting in as little as 2 hours, and light foot traffic in 4-6 hours; commercial traffic in 24 hours. Excellent for large modular tile and stone, Complete Contact[™] RS Fortified Mortar is suited for thin and medium bed applications, eliminating the need for back-buttering. It offers full mortar transfer to the back of the tile. Unlike traditional thin-sets, Complete Contact™ RS is more fluid yet holds its ridges and supports the deeper notch trowel sizes required for larger tile.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method • Basic Method

Threshold Disclosed Per

- O Material
- Product

Threshold level

C Per GHS SDS C Per OSHA MSDS C Other

Residuals/Impurities

Considered C Partially Considered C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

○ Yes Ex/SC • Yes ○ No Characterized % weight and role provided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COMPLETE CONTACT™ RS FORTIFIED MORTAR [QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2019-04-17 PUBLISHED DATE: 2019-04-17 EXPIRY DATE: 2022-04-17

C 100 ppm • 1,000 ppm This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

COMPLETE CONTACT™ RS FORTIFIED MORTAR

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

ID: 14808-60-7

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

QUARTZ

HAZARD SCREENING METHOD: Pha	HAZARD SCREE	HAZARD SCREENING DATE: 2019-04-17		
%: 40.0000 - 70.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Aggregate
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 -	Agent is Carcinoge	enic to humans
CANCER	US CDC - Occupational Carcinogens	Occupatio	onal Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Agent is carcinoge onal sources	enic to humans - inhaled from
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Kno	own or presumed h	uman carcinogens
CANCER	Japan - GHS	Carcinoge	enicity - Category 1	A
CANCER	Australia - GHS	H350i - M	ay cause cancer by	/ inhalation

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

PORTLAND CEMENT				ID: 65997-15-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	g date: 2019-04- *	17
%: 10.0000 - 30.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Binder

ENDOCRINE				
	TEDX - Potential Endocrine Disruptors	Potential Endoc	rine Disruptor	
CANCER	МАК		up 3B - Evidence of the second s	of carcinogenic effects
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
HIGH-ALUMINA CEMENT				ID: 65997- 1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	IG DATE: 2019-04-	-17
%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
UNDISCLOSED				
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENIN	NG DATE: 2019-04-	-17
%: 1.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
UNDISCLOSED				
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-04	-17
		RC: None	NANO: NO	ROLE: Binder
%: 1.0000 - 5.0000	GS: LT-UNK			
%: 1.0000 - 5.0000 HAZARD TYPE	GS: LT-UNK	WARNINGS		
HAZARD TYPE	AGENCY AND LIST TITLES			
	AGENCY AND LIST TITLES			
HAZARD TYPE	AGENCY AND LIST TITLES			
HAZARD TYPE SUBSTANCE NOTES: Ranges	AGENCY AND LIST TITLES		± 2019-04-17	
HAZARD TYPE SUBSTANCE NOTES: Ranges	AGENCY AND LIST TITLES No hazards found given due to batch to batch variability.	WARNINGS		theology Modifier

WARNINGS

HAZARD TYPE

AGENCY AND LIST TITLES

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-17		
%: 0.0500 - 0.3000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Retarder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	IING DATE: 2019-0	4-17	
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Aggregate	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2019-0	94-17
%: 0.0000 - 0.1500	GS: LT-1	RC: None	NANO: NO	ROLE: Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
DEVELOPMENTAL	CA EPA - Prop 65	Developm	ental toxicity	
REPRODUCTIVE	New Zealand - GHS		own or presumed ental toxicants	human reproductive or
REPRODUCTIVE	Japan - GHS	Toxic to re	production - Cate	egory 1A

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.0000 - 0.2000	GS: NoGS	RC: None NANO: No ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	No hazards found	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2019- 04-17	EXPIRY DATE:	CERTIFIER OR LAB: UL Environment		

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold passed. Awaiting certificate.

VOC CONTENT	VOC Content	
CERTIFYING PARTY: Self-declared Applicable facilities: ALL CERTIFICATE URL:	ISSUE DATE: 2019- EXPIRY DATE: 04-17	CERTIFIER OR LAB: SELF- DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building ProductsCONTAADDRESS: 10400 Pioneer Blvd Unit #3TITLE:Santa Fe Springs California 90670, United StatesPHONEWEBSITE:EMAIL:https://www.custombuildingproducts.com/products/setting-
materials/rapid-setting-mortars/complete-contact-
rs-fortified-mortar.aspx#

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

CONTACT NAME: Tim Kennedy TITLE: Compliance Steward PHONE: 8002728786

EMAIL: technicalservicedepartment@cbpmail.net

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.