LevelLite® Self-Leveling Underlayment by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 03 54 16 Hydraulic Cement Underlayment

PRODUCT DESCRIPTION: Formulated with CustomLite® Technology, LevelLite® is 40% lighter than other self-leveling underlayments, making it easier to pour and carry. Weighing just 3 lbs (1.36 kg) per square foot at 1/2" (13 mm) thickness, 3 lbs. (1.36 kg) lighter than traditional underlayments, it is excellent for installations where weight is a concern. Will not shrink or crack. A 30 lb (13.6 kg) bag covers the same area as a 50 lb (22.68 kg) bag. LevelLite helps level floors prior to the installation of ceramic tile, natural stone, resilient flooring, carpet, wood and other floor coverings. This quick-setting underlayment can be applied to 2" (5 cm) thick in one pour and seeks its own level in minutes. With proper installation, the use of LevelLite can achieve an extra heavy rating for high impact use in food plants, dairies, breweries and kitchens. LevelLite may be applied to in residential structures with floor joists up to 24" o.c. Formulated using Controlled Cure Technology®, LevelLite helps eliminate installation problems such as bond failure, crumbling and staining of resilient flooring caused by the free moisture found in traditional underlayments.



Section 1: Summary

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

% weight and role provided for all substances.

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes O No

O Yes Ex/SC O Yes O No **Screened**

C Yes Ex/SC C Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC C Yes C No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LEVELLITE® SELF-LEVELING UNDERLAYMENT [HIGH-ALUMINA CEMENT LT-UNK SOLID GLASS AND GLASS / MINERAL FIBER (SEE **VARIANTS) LT-UNK | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK** CALCIUM SULFATE, 1_2-HYDRATE, POWDER LT-UNK PORTLAND CEMENT LT-P1 | END | CAN CALCIUM SULFATE - HEMIHYDRATE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK QUARTZ LT-1 | CAN UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Characterized

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions **VOC content: VOC Content**

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2019-01-29 PUBLISHED DATE: 2019-01-29 EXPIRY DATE: 2022-01-29



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LEVELLITE® SELF-LEVELING UNDERLAYMENT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

HIGH-ALUMINA CEMENT ID: 65997-16-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	NG DATE: 2019-01-	29
%: 30.0000 - 42.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

CANCER	EU - GHS (H-Statements)	H351	I - Suspected o	of causing cancer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
%: 25.0000 - 35.0000	GS: LT-UNK	RC: PostC	nano: No	ROLE: Lightweight Aggregate
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	NING DATE: 2019	9-01-29

SUBSTANCE NOTES: Ranges give due to batch to batch variability.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemic	cal and Materials Library	HAZARD SCREENING	DATE: 2019-01-29	
%· 12 0000 - 18 0000	GS: I T-UNK	RC: None	NANO: NO	ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{Ranges}\ \textbf{given}\ \textbf{due}\ \textbf{to}\ \textbf{batch}\ \textbf{to}\ \textbf{batch}\ \textbf{variability}.$

CALCIUM SULFATE, 1_2-HYDRATE, POWDER

ID: **7778-18-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	A DATE: 2019-01-2 9	9
%: 10.5000 - 12.5000	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES:

PORTLAND CEMENT ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2019-01-	-29
%: 1.0000 - 7.0000	GS: LT-P1	RC: None	RC: None NANO: No ROLE: Bind	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

CALCIUM SULFATE - HEMIHYDRATE

ID: 10034-76-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-29		
%: 1.0000 - 4.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-01-29			
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder		

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		IING DATE: 2019-0	11-29	
GS: LT-1	RC: None	RC: None NANO: No ROLE: Accellerate		
AGENCY AND LIST TITLES	WARNINGS			
CA EPA - Prop 65	Developm	Developmental toxicity		
New Zealand - GHS		6.8A - Known or presumed human reproductive or developmental toxicants		
Japan - GHS	Toxic to re	Toxic to reproduction - Category 1A		
	GS: LT-1 AGENCY AND LIST TITLES CA EPA - Prop 65 New Zealand - GHS	GS: LT-1 RC: None AGENCY AND LIST TITLES WARNINGS CA EPA - Prop 65 Developm New Zealand - GHS 6.8A - Knodevelopm	GS: LT-1 RC: None NANO: No AGENCY AND LIST TITLES WARNINGS CA EPA - Prop 65 Developmental toxicity New Zealand - GHS 6.8A - Known or presumed developmental toxicants	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-29		
%: 0.0000 - 0.3000	gs: LT-UNK	RC: None	nano: No	ROLE: Rheology Modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S		
	No hazards found				
SUBSTANCE NOTES: Ranges (given due to batch to batch variability.				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-29		
%: 0.0000 - 0.2000	GS: LT-UNK	RC: None	nano: No	ROLE: Retarder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-29

%: Impurity/Residual	GS: LT-1	RC: None NANO: No ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-01-29			
%: 0.0000 - 0.4000	gs: NoGS	RC: None	nano: No	ROLE: Specialty Additive		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS			
	No hazards found					

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-29		
%: 0.0000 - 0.4000	GS: NoGS	RC: None	nano: No	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	S	
	No hazards found			

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{Ranges}\ \textbf{given}\ \textbf{due}\ \textbf{to}\ \textbf{batch}\ \textbf{to}\ \textbf{batch}\ \textbf{variability}.$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-29

%: 0.0000 - 0.4000 GS: NoGS RC: None NANO: No ROLE: Rheology Modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC Emissions

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

01-29

01-29

EXPIRY DATE:

CERTIFIER OR LAB: SELF-

DECLARED

APPLICABLE FACILITIES: ALL

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold in progress

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: SELF-

DECLARED

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd Unit 3

Santa Fe Springs California 90670, United States

WEBSITE:

http://www.custombuildingproducts.com/products/surface-

preparation/self-levelingunderlayments/levellite.aspx

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

EYE Eye irritation/corrosiv

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

EMAIL: technicalservicedepartment@cbpmail.net

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

CONTACT NAME: Tim Kennedy

TITLE: Compliance Steward

PHONE: 5629682980

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.