MegaLite® RS Ultimate Rapid Setting Crack Prevention Large Format Tile Mortar by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A premium one part formula with the high, fast bond strengths and flexibility to withstand horizontal movement to isolate substrate cracks. For time-critical commercial and residential installations under the most demanding requirements, capable of thin-set or medium bed application up to 3/4" (19 mm) thick on horizontal surfaces after beat in. Non-slump, medium-bed features provide the ultimate support for large format tile and stone. No need for two part additives to meet high bond and flexibility or compressive strength requirements. The rapid setting formula allows grouting in less than 3 hours, traffic in 4 hours. A 30 lb (13.6 kg) bag covers the same area as a 50 lb (22.68 kg) bag of traditional mortar. Use for interior or exterior floors, countertops and walls. Formulated with recycled material contributes to LEED® certification. Exceeds ANSI A118.4, A118.15 and A118.11 without the need for additives.

📃 Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

C Material

Product

Threshold level C 100 ppm • 1,000 ppm C Per GHS SDS

C Other

Residuals/Impurities

Considered C Partially Considered C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

○ Yes Ex/SC ⊙ Yes ○ No Characterized % weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or

○ Yes Ex/SC ⊙ Yes ○ No

Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals[®]. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MEGALITE® RS ULTIMATE RAPID SETTING CRACK PREVENTION LARGE FORMAT TILE MORTAR [PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

MegaLite RS Ultimate Rapid Setting Crack Prevention Large Format Tile Mortar hpdrepository.hpd-collaborative.org

SCREENING DATE: 2019-04-05

C Per OSHA MSDS

C Yes • No VERIFIER: VERIFICATION #: PUBLISHED DATE: 2019-04-05 EXPIRY DATE: 2022-04-05 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

• Basic Inventory method with Product-level threshold.

÷.

- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

MEGALITE® RS ULTIM	ATE RAPID SETTING CRACK PREVEN	TION LARGE FO	RMAT	
product threshold: 1000 p	opm		RESID Yes	UALS AND IMPURITIES CONSIDERED:
	TES: Residuals and impurities have been sis has not been performed.	considered and	disclosed from a	vailable information.
OTHER PRODUCT NOTES:				
PORTLAND CEMENT				ID: 65997-15-1
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCF	EENING DATE: 2019-04	4-05
%: 18.0000 - 28.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential	Endocrine Disruptor	
CANCER	МАК		en Group 3B - Evider	nce of carcinogenic effects but
UNDISCLOSED	given due to batch to batch variability.			
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING D	ATE: 2019-04-05	
%: 18.0000 - 28.0000	GS: LT-UNK	RC: PostC NA	NO: NO ROLE: L	ightweight Aggregate
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
LIMESTONE, CALCIUM C	ARBONATE			ID: 1317-65-3
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD S	CREENING DATE: 2019	-04-05
%: 7.0000 - 17.0000	GS: LT-UNK	RC: Non	e NANO: No	ROLE: Filler

MegaLite RS Ultimate Rapid Setting Crack Prevention Large Format Tile Mortar hpdrepository.hpd-collaborative.org

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No

5	hazards	found	
,	nazarus	Iounu	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	NG DATE: 2019-04-0	5
%: 7.0000 - 17.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges giv	en due to batch to batch variability.			
UNDISCLOSED				
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	NG DATE: 2019-04-0	5
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges giv	en due to batch to batch variability.			

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	NG DATE: 2019-04-0	05
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-04-05		
%: 0.0000 - 0.4000	GS: LT-1	RC: None	NANO: NO	ROLE: Accellerator	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity	
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproduct developmental toxicants	tive or
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A	
SUBSTANCE NOTES: Ranges give	en due to batch to batch variability.		
INDISCLOSED			
AZARD SCREENING METHOD: Phar	os Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-05	
6: 0.0000 - 0.4000	GS: LT-UNK	RC: None NANO: No ROLE: F	Retarder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	No hazards found		
SUBSTANCE NOTES: Ranges give	en due to batch to batch variability.		
JNDISCLOSED			
AZARD SCREENING METHOD: Phar	os Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-05	
6: 0.0000 - 0.7000	GS: LT-UNK	RC: None NANO: No ROLE: Rheology	Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	No hazards found		

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (S Office scenario	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-09- EXPIRY DATE: 07	CERTIFIER OR LAB: UL Environment			
VOC CONTENT	VOC Content				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2019-04- EXPIRY DATE: 05	CERTIFIER OR LAB: SELF- DELCARED			
CERTIFICATION AND COMPLIANCE NOTES:					

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products ADDRESS: 10400 Pioneer Blvd Unit #3 Santa Fe Springs California 90670, United States WEBSITE: https://www.custombuildingproducts.com/products CONTACT NAME: Tim Kennedy TITLE: Compliance Steward PHONE: 5629682980 EMAIL: TechnicalServiceDepartment@cbpmail.net

https://www.custombuildingproducts.com/products/settingmaterials/rapid-setting-mortars/megalite-rapidsetting-crack-prevention-mortar.aspx#

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD

MegaLite RS Ultimate Rapid Setting Crack Prevention Large Format Tile Mortar hpdrepository.hpd-collaborative.org

and for compliance with the HPD standard noted.