

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A flexible, lightweight, high-polymer adhesive for tile and stone installation. Designed to resist intermittent water exposure and has 33% less shrinkage than traditional adhesives, as well as sag resistance. Ideal for small format for ceramic, mosaic, quarry, pavers, gauged slate, porcelain and gauged stone tile installations on walls, floors or countertops. Recommended for tile up to 12" (30.5 cm) on any side. Can be used with tile up to 15" (38.1 cm) on any side but dry time significantly increases.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

**OMNIGRIP® PREMIUM LIGHTWEIGHT TILE ADHESIVE [LIMESTONE;
CALCIUM CARBONATE LT-UNK WATER BM-4 UNDISCLOSED LT-UNK
SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM |
END ETHYLENE GLYCOL BM-1 | DEL | END QUARTZ LT-1 | CAN 1,3-
PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-UNK | CAN
DISTILLATE FUEL OILS, LIGHT BM-2 | MAM | CAN SODIUM HYDROXIDE
LT-P1 | SKI | PHY MIXTURE- 5-CHLORO-2-METHYL-2,3-
DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-
DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) LT-
UNK | SKI POLYOXYETHYLENE BRANCHED C9 ALKYLPHENOL ETHER
BM-1tp | PBT | END | MUL | REP | AQU | DEL POLYETHYLENE GLYCOL LT-
UNK]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 41.7

Regulatory (g/l): 41.7

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Theoretical VOC

VOC content: Theoretical VOC

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-09-25

PUBLISHED DATE: 2018-09-25

EXPIRY DATE: 2021-09-25



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

OMNIGRIP® PREMIUM LIGHTWEIGHT TILE ADHESIVE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES:

OTHER PRODUCT NOTES:

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

#: 45.0000 - 55.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Aggregate
----------------------	------------	----------	----------	-----------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

WATER

ID: 7732-18-5

#: 25.0000 - 35.0000	GS: BM-4	RC: None	NANO: No	ROLE: Cosolvent
----------------------	----------	----------	----------	-----------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

#: 15.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
----------------------	------------	----------	----------	--------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

#: 0.5000 - 1.5000

GS: LT-P1

RC: None

NANO: No

ROLE: Cosolvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

ORGAN TOXICANT

EU - GHS (H-Statements)

H372 - Causes damage to organs through prolonged or repeated exposure

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

ETHYLENE GLYCOL

ID: 107-21-1

#: 0.5000 - 1.0000

GS: BM-1

RC: None

NANO: No

ROLE: Cosolvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

DEVELOPMENTAL

CA EPA - Prop 65

Developmental toxicity

DEVELOPMENTAL

US NIH - Reproductive & Developmental Monographs

Clear Evidence of Adverse Effects - Developmental Toxicity

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

QUARTZ

ID: 14808-60-7

#: Impurity/Residual

GS: LT-1

RC: None

NANO: No

ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

CANCER

New Zealand - GHS

6.7A - Known or presumed human carcinogens

CANCER

Japan - GHS

Carcinogenicity - Category 1A

CANCER

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE

ID: 25265-77-4

%: 0.3000 - 0.7000	GS: LT-UNK	RC: None	NANO: No	ROLE: Cosolvent
---------------------------	-------------------	-----------------	-----------------	------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER**MAK**

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

DISTILLATE FUEL OILS, LIGHT

ID: 64742-47-8

%: 0.2000 - 0.6000	GS: BM-2	RC: None	NANO: No	ROLE: Cosolvent
---------------------------	-----------------	-----------------	-----------------	------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN**EU - GHS (H-Statements)**

H304 - May be fatal if swallowed and enters airways

CANCER**MAK**

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SODIUM HYDROXIDE

ID: 1310-73-2

%: 0.1000 - 0.2000	GS: LT-P1	RC: None	NANO: No	ROLE: pH Regulator
---------------------------	------------------	-----------------	-----------------	---------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION**EU - GHS (H-Statements)**

H314 - Causes severe skin burns and eye damage

PHYSICAL HAZARD (REACTIVE)**Korea - GHS**

H290 - May be corrosive to metals

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH)

ID: Not registered

%: 0.0700 - 0.1500	GS: LT-UNK	RC: None	NANO: No	ROLE: Preservative
---------------------------	-------------------	-----------------	-----------------	---------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN SENSITIZE**MAK**

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

POLYOXYETHYLENE BRANCHED C9 ALKYLPHENOL ETHER

ID: 68412-54-4

#: **0.0000 - 0.1500**

GS: **BM-1tp**

RC: **None**

NANO: **No**

ROLE: **Surfactant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

POLYETHYLENE GLYCOL

ID: **25322-68-3**

#: **Impurity/Residual**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Theoretical VOC

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-09-25**

EXPIRY DATE:

CERTIFIER OR LAB: **SELF DECLARED**

APPLICABLE FACILITIES: **ALL**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT

Theoretical VOC

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-09-25**

EXPIRY DATE:

CERTIFIER OR LAB: **SELF DECLARED**

APPLICABLE FACILITIES: **ALL**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: **Custom Building Products**
ADDRESS: **10400 Pioneer Blvd Unit #3**
Santa Fe Springs California 90670, United States

CONTACT NAME: **Tim Kennedy**
TITLE: **Compliance Steward**
PHONE: **8002728786**
EMAIL: **TechnicalServiceDepartment@cbpmail.net**

WEBSITE:
<https://www.custombuildingproducts.com/products/setting-materials/mastics-adhesives/omnigrip-maximum-strength-adhesive.aspx>

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.