Porcelain Tile Professional Thin-Set Mortar by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: Designed to provide superior bonding of porcelain tile to concrete surfaces, backerboards and self-leveling underlayment. Polymer-modified Porcelain Tile Fortified Thin-Set Mortar can also be used with radiant heating system installations. Use it for interior or exterior floors, walls or countertops.



Material

Product

Section 1: Summary

Basic Method / Product Threshold

| _ | | | | | | |
|---|--------|------|-------------|----------------------------|-----------|--|
| | \sim | ITFN | | | '' | |
| 1 | | | 11/11/1 | \prime \vdash \vdash | 1 H Y | |
| | | | | | | |

| Inventory Reporting Format | | | |
|----------------------------|--|--|--|
| Nested Materials Method | | | |
| Basic Method | | | |
| Threshold Disclosed Per | | | |

| Th | reshold level |
|----|---------------|
| 0 | 100 ppm |
| 0 | 1,000 ppm |

Per GHS SDS Per OSHA MSDS

C Other

| 2 | es | idı | ıals | :/li | mp | ur | iti | es |
|---|----|-----|------|------|----|----|-----|----|
| • | CO | · | ull | ,, | пР | u | | 00 |

Considered

C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened

All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PORCELAIN TILE PROFESSIONAL THIN-SET MORTAR [QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN LIMESTONE, CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? PREPARER: Self-Prepared VERIFIER: C Yes **VERIFICATION #:** O No

SCREENING DATE: 2019-04-16 PUBLISHED DATE: 2019-04-16 EXPIRY DATE: 2022-04-16



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

PORCELAIN TILE PROFESSIONAL THIN-SET MORTAR

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

ID: 14808-60-7

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

QUARTZ

| QUAITE | | | | ID. 14000-0 | | |
|-----------------------------|-------------------------------------|------------------|-----------------------------------|-------------------------------|--|--|
| HAZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | HAZARD SCREEN | NING DATE: 2019-04 | 4-16 | | |
| %: 40.0000 - 70.0000 | GS: LT-1 | RC: None | RC: None NANO: No ROLE: Aggregate | | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| CANCER | IARC | Group 1 - | Agent is Carcinogo | enic to humans | | |
| CANCER | US CDC - Occupational Carcinogens | Occupation | onal Carcinogen | | | |
| CANCER | CA EPA - Prop 65 | Carcinoge | en - specific to che | mical form or exposure route | | |
| CANCER | IARC | | Agent is carcinogenal sources | enic to humans - inhaled from | | |
| CANCER | US NIH - Report on Carcinogens | | be Human Carcino nal setting) | ogen (respirable size - | | |
| CANCER | MAK | Carcinoge man | en Group 1 - Subst | ances that cause cancer in | | |
| CANCER | New Zealand - GHS | 6.7A - Kno | own or presumed h | numan carcinogens | | |
| CANCER | Japan - GHS | Carcinoge | enicity - Category 1 | A | | |
| CANCER | Australia - GHS | H350i - M | ay cause cancer by | y inhalation | | |
| | | | | | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

PORTLAND CEMENT ID: 65997-15-1

%: 15.0000 - 40.0000 GS: LT-P1 ROLE: Binder RC: None NANO: No

HAZARD SCREENING DATE: 2019-04-16

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---------------------------------------|--|
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CANCER | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| | | |

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{Ranges}\ \textbf{given}\ \textbf{due}\ \textbf{to}\ \textbf{batch}\ \textbf{to}\ \textbf{batch}\ \textbf{variability}.$

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | HAZARD SCREENING DATE: 2019-04-16 | | | |
|--|------------------------|---------------|-----------------------------------|-----------------|--|--|
| %: 3.0000 - 7.0000 GS: LT-UNK | | RC: None | nano: No | ROLE: Aggregate | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| | No hazards found | | | | | |
| | | | | | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | HAZARD SCREENING DATE: 2019-04-16 | | | |
|--|------------------------|---------------|-----------------------------------|--------------|--|--|
| %: 1.0000 - 5.0000 GS: LT-UNK | | RC: None | nano: No | ROLE: Binder | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| | | | | | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2019-04-16 | | | |
|--|------------------------|----------|-----------------------------------|-------------------|--|--|
| %: 0.5000 - 1.5000 GS: LT-UNK | | RC: None | NANO: No | ROLE: Accelerator | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| | No hazards found | | | | | |
| | | | | | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

| HIGH-ALUMINA CEMENT | | ID: 65997-16-2 |
|--|-----------------------------------|-----------------------|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2019-04-16 | |
| | | |

%: **0.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREE | HAZARD SCREENING DATE: 2019-04-16 | | | |
|--|-------------------|--------------|-----------------------------------|-------------------------|--|--|
| %: 0.0000 - 0.4000 | GS: LT-UNK | RC: None | nano: No | ROLE: Rheology Modifier | | |
| HAZARD TYPE AGENCY AND LIST TITLES | | WARNING | GS | | | |
| | No hazards found | | | | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-04-16 | | | |
|--|------------------------|-----------------------------------|-----------------|--------------|--|
| %: 0.0000 - 2.0000 | GS: LT-UNK | RC: None | nano: No | ROLE: Binder | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| No hazards found | | | | | |

SUBSTANCE NOTES: Ranges given due to batch to batch variability.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: ALL

CERTIFICATE URL:

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: UL

Environment

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold passed. Awaiting certificate.

VOC CONTENT VOC Content

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: ALL

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2019-

04-16

04-16

EXPIRY DATE:

CERTIFIER OR LAB: SELF-

DECLARED

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd Unit #3

Santa Fe Springs California 90670, United States

WEBSITE:

https://www.custombuildingproducts.com/products/setting-

materials/polymer-modified-thin-set-

mortars/porcelain-tile-fortified-thin-set-

mortar.aspx

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

EMAIL: TechnicalServiceDepartment@cbpmail.net

CONTACT NAME: Tim Kennedy

TITLE: Compliance Steward

PHONE: 5629682980

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led

Porcelain Tile Professional Thin-Set Mortar hpdrepository.hpd-collaborative.org

organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.