# Prism<sup>®</sup> Ultimate Performance Grout by Custom Building Products

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

# CLASSIFICATION: 09 30 00 Tiling

**PRODUCT DESCRIPTION:** Prism® Ultimate Performance Grout sets a new standard in cement-based grout technology. Prism's calcium Aluminate cement based formula offers consistent color with no shading regardless of tile type, temperature or humidity. And it will not effloresce. The rapid setting formula results in high early strength and dense joints for the highest stain resistance in grout joints up to 1/2". A unique blend of lightweight recycled glass and fine aggregate sand allows for a smooth consistency that is easy to spread and clean.

# Section 1: Summary

# **Basic Method / Product Threshold**

# **CONTENT INVENTORY**

#### **Inventory Reporting Format**

Nested Materials Method
 Basic Method

### **Threshold Disclosed Per**

- C Material
- Product

# Threshold level

C 100 ppm
1,000 ppm
C Per GHS SDS
C Per OSHA MSDS
C Other

### **Residuals/Impurities**

- Considered
   Partially Considered
   Not Considered
- Explanation(s) provided for Residuals/Impurities?

#### All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

# Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

#### Identified

C Yes Ex/SC C Yes 🖸 No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

# MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PRISM® ULTIMATE PERFORMANCE GROUT [ HIGH-ALUMINA CEMENT LT-UNK QUARTZ LT-1 | CAN GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) LT-UNK POTASSIUM BITARTRATE LT-UNK PORTLAND CEMENT LT-P1 | END | CAN GYPSUM LT-UNK METHYLHYDROXYETHYLCELLULOSE LT-UNK CALCIUM SULFATE -HEMIHYDRATE LT-UNK UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED

LT-UNK UNDISCLOSED LT-UNK DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); LT-1 | PBT | CAN | MUL TITANIUM DIOXIDE LT-1 | CAN | END IRON HYDROXIDE OXIDE YELLOW LT-UNK C.I. PIGMENT BLUE 28 LT-1 | RES | CAN | GEN FERRIC OXIDE BM-2 | CAN IRON OXIDE LT-UNK | CAN UNDISCLOSED LT-1 | RES | CAN | MAM | SKI | GEN | MUL | END ]

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

# CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario VOC content: VOC Content

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2019-01-30

C Yes No VERIFIER: VERIFICATION #: PUBLISHED DATE: 2019-01-31 EXPIRY DATE: 2022-01-30 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

# **PRISM® ULTIMATE PERFORMANCE GROUT**

### PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

HIGH-ALUMINA CEMENT				ID: 65997-16-2
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCR	EENING DATE: 2019-0	1-30
%: 35.0000 - 50.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges gi	ven due to batch to batch variability.			
QUARTZ				ID: 14808-60-7
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-01-30	)
%: 15.0000 - 40.0000	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Aggregate

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

# GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)

 HAZARD SCREENING METHOD:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2019-01-30

 %:
 15.0000 - 25.0000
 GS: LT-UNK
 RC: None
 NANO: No
 ROLE:
 Lightweight Aggregate

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 No hazards found
 VARNINGS

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

POTASSIUM BITARTRATE				ID: <b>868-14-4</b>
HAZARD SCREENING METHOD: P	aros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2019-01	-30
%: 0.0000 - 0.5000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Retarder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges (	jiven due to batch to batch variability.			
PORTLAND CEMENT				ID: 65997-15-1
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2019-01	-30
%: 0.0000 - 10.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	ROLE: Binder

#### Prism Ultimate Performance Grout hpdrepository.hpd-collaborative.org

ID: 65997-17-3

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	crine Disruptor	
CANCER	МАК		oup 3B - Evidence on the for classification	of carcinogenic effects
SUBSTANCE NOTES: <b>Ranges (</b>	given due to batch to batch variability.			
GYPSUM				ID: <b>13397-24-5</b>
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-01-	30
%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges (	given due to batch to batch variability.			
METHYLHYDROXYETHYL	CELLULOSE			ID: 9032-42-2
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREENING DA	TE: 2019-01-30	
%: 0.0000 - 0.5000	GS: LT-UNK	RC: None NAM	IO: NO ROLE:	Water Retention
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges (	given due to batch to batch variability.			
CALCIUM SULFATE - HEN	IIHYDRATE			ID: <b>10034-76-1</b>
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-01-	30
%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges Q	given due to batch to batch variability.			
•				
UNDISCLOSED				
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREENING D	ATE: 2019-01-30	
%: 0.0000 - 0.5000	GS: <b>LT-1</b>	RC: None	IANO: <b>No</b> RO	LE: Accellerator

DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity	
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants	
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A	
SUBSTANCE NOTES: Ranges g	iven due to batch to batch variability.		
UNDISCLOSED			
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-30	
%: <b>0.0000 - 2.0000</b>	GS: LT-UNK	RC: None NANO: No ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	No hazards found		
SUBSTANCE NOTES: Ranges g	viven due to batch to batch variability.		
UNDISCLOSED			
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-30	
%: 0.0000 - 0.2000	GS: LT-UNK	RC: None NANO: No ROLE: Rheology Modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	No hazards found		
SUBSTANCE NOTES: Ranges g	iven due to batch to batch variability.		
I			
DISTILLATES (PETROLEUI (9CI);	M), HYDROTREATED (MILD) HEAVY NAPH	ITHENIC ID: 64742	2-52-5
(9Cl);	M), HYDROTREATED (MILD) HEAVY NAPH	ITHENIC ID: 64742 HAZARD SCREENING DATE: 2019-01-30	2-52-5
(9Cl);			
(9CI); HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-30	
(9CI); HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-30	
(9CI); HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-30	
(9CI); HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-30	
(9CI); HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-01-30	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

ID: 13463-67-7

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-	01-30
%: <b>0.0000 - 7.0000</b>	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	ROLE: White Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	8	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		n
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rou		chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled to occupational sources		cinogenic to humans - inhaled from
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		uptor
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effect but not sufficient to establish MAK/BAT value		e e e e e e e e e e e e e e e e e e e
CANCER	МАК		gen Group 4 - No ler MAK/BAT leve	on-genotoxic carcinogen with low els

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

IRON HYDROXIDE OXIDE YELLOW				ID: 20344-49-4
HAZARD SCREENING METHOD: Pharos Che	mical and Materials Library	HAZARD SCREEN	IING DATE: 2019-	-01-30
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Yellow Pigment

TITANIUM DIOXIDE

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

# C.I. PIGMENT BLUE 28

ID: 1345-16-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-30		
%: <b>0.0000 - 0.5000</b>	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Blue Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogen man		
RESPIRATORY	МАК	Sensitizing Substance Sah - Danger of airway & sk sensitization		
GENE MUTATION	МАК	Germ Cell Mutagen 3a		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

FERRIC OXIDE				ID: <b>1309-37-1</b>
HAZARD SCREENING METHOD: P	HAZARD SCREENING DATE: 2019-01-30			
%: 0.0000 - 1.0000	GS: <b>BM-2</b>	RC: None	NANO: <b>NO</b>	ROLE: Red Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effe but not sufficient for classification		0
SUBSTANCE NOTES Bandes	given due to batch to batch variability.			
SUBSTANCE NOTES: Manges (				
l				
				ID: <b>1317-61-9</b>
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-	01-30
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Black Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	МАК		en Group 3B - Ev ufficient for class	vidence of carcinogenic effects
SUBSTANCE NOTES: Banges of	given due to batch to batch variability.			

Prism Ultimate Performance Grout hpdrepository.hpd-collaborative.org

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-30			
%: Impurity/Residual	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted	
CANCER	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen	
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans	
CANCER	CA EPA - Prop 65	Carcinogen	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen	
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed	
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin	
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction	
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled	
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects	
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer	
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization	
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances	
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]	
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens	
CANCER	Japan - GHS	Carcinogenicity - Category 1A	
CANCER	Australia - GHS	H350i - May cause cancer by inhalation	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard M Office scenario	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018- 08-17	EXPIRY DATE:	CERTIFIER OR LAB: UL Environment		
VOC CONTENT	VOC Content				
CERTIFYING PARTY: <b>Self-declared</b> APPLICABLE FACILITIES: <b>ALL</b> CERTIFICATE URL:	ISSUE DATE: <b>2019-</b> 01-30	EXPIRY DATE:	CERTIFIER OR LAB: SELF- DECLARED		
CERTIFICATION AND COMPLIANCE NOTES:					

**General Section 4: Accessories** 

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

# MANUFACTURER INFORMATION

MANUFACTURER: Custom Building ProductsCONTADDRESS: 10400 Pioneer Blvd Unit 3TITLESanta Fe Springs California 90670, United StatesPHORWEBSITE:EMAIhttps://www.custombuildingproducts.com/products/grout-materials/cement-grout/prism-color-consistent-grout.aspx

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

### **Other Terms**

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

CONTACT NAME: Tim Kennedy TITLE: Compliance Steward PHONE: 5629682980

EMAIL: technicalservicedepartment@cbpmail.net

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.