ProLite® Premium Large Format Tile Mortar by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: ProLite® offers high bond strength in a lightweight formula with excellent handling characteristics for a wide variety of floor and wall tile installations. Excellent for setting large format tile (LFT), heavy tile or stone, ProLite® will not sag or slip on walls and offers non-slump performance for floor installations. Capable of thin-set or medium bed application up to 3/4" (19 mm) thick on horizontal surfaces after beat-in. Formulated with CustomLite® Technology, ProLite® is 40% lighter than traditional mortars. For interior and exterior installations. A 30 lb. (13.6 kg) bag covers the same area as a 50 lb. (22.68 kg) bag of traditional mortar. Formulated with post-consumer recycled material, it contributes to LEED® certification. ProLite® contains up to 22% recycled content by weight and 48% recycled content by volume. Exceeds ANSI A118.4TE, A118.15TE and A118.11 without the need for additives. Also available in a rapid setting formula (See ProLite® RS).



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

① 1,000 ppm

Per GHS SDS

Per OSHA MSDS

Other

Residuals/Impurities

Considered

C Partially Considered

C Not Considered

Explanation(s) provided

for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PROLITE® PREMIUM LARGE FORMAT TILE MORTAR [PORTLAND CEMENT LT-P1 | END | CAN GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK **UNDISCLOSED LT-UNK CALCIUM DIFORMATE LT-UNK** HYDROXYPROPYL METHYL CELLULOSE LT-UNK QUARTZ LT-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | RES | CAN | MAM | SKI | GEN | MUL | END UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario **VOC content: VOC Content**

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? PREPARER: Self-Prepared SCREENING DATE: 2019-01-29 C Yes⊙ No

VERIFIER:PUBLISHED DATE: 2019-01-29VERIFICATION #:EXPIRY DATE: 2022-01-29



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

PROLITE® PREMIUM LARGE FORMAT TILE MORTAR

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

PORTLAND CEMENT				ID: 65997-1
HAZARD SCREENING METHOD: Pha	HAZARD SCREEN	29		
%: 55.0000 - 65.0000	GS: LT-P1	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	ocrine Disruptor	
CANCER	MAK	_	roup 3B - Evidence ent for classification	of carcinogenic effects

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-01-29			
%: 20.0000 - 25.0000	GS: LT-UNK	RC: PostC	NANO: No	ROLE: Lightweight Aggregate		
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS			
	No hazards found					

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-29		
%: 10.0000 - 15.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Aggregate	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-29		
%: 2.0000 - 7.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

CALCIUM DIFORMATE ID: 544-17-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	NG DATE: 2019-0)1-29
%: 1.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Accellerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variability.}$

HYDROXYPROPYL METHYL CELLULOSE

ID: 9004-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-29		
%: 0.3000 - 0.8000	GS: LT-UNK	RC: None	nano: No	ROLE: Water Retention	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variability.}$

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-29		
%: Impurity/Residual	Gs: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variability.}$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-01-29			
%: 0.0000 - 0.2000 GS: LT-UNK		RC: None	nano: No	ROLE: Rheology Modifier		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	SS .			
	No hazards found					

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variation.}$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-29		
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CANCER	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

 $\mbox{\scriptsize SUBSTANCE}$ NOTES: Ranges given due to batch to batch variation.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEI	HAZARD SCREENING DATE: 2019-01-29			
%: 0.0000 - 0.3500	gs: LT-UNK	RC: None	nano: No	ROLE: Rheology Modifier		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S			
	No hazards found					
SUBSTANCE NOTES: Ranges given due to batch to batch variation.						



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

ISSUE DATE: 2018-

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL

09-07

EXPIRY DATE:

CERTIFIER OR LAB: UL

Environment

CERTIFICATE URI:

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT VOC Content

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL

ISSUE DATE: 2019-01-29

EXPIRY DATE:

CERTIFIER OR LAB: SELF-

DECLARED

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd Unit 3

Santa Fe Springs California 90670, United States

WERSITE:

http://www.custombuildingproducts.com/products/setting-

materials/large-format-tile-mortars/prolite-tile-

stone-mortar.aspx#

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

EMAIL: technicalservicedepartment@cbpmail.net

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

CONTACT NAME: Tim Kennedy

TITLE: Compliance Steward

PHONE: 5629682980

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

HPD and for compliance with the HPD standard noted.