Silk[™] Patching & Finishing Compound by Custom Building Products

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A fast-curing, calcium aluminate based, patching and finishing compound that provides a smooth finish to a variety of substrates prior to the installation of floor coverings. Formulated with Controlled Cure Technology,[™] Silk helps eliminate installation problems of bond failure, crumbling, mildew and staining of resilient flooring due to free-moisture found in traditional underlayments. Its rapid setting formula allows installation of most floor coverings in as little as 30 minutes.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials MethodBasic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level

C 100 ppm
1,000 ppm
C Per GHS SDS
C Per OSHA MSDS
C Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered
- Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified

C Yes Ex/SC C Yes 🖸 No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SILKTM PATCHING & FINISHING COMPOUND [HIGH-ALUMINA CEMENT LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK QUARTZ LT-1 | CAN]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-26 PUBLISHED DATE: 2019-02-26 EXPIRY DATE: 2022-02-26

Health Product Declaration v2.1.1

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

SILK[™] PATCHING & FINISHING COMPOUND

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26			
6: 35.0000 - 45.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Ranges gi	iven due to batch to batch variability.				
SUBSTANCE NOTES: Ranges gi	iven due to batch to batch variability.				
SUBSTANCE NOTES: Ranges gi				id: 1317-6 5	
IMESTONE, CALCIUM CA		HAZARD SCREEN	IING DATE: 2019-02		
IMESTONE, CALCIUM CA	RBONATE	HAZARD SCREEN RC: None	NING DATE: 2019-02 - NANO: NO		
IMESTONE, CALCIUM CA AZARD SCREENING METHOD: Pha 18.0000 - 28.0000	RBONATE aros Chemical and Materials Library			26	
IMESTONE, CALCIUM CA	RBONATE aros Chemical and Materials Library GS: LT-UNK	RC: None		26	

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26		
%: 10.0000 - 15.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-02-26		
%: 10.0000 - 15.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

PORTLAND CEMENT ID: 65997-15					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-26					
%: 8.0000 - 18.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	ocrine Disruptor		
CANCER	МАК		Group 3B - Evidence ient for classification	of carcinogenic effects	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26		
%: 0.3000 - 0.7000	GS: LT-1	RC: None	NANO: NO	ROLE: Accellerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
DEVELOPMENTAL	CA EPA - Prop 65	Developm	nental toxicity	
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants		
REPRODUCTIVE	Japan - GHS	Toxic to r	reproduction - Cat	egory 1A

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-26

%: 0.2500 - 0.7500

GS: LT-UNK

RC: None

NANO: NO ROLE: F

ROLE: Rheology Modifier

HAZARD TYPE	
-------------	--

I

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26		
%: 0.1000 - 0.6000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Specialty Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.4000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	3	
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-	02-26
%: 0.0000 - 5.0000	GS: NoGS	RC: None	NANO: NO	ROLE: Structural Fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.1500	GS: LT-UNK	RC: None	NANO: NO	ROLE: Retarder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	No hazards found					

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

QUARTZ

HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-26		
%: Impurity/Residual	GS: LT-1	RC: None NANO: No ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard M Office scenario	Nethod V1.2 (Section	on 01350/CHPS) - Classroom &
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2019- 02-26	EXPIRY DATE:	CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold passed. Awaiting certificate.

VOC CONTENT	VOC Content		
CERTIFYING PARTY: Self-declared Applicable facilities: ALL CERTIFICATE URL:	ISSUE DATE: 2019- 02-26	EXPIRY DATE:	CERTIFIER OR LAB: SELF- DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building ProductsCONTACT NAME: Tim KennedyADDRESS: 10400 Pioneer Blvd Unit #3TITLE: Compliance StewardSanta Fe Springs California 90670, United StatesPHONE: 5629682980WEBSITE:EMAIL: TechnicalServiceDepartment@cbpmail.nethttp://www.customtechflooring.com/products/patching/silk-patching-finishing-compound/

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

Silk Patching & Finishing Compound hpdrepository.hpd-collaborative.org HPD and for compliance with the HPD standard noted.