T1-60™ Economical Tile Adhesive by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: Offers economical and durable bonds for most wall, floor and countertop installations of ceramic tile. Offers superior adhesion and easy clean-up. Meets ANSI A136.1 Type I requirements for organic adhesives. Recommended for tile up to 8" (20 cm) on any one side. Can be used with wall or countertop tile up to 15" (38 cm) but dry time significantly increases. For any tile with one or more sides greater than 15" (38 cm) CUSTOM recommends using a polymer modified thinset mortar for setting large format tile. Call Technical Services for more information at 800-282-8786.



Section 1: Summary

Basic Method / Product Threshold

	JTF			

Threshold level All Substances Above the Threshold Indicated Are: **Inventory Reporting Format** Residuals/Impurities Nested Materials Method C 100 ppm Considered Characterized Basic Method ① 1,000 ppm C Partially Considered % weight and role provided for all substances. Per GHS SDS Not Considered **Threshold Disclosed Per** Per OSHA MSDS Screened Explanation(s) provided Material C Other for Residuals/Impurities? Product results disclosed. Yes No

○ Yes Ex/SC Yes No

O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or

Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

T1-60™ ECONOMICAL TILE ADHESIVE [LIMESTONE; CALCIUM CARBONATE LT-UNK WATER BM-4 UNDISCLOSED NoGS ETHYLENE GLYCOL BM-1 | DEL | END SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-UNK DISTILLATE FUEL OILS, LIGHT BM-2 | MAM | CAN SODIUM HYDROXIDE LT-P1 | SKI | PHY UNDISCLOSED LT-P1 | MUL QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 63.8 Regulatory (g/l): 63.8

Does the product contain exempt VOCs: Yes Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions **VOC content: VOC Content**

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2019-01-31 PUBLISHED DATE: 2019-01-31 EXPIRY DATE: 2022-01-31



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

T1-60™ ECONOMICAL TILE ADHESIVE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-31		
%: 48.0000 - 62.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

WATER ID: 7732-18-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-31

%: 28.0000 - 38.0000 GS: **BM-4** ROLE: Diluent RC: None NANO: No

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-31		
%: 5.0000 - 15.0000	gs: NoGS	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

ETHYLENE GLYCOL ID: 107-21-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-31		
%: 1.5000 - 2.1000	GS: BM-1	RC: None	nano: No	ROLE: Cosolvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicit		ects - Developmental Toxicity
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential E	ndocrine Disruptor	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-31		
%: 0.1000 - 0.5000	GS: LT-P1	RC: None	nano: No	ROLE: Cosolvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways		red and enters airways
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged o repeated exposure		ans through prolonged or
ENDOCRINE	CRINE TEDX - Potential Endocrine Disruptors		ndocrine Disruptor	

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variability.}$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	NING DATE: 2019)-01-31
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-31

%: 0.0500 - 0.2500	GS: LT-UNK	RC: None NANO: No ROLE: Cosolvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			NING DATE: 2019	9-01-31
%: 0.0500 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Rheology Modifier
HAZARD TYPE	HAZARD TYPE AGENCY AND LIST TITLES		S	
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

DISTILLATE FUEL OILS, LIGHT	ID: 64742-47-8
-----------------------------	-----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2019-01-31		
%: 0.0500 - 0.2500	GS: BM-2	RC: None	NANO: No	ROLE: Cosolvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MAMMALIAN	EU - GHS (H-Statements)	H304 - May b	H304 - May be fatal if swallowed and enters airways		
CANCER	MAK	•	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variability.}$

CODILIM HADDONIDE	ID. 1210 72 2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-31		
%: 0.0100 - 0.1500	GS: LT-P1	RC: None	nano: No	ROLE: pH Regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION EU - GHS (H-Statements)		H314 - C	auses severe skin	burns and eye damage
PHYSICAL HAZARD (REACTIVE)	Korea - GHS	H290 - M	ay be corrosive to	metals

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-31		
%: 0.0000 - 0.0020	GS: LT-P1	RC: None	nano: No	ROLE: Preservative
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

QUARTZ	ID: 14808-60-7
--------	-----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-31		
%: Impurity/Residual	GS: LT-1	RC: None NANO: No ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variability.}$



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions	VOC Emissions			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2019- 01-31	EXPIRY DATE:	CERTIFIER OR LAB: SELF- DECLARED		
VOC CONTENT	VOC Content				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2019- 01-31	EXPIRY DATE:	CERTIFIER OR LAB: SELF- DECLARED		
CERTIFICATION AND COMPLIANCE NOTES:					



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

ADDRESS: 10400 Pioneer Blvd Unit 3

Santa Fe Springs California 90670, United States

WERSITE:

http://www.custombuildingproducts.com/products/setting-

materials/mastics-adhesives/t1-60-ceramic-tile-

adhesive.aspx

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

EMAIL: technicalservicedepartment@cbpmail.net

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

CONTACT NAME: Tim Kennedy

TITLE: Compliance Steward

PHONE: 5629682980

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.