TechLevel™ 100 Self-Leveling Underlayment by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 03 54 16 Hydraulic Cement Underlayment

PRODUCT DESCRIPTION: TechLevel™ 100 is a high quality self-leveling underlayment that achieves greater than 4000 psi compressive strength. TechLevel 100 levels floors prior to the installation of tile, resilient flooring, carpet, wood and other floor coverings. This underlayment can be applied up to 1.5" (3.8 cm) thick in one pour and seeks its own level in



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- € 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TECHLEVEL™ 100 SELF-LEVELING UNDERLAYMENT [QUARTZ LT-1 | CAN LIMESTONE, CALCIUM CARBONATE LT-UNK HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-UNK PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario **VOC content: VOC Content**

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #:

SCREENING DATE: 2019-02-26 PUBLISHED DATE: 2019-02-26 EXPIRY DATE: 2022-02-26



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

TECHLEVEL™ 100 SELF-LEVELING UNDERLAYMENT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

QUARTZ ID: 14808-60-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-26

HAZARD SCREENING WETHOD. FIR	dios Orientical and Materials Library	NAZAND SCREENING DATE. 2019-02-20			
%: 50.0000 - 70.0000	GS: LT-1	RC: None NANO: No ROLE: Aggregate			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources			
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)			
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man			
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens			
CANCER	Japan - GHS	Carcinogenicity - Category 1A			
CANCER	Australia - GHS	H350i - May cause cancer by inhalation			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-26 %: 18.0000 - 28.0000 GS: LT-UNK ROLE: Filler RC: None NANO: No

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

HIGH-ALUMINA CEMENT ID: 65997-16-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-26

%: 5.0000 - 20.0000 GS: LT-UNK RC: None NANO: No ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2019-02 -	-26
%: 1.0000 - 7.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

PORTLAND CEMENT ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 10.0000	gs: LT-P1	RC: None	nano: No	ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	ocrine Disruptor			
CANCER	MAK	•	roup 3B - Evidence ent for classification	of carcinogenic effects		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	NG DATE: 2019-02-	26
%: 0.0000 - 4.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.4000	GS: LT-UNK	RC: None	nano: No	ROLE: Rheology Modifier		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	9S			
	No hazards found					

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.3000 GS: NoGS		RC: None	nano: No	ROLE: Specialty Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS		
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

%: 0.0000 - 0.4000 GS: NoGS RC: None NANO: No ROLE: Rheology Modifier HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-26			
	%: 0.0000 - 0.4000	GS: NoGS	RC: None	nano: No	ROLE: Rheology Modifier		
No hazards found	HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS			
		No hazards found					

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chei	mical and Materials Library	HAZARD SCREENII	NG DATE: 2019-02-	26	
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.2000	GS: LT-UNK	RC: None	nano: No	ROLE: Retarder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.3000	gs: LT-1	RC: None	RC: None NANO: No ROLE: Accellerate			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity				
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants				
REPRODUCTIVE	Japan - GHS	Toxic to re	eproduction - Cat	egory 1A		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.4000	gs: NoGS		nano: No	ROLE: Rheology Modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS		
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: ALL

ISSUE DATE: 2019-02-26

EXPIRY DATE:

CERTIFIER OR LAB: UL

Environment

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold passed. Awaiting certificate.

VOC CONTENT VOC Content

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: ALL

CERTIFICATE URL:

CERTIFICATE URL:

02-26

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: SELF-

DECLARED

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products

CONTACT NAME: Tim Kennedy

ADDRESS: 10400 Pioneer Blvd Unit #3

TITLE: Compliance Steward

Santa Fe Springs California 90670, United States PHONE: 5629682980

WEBSITE: EMAIL: TechnicalServiceDepartment@cbpmail.net

http://www.customtechflooring.com/products/leveling/techlevel-

100-self-leveling-underlayment/

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

GLO Global warming

PHY Physical Hazard (reactive)

REP Reproductive toxicity

DEV Developmental toxicityMUL Multiple hazardsRES Respiratory sensitizationEND Endocrine activityNEU NeurotoxicitySKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity OZO Ozone depletion LAN Land Toxicity

GEN Gene mutation PBT Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical) LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

BM-1 Benchmark 1 (avoid - chemical of high concern) information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insuficient data to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this