TechLevel-HPT High Performance Topping by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 03 54 16 Hydraulic Cement Underlayment

PRODUCT DESCRIPTION: TechLevel-HPT is a High Performance, Self-Leveling Topping designed for fast-track resurfacing and smoothing of interior substrates such as concrete, porous tile and certain non- porous surfaces when properly prepared. TechLevel-HPT can be sealed to create a concrete wear surface for commercial, light industrial and residential applications. TechLevel-HPT can be installed from 1/4" to 1" in one application. TechLevel-HPT is pourable and seeks its own level to produce a smooth, flat, durable surface that hardens quickly and dries fast.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method
 Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level

C Other

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
- C Partially Considered C Not Considered

Considered

Residuals/Impurities

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with

All substances screened using Phority Hazard Lists with results disclosed.

Identified

🔿 Yes Ex/SC 🔿 Yes 🖸 No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TECHLEVEL-HPT HIGH PERFORMANCE TOPPING [QUARTZ LT-1 | CAN HIGH-ALUMINA CEMENT LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK POLYPROPYLENE LT-UNK UNDISCLOSED LT-1 | PBT | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-26 PUBLISHED DATE: 2019-02-26 EXPIRY DATE: 2022-02-26 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

TECHLEVEL-HPT HIGH PERFORMANCE TOPPING

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

ID: 14808-60-7

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

QUARTZ

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-26		
%: 45.0000 - 60.0000	GS: LT-1	RC: None NANO: No ROLE: Aggregate		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

HIGH-ALUMINA CEMENT				ID: 65997-16-2
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENIN	g date: 2019-02-2	26
%: 12.0000 - 22.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

LIMESTONE, CALCIUM CARBONATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	NG DATE: 2019-02-2	26
%: 8.0000 - 18.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

PORTLAND CEMENT ID: 65997-15-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-26 %: 5.0000 - 15.0000 GS: LT-P1 RC: None NANO: **NO** ROLE: Binder HAZARD TYPE AGENCY AND LIST TITLES WARNINGS Potential Endocrine Disruptor ENDOCRINE **TEDX - Potential Endocrine Disruptors** CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-02-26		
%: 2.0000 - 8.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Ranges given due to batch to batch variability.					
UNDISCLOSED					
HAZARD SCREENING METHOD: Ph	HAZARD SCREENI	NG DATE: 2019-02-	-26		
%: 1.0000 - 6.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder	

ID: 1317-65-3

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2019	-02-26
%: 0.2500 - 1.2500	GS: NoGS	RC: None	NANO: NO	ROLE: Specialty Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	5	
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 6.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

POLYPROPYLENE				ID: 9003-07-0
HAZARD SCREENING METHOD: P	HAZARD SCREENI	NG DATE: 2019-0	02-26	
%: 0.0000 - 0.1500	GS: LT-UNK	RC: None	NANO: NO	ROLE: Structural Fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
UNDISCLOSED				
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREE	INING DATE: 2019	9-02-26
%: 0.0000 - 0.1500	GS: LT-1	RC: None	NANO: NO	ROLE: Defoamer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2019	-02-26
%: 0.0000 - 0.5000	GS: NoGS	RC: None	NANO: NO	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-26 %: 0.0000 - 0.5000 GS: LT-1 NANO: **NO** ROLE: Accellerator RC: None HAZARD TYPE AGENCY AND LIST TITLES WARNINGS DEVELOPMENTAL CA EPA - Prop 65 Developmental toxicity REPRODUCTIVE New Zealand - GHS 6.8A - Known or presumed human reproductive or developmental toxicants REPRODUCTIVE Japan - GHS Toxic to reproduction - Category 1A

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.1500	GS: LT-UNK	RC: None	NANO: NO	ROLE: Retarder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.				
JNDISCLOSED					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING	a date: 2019-02-26		
%: 0.0000 - 0.1500	GS: LT-UNK	RC: None	NANO: NO ROLE:	Rheology Modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.				
JNDISCLOSED					
	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2019-02-26		
HAZARD SCREENING METHOD:			IANO: NO ROLE:	Rheology Modifier	
4AZARD SCREENING METHOD: F	GS: NoGS	RC: None N	IANU: NO ROLE:	rineenegy meaner	
	GS: NOGS	RC: None N WARNINGS	ANO: NO ROLE:	nicelegy meaner	

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2019- 02-26	EXPIRY DATE:	CERTIFIER OR LAB: UL Environment	

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold passed. Awaiting certificate.

VOC CONTENT	VOC Content		
CERTIFYING PARTY: Self-declared Applicable facilities: ALL CERTIFICATE URL:	ISSUE DATE: 2019- 02-26	EXPIRY DATE:	CERTIFIER OR LAB: SELF- DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products CONTACT NAME: Tim Kennedy ADDRESS: 10400 Pioneer Blvd Unit #3 TITLE: Compliance Steward Santa Fe Springs California 90670, United States PHONE: 5629682980 EMAIL: TechnicalServiceDepartment@cbpmail.net WEBSITE: http://www.customtechflooring.com/products/leveling/techlevelhpt-high-performance-topping/

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity EYE Eye irritation/corrosivity **GEN** Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical) BM-3 Benchmark 3 (use but still opportunity for improvement)

GLO Global warming MAM Mammalian/systemic/organ toxicity **MUL** Multiple hazards **NEU** Neurotoxicity OZO Ozone depletion **PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) **PostC** Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

TechLevel-HPT High Performance Topping hpdrepository.hpd-collaborative.org

HPD and for compliance with the HPD standard noted.