TechLevel-WSF Fiber Reinforced Self-Leveling Underlayment For Wood Subfloors by Custom Building Products

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 03 54 16 Hydraulic Cement Underlayment

PRODUCT DESCRIPTION: TechLevel-WSF SLU is a high flow, fiber reinforced calcium aluminate cement based, selfleveling underlayment that eliminates the need for reinforcing lath over plywood and OSB on interior wood framed subfloors. It produces a smooth, level substrate ready for the installation of ceramic and natural stone tile, wood, carpet, and other resilient floor coverings. Formulated with Controlled Cure Technology™, TechLevel-WSF SLU helps eliminate installation problems such as slow drying, bond failure, crumbling, and staining of resilient flooring caused by the free moisture found in traditional underlayment.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

€ 1,000 ppm

C Per GHS SDS C Per OSHA MSDS

Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results

disclosed. Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TECHLEVEL-WSF FIBER REINFORCED SELF-LEVELING UNDERLAYMENT FOR WOOD SUBFLOORS [QUARTZ LT-1 | CAN HIGH-ALUMINA CEMENT LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED NoGS UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-1 | PBT | CAN | MUL UNDISCLOSED LT-UNK **UNDISCLOSED NoGS**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? PREPARER: Self-Prepared SCREENING DATE: 2019-02-26 PUBLISHED DATE: 2019-02-26 **⊙** No



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

TECHLEVEL-WSF FIBER REINFORCED SELF-LEVELING UNDERLAYMENT FOR WOOD **SUBFLOORS**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

QUARTZ		ID: 14808-6 0		
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-26		
%: 55.0000 - 75.0000	gs: LT-1	RC: None NANO: No ROLE: Aggregate		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

HIGH-ALUMINA CEMENT

	<u> </u>			
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENI	ING DATE: 2019-02-2	6

ID: 65997-16-2

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREENIN	NG DATE: 2019-02-26	6
%: 8.0000 - 18.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	HAZARD SCREENING DATE: 2019-02-26		
%: 2.0000 - 8.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26		
%: 2.0000 - 8.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Ranges given due to batch to batch variability.					

UNDISCLOSED

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	26
%: 0.0000 - 4.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

PORTLAND CEMENT ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 8.0000	GS: LT-P1	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	ocrine Disruptor		
CANCER	MAK	•	iroup 3B - Evidence of for classification	of carcinogenic effects but	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.4000	gs: NoGS	RC: None	nano: No	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
	No hazards found			

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{Ranges}\ \textbf{given}\ \textbf{due}\ \textbf{to}\ \textbf{batch}\ \textbf{to}\ \textbf{batch}\ \textbf{variability}.$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.4000	GS: LT-1	RC: None	nano: No	ROLE: Accellerator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity			
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants			
REPRODUCTIVE	Japan - GHS	Toxic to	reproduction - Cat	egory 1A	

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chen	nical and Materials Library	HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.3000	GS: LT-UNK	RC: None	nano: No	ROLE: Retarder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.2000	GS: LT-UNK	RC: None	nano: No	ROLE: Rheology Modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-26		
%: 0.0000 - 0.3000	gs: NoGS	RC: None	nano: No	ROLE: Rheology Modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS		
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.1500	GS: LT-1	RC: None	nano: No	ROLE: Defoamer	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.1500	GS: LT-UNK	RC: None	nano: No	ROLE: Structural Fiber		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3			
	No hazards found					

 ${\ensuremath{\sf SUBSTANCE}}$ NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-26			
%: 0.0000 - 0.4000	GS: NoGS	RC: None	nano: No	ROLE: Specialty Additive		
HAZARD TYPE AGENCY AND LIST TITLES		WARNII	NGS			
	No hazards found					
	NO Hazarus Touriu					

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{Ranges\ given\ due\ to\ batch\ to\ batch\ variability.}$



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

ISSUE DATE: 2019-02- EXPIRY DATE: CERTIFYING PARTY: Third Party CERTIFIER OR LAB: UL APPLICABLE FACILITIES: ALL 26 **Environment**

CERTIFICATE URL:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold passed. Awaiting certificate.

VOC CONTENT VOC Content

CERTIFYING PARTY: Self-declared ISSUE DATE: 2019-02- EXPIRY DATE: CERTIFIER OR LAB: SELF-**DECLARED**

APPLICABLE FACILITIES: ALL

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products CONTACT NAME: Tim Kennedy ADDRESS: 10400 Pioneer Blvd Unit #3 TITLE: Compliance Steward

Santa Fe Springs California 90670, United States PHONE: **5629682980**

EMAIL: TechnicalServiceDepartment@cbpmail.net WEBSITE:

http://www.customtechflooring.com/products/leveling/techlevel-

wsf-fiber-reinforced-self-leveling-underlayment-

for-wood-subfloors/

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **GLO** Global warming PHY Physical Hazard (reactive) **CAN** Cancer MAM Mammalian/systemic/organ toxicity **REP** Reproductive toxicity **DEV** Developmental toxicity **MUL** Multiple hazards **RES** Respiratory sensitization

END Endocrine activity **NEU** Neurotoxicity SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity **OZO** Ozone depletion **LAN** Land Toxicity

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical) LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1 BM-3 Benchmark 3 (use but still opportunity for improvement)

LT-UNK List Translator Benchmark Unknown (insufficient BM-2 Benchmark 2 (use but search for safer substitutes) information from List Translator lists to benchmark) BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.