## VersaBond® Professional Thin-Set Mortar by Custom Building Products

## **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

### CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A professional formula, all-purpose mortar, polymer-modified to provide good bond strength for floor and tile projects. VersaBond® cures quickly even in cold climates and adheres to most surfaces, exceeding ANSI A118.4 and A118.11 without the need for additives.

# Section 1: Summary

# **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

Material Product C 100 ppm • 1,000 ppm C Per GHS SDS C Per OSHA MSDS C Other

### **Residuals/Impurities**

Considered C Partially Considered C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

#### ○ Yes Ex/SC ⊙ Yes ○ No Characterized

% weight and role provided for all substances.

#### ○ Yes Ex/SC ⊙ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed

Identified

### ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

VERSABOND® PROFESSIONAL THIN-SET MORTAR [ QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN FLY ASH LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK BLAST FURNACE SLAG LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ]

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (a/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI

#### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario VOC content: VOC Content

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes • No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2019-04-16 PUBLISHED DATE: 2019-04-16 EXPIRY DATE: 2022-04-16

Threshold level

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

### **VERSABOND® PROFESSIONAL THIN-SET MORTAR**

#### PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

ID: 14808-60-7

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

### QUARTZ

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-16		
%: 40.0000 - 70.0000	GS: <b>LT-1</b>	RC: None NANO: NO ROLE: Aggregate		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

PORTLAND CEMENT				ID: 65997-15-1
HAZARD SCREENING METHOD: Pharos C	hemical and Materials Library	HAZARD SCREENIN	NG DATE: 2019-04-	16
%: 15.0000 - 40.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	crine Disruptor	
CANCER	МАК		oup 3B - Evidence on for classification	of carcinogenic effects
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
FLY ASH				ID: 68131-74-8
HAZARD SCREENING METHOD: ${\sf P}$	Pharos Chemical and Materials Library	HAZARD SCREEN	NG DATE: 2019-04-	16
%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability. Gray vers	ion only.		
LIMESTONE, CALCIUM C	ARBONATE			ID: <b>1317-65-3</b>
HAZARD SCREENING METHOD: P	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2019-04-16	•
%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Aggregate
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			
SUBSTANCE NOTES: Ranges	given due to batch to batch variability.			ID: <b>65996-69-2</b>
BLAST FURNACE SLAG	given due to batch to batch variability. Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: <b>2019-04</b> -	
BLAST FURNACE SLAG		HAZARD SCREEN RC: <b>None</b>	ING DATE: <b>2019-04</b> - NANO: <b>NO</b>	
BLAST FURNACE SLAG	Pharos Chemical and Materials Library			-16
BLAST FURNACE SLAG HAZARD SCREENING METHOD: P %: 7.0000 - 13.0000	Pharos Chemical and Materials Library	RC: None		-16
BLAST FURNACE SLAG HAZARD SCREENING METHOD: P %: 7.0000 - 13.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: <b>None</b> WARNINGS		-16
BLAST FURNACE SLAG HAZARD SCREENING METHOD: P %: 7.0000 - 13.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES No hazards found	RC: <b>None</b> WARNINGS		-16
BLAST FURNACE SLAG HAZARD SCREENING METHOD: P %: 7.0000 - 13.0000 HAZARD TYPE SUBSTANCE NOTES: Ranges UNDISCLOSED	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES No hazards found	RC: None WARNINGS		-16 ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-16		
%: 0.3000 - 1.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-16		
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3	
	No hazards found			

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-04-16		
%: <b>0.0000 - 2.0000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2019- 04-16	EXPIRY DATE:	CERTIFIER OR LAB: UL Environment		

CERTIFICATION AND COMPLIANCE NOTES: UL GreenGuard Gold passed. Awaiting certificate.

VOC CONTENT	VOC Content	
CERTIFYING PARTY: Self-declared Applicable facilities: ALL CERTIFICATE URL:	ISSUE DATE: 2019- EXPIRY 04-16	DATE: CERTIFIER OR LAB: SELF- DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

# 🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

### MANUFACTURER INFORMATION

MANUFACTURER: Custom Building ProductsCONTAADDRESS: 10400 Pioneer Blvd Unit #3TITLE:Santa Fe Springs California 90670, United StatesPHONEWEBSITE:EMAIL:https://www.custombuildingproducts.com/products/setting-materials/polymer-modified-thin-set-mortars/versabond/versabond.aspx

#### KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms**

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

CONTACT NAME: Tim Kennedy TITLE: Compliance Steward PHONE: 8002728786

EMAIL: technicalservicedepartment@cbpmail.net

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.