

CLASSIFICATION: 09 25 00 Acoustical Plastering

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Pyrok's StarSilent® Acoustical Plaster System consists of acoustical panels manufactured from recycled crushed glass finished with a thin, two-coat acoustical plaster finish. StarSilent Base Coat Plaster is applied first, followed by StarSilent Finish Coat Plaster. The result is a smooth, seamless, sound absorbing, durable plaster finish system for walls and ceilings. This HPD covers StarSilent Finish Coat Plaster in natural white. StarSilent Acoustical Plaster System may also include the following MasterFormats: 09 51 00.00 Finishes: Acoustical Ceilings; 09 51 13.00 Finishes: Acoustical Panel Ceilings.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STARSILENT FINISH COAT PLASTER [DOLOMITE (DOLOMITE) NoGS
WATER (WATER) BM-4 UNDISCLOSED LT-UNK TITANIUM DIOXIDE
(TITANIUM DIOXIDE) LT-1 | CAN | END QUARTZ (QUARTZ) LT-1 | CAN
UNDISCLOSED LT-UNK UNDISCLOSED NoGS]

Number of Greenscreen BM-4/BM3 contents..... 1
Contents highest concern GreenScreen
Benchmark or List translator Score..... LT-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not listed as "Identified" are those considered proprietary to suppliers, and therefore are "Undisclosed" in this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 13.7 Regulatory (g/l):
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC content: SCAQMD Rule 1113 (StarSilent Finish)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2018-01-12
PUBLISHED DATE: 2018-01-12
EXPIRY DATE: 2021-01-12

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STARSILENT FINISH COAT PLASTER

?: 100.0000

HPD URL:

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS that are not otherwise disclosed as intentionally added ingredients (e.g. Quartz/Silica), based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of substances reported as range in order to further protect the proprietary nature of this formulation.

DOLOMITE (DOLOMITE)

ID: 16389-88-1

?: 75.0000 - 85.0000 GS: NoGS RC: None NANO: No ROLE: Filler, Extender

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

WATER (WATER)

ID: 7732-18-5

?: 10.0000 - 20.0000 GS: BM-4 RC: None NANO: No ROLE: Solvent, Diluent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

UNDISCLOSED

?: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: No ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists with results disclosed.

TITANIUM DIOXIDE (TITANIUM DIOXIDE)

ID: 13463-67-7

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
%: 1.0000 - 5.0000	GS: LT-1	RC: None NANO: No ROLE: Pigment
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigimentary titanium dioxide was “determined to be Benchmark 2 using the full GS (GreenScreen) method” (<http://ow.ly/Z5ken>).

QUARTZ (QUARTZ)

ID: 14808-60-7

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
%: 0.5000 - 1.0000	GS: LT-1	RC: None NANO: No ROLE: Filler; Residual/Impurity
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Australia - GHS	H350 - May cause cancer
CANCER	Japan - GHS	Carcinogenicity - Category 1A

SUBSTANCE NOTES: Quartz is one of several compounds with warnings restricted to respirable forms; i.e. "Silica, crystalline (airborne particles of respirable size)." Supplier confirms that particles <12 um in size account for <1% of the substance, which equates to <0.01% of the product. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Quartz/Silica. This HPD will be updated as appropriate when these guidelines become available. May also represent possible impurity present in other raw materials.

UNDISCLOSED

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None NANO: No ROLE: Thickener

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists with results disclosed.

UNDISCLOSED

#: **0.1000 - 0.5000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Dispersant**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists with results disclosed.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

SCAQMD Rule 1113 (StarSilent Finish)

CERTIFYING PARTY: **Self-declared** ISSUE DATE: **2016-05-24** EXPIRY DATE: CERTIFIER OR LAB: **UL Environment**
 APPLICABLE FACILITIES: **All**
 CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Chemical Test Report (Ref. C253474-2) from Applied Technical Services, Inc. Volatile Content of Coatings by EPA 24. Material VOC: 13.7 g/L. Product complies with SCAQMD Rule 1113 for "Default" coatings.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STARSILENT PANEL

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installation of StarSilent Acoustical System.

STARSILENT FIX

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

Installation of StarSilent Acoustical System.

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>**STARSILENT BASE COAT PLASTER**

Installation of StarSilent Acoustical System.

Section 5: General Notes

Pyrok's StarSilent® Acoustical Plaster System is a smooth, seamless, sound absorbing, durable plaster finish system for walls and ceilings. The StarSilent System utilizes sound panels composed of approximately 96% post-consumer recycled crushed glass bottles. The panels are attached to rigid metal framing with zinc coated drywall screws, and the edges of the panels are glued together using the StarSilent Adhesive, which is also spread over the screw heads. The StarSilent Adhesive requires overnight drying, with minimum temperatures maintained at 50 degrees Fahrenheit or higher. After light sanding, the panels are coated first with the StarSilent Base Coat Plaster, and then the StarSilent Finish Coat Plaster is applied to achieve smooth, seamless, sound absorbing, durable plaster finish system for walls and ceilings.

Section 6: References**MANUFACTURER INFORMATION**

MANUFACTURER: **Pyrok, Inc.**
 ADDRESS: **121 Sunset Road**
Mamaroneck NY 10543, USA
 WEBSITE: **www.starsilent.com**

CONTACT NAME: **Howard Podolsky**
 TITLE: **Owner**
 PHONE: **914-777-7070**
 EMAIL: **howard@pyrok.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.