

CLASSIFICATION: ThickLam

PRODUCT DESCRIPTION: ThickLamTM thick phenolic is designed for applications where the decorative surface must contribute to the structural stability of the finished assembly. It is available with decorative paper on one or both sides. ThickLam laminate can be manufactured using any HPL solid color or pattern and is available with either brown or black phenolic core. Laminate edges can be polished for a finished appearance. Optimal flatness is obtained by specifying the same color on both sides of thick phenolic core laminates. ThickLam panels are available in thicknesses up to 1 inch (25 mm) and offers the same chemical resistance properties as standard laminate. ThickLam panels can be manufactured with enhanced chemical resistance.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

THICKLAM [CELLULOSE FIBER NoGS PHENOLIC RESIN LT-P1 | RES
MELAMINE RESIN LT-UNK ALUMINUM OXIDE BM-2 | RES]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Applies to both Nevamar and Pionite ThickLam products

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Certified
Formaldehyde emissions: UL/GreenGuard Certified
Formaldehyde emissions: UL/GreenGuard Gold Certified
Sustainable forestry: FSC Certification - Mixed Credit

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-09-27

PUBLISHED DATE: 2019-09-27

EXPIRY DATE: 2022-09-27



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

THICKLAM

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Product is tested on a quarterly basis for it's UL Greenguard Gold certification

OTHER PRODUCT NOTES:

CELLULOSE FIBER

ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-27

#: 55.00 - 85.00

GS: NoGS

RC: PreC

NANO: No

ROLE: Primary Component (paper)

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Primary component of HPL is paper

PHENOLIC RESIN

ID: 9003-35-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-27

#: 15.00 - 35.00

GS: LT-P1

RC: None

NANO: No

ROLE: Resin for Kraft Core

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Resin used to bind Kraft Core Sheets together. The resin is polymerized in the final product and is no longer in resin form

MELAMINE RESIN

ID: 9003-08-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-27

#: 4.00 - 15.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Decorative Paper Resin

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Resin used with decorative surface of laminate. The resin is reacted in the process to form the cured polymer and is not present in resin form in the final product.

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-27**

#: **0.00 - 1.00**

GS: **BM-2**

RC: **None**

NANO: **No**

ROLE: **Protective surface of laminate**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Combined with resin or in the decorative paper to improve scratch resistance of product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Certified

CERTIFYING PARTY: **Third Party**
ISSUE DATE: **2005-04-04** EXPIRY DATE: **2020-04-04** CERTIFIER OR LAB: **UL**
APPLICABLE FACILITIES: **All HPL facilities**
CERTIFICATE URL: <https://panolam.com/wp-content/uploads/2019/08/GREENGUARD-Certification-Nevamar-HPL-2019-2020.pdf>
CERTIFICATION AND COMPLIANCE NOTES:

FORMALDEHYDE EMISSIONS

UL/GreenGuard Certified

CERTIFYING PARTY: **Third Party**
ISSUE DATE: **2005-04-04** EXPIRY DATE: **2020-04-04** CERTIFIER OR LAB: **UL**
APPLICABLE FACILITIES: **All HPL facilities**
CERTIFICATE URL: <https://panolam.com/wp-content/uploads/2019/08/GREENGUARD-Certification-Nevamar-HPL-2019-2020.pdf>
CERTIFICATION AND COMPLIANCE NOTES:

FORMALDEHYDE EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**
ISSUE DATE: **2014-04-06** EXPIRY DATE: **2020-04-04** CERTIFIER OR LAB: **UL**
APPLICABLE FACILITIES: **All HPL facilities**
CERTIFICATE URL: <https://panolam.com/wp-content/uploads/2019/08/GREENGUARD-Gold-Certification-Nevamar-HPL-2019-2020.pdf>
CERTIFICATION AND COMPLIANCE NOTES:

SUSTAINABLE FORESTRY

FSC Certification - Mixed Credit

CERTIFYING PARTY: **Third Party**
ISSUE DATE: **2019-04-28** EXPIRY DATE: **2024-04-27** CERTIFIER OR LAB: **NEPCon**
APPLICABLE FACILITIES: **All HPL and TFL facilities**
CERTIFICATE URL: https://panolam.com/wp-content/uploads/2019/04/Panolam-Industries-International-Inc.-FSC-COC-w_CW-Certificate-27-04-2024.pdf
CERTIFICATION AND COMPLIANCE NOTES: **Applies to products requested and shipped as FSC certified**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

UL Environment is an organization that oversees the GREENGUARD certification program for indoor air quality. The goal of the program is to improve public health and quality of life by helping manufacturers build better and safer products. Panolam Surface Systems® is proud to be recognized by this organization with GREENGUARD and GREENGUARD GOLD certification on many of our products.



MANUFACTURER INFORMATION

MANUFACTURER: **Panolam Industries International Inc**
 ADDRESS: **1 Corporate Drive - Suite 725**
Shelton CT 06484, USA
 WEBSITE: **www.panolam.com**

CONTACT NAME: **Jeffrey O'Hearn**
 TITLE: **Sr. Director of Environmental and Safety**
 PHONE: **203-925-1556**
 EMAIL: **jeffrey_ohearn@panolam.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.