

**CLASSIFICATION:** 08 88 13 Fire-Resistant Glazing

**PRODUCT DESCRIPTION:** 20 minute fire rated glazing; most economical fire and safety rated glazing available; provides superior optical clarity over ceramics; meets the highest human impact safety requirements; can be used for interior and exterior applications; available in specialty architectural make-ups and decorative patterns; lifetime warranty; USA manufactured for fast delivery and competitive pricing

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

**Residuals/Impurities**

- Considered
- Partially Considered
- Not Considered

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No

*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No

*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No

*All substances disclosed by Name (Specific or Generic) and Identifier.*

**Threshold Disclosed Per**

- Material
- Product

Explanation(s) provided for Residuals/Impurities?  
 Yes  No

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | **HAZARD TYPE**  
**CLEAR TEMPERED GLASS - SUPERLITE I** | **SOLID / PLATE GLASS** **LT-UNK**  
]

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This product contains FLOAT GLASS which is a Special Conditions materials, but following HPDC recommendations, this report uses the CAS number for solid/plate glass until Special Conditions guidelines are published.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: N/A

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? <input type="radio"/> Yes <input checked="" type="radio"/> No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2019-07-11 PUBLISHED DATE: 2019-07-11 EXPIRY DATE: 2022-07-11
---	---	---



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### CLEAR TEMPERED GLASS - SUPERLITE I

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: All process chemistry for the clear tempered glass product occurs within the factory. While this product has not been specifically tested for residuals, it is expected that no residuals remain from these process chemistry reactions.

OTHER PRODUCT NOTES:

#### SOLID / PLATE GLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-11

#: 100.00 - 100.00

GS: LT-UNK

RC:

None

NANO:

No

ROLE: Clear float glass, specially tempered to meet a 20 minute fire rating.

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This product contains FLOAT GLASS which is a Special Conditions materials, but following HPDC recommendations, this report uses the CAS number for solid/plate glass until Special Conditions guidelines are published. Float glass used in this product contains approximately 20% recycled glass in the form of cullet. The float glass manufacturing process recycles virtually all the glass waste from the in-plant production melting and cutting processes. This broken glass, known as cullet, is reintroduced with the raw materials batch mix in the furnace as an aid to melting. It takes approximately half the amount of energy to produce glass from cullet as it does to produce glass from raw materials.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **self**

APPLICABLE FACILITIES: **All. This product has not been certified because it is an Inherently non-emitting source per LEED®**

**05-17**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **This product has not been certified because it is an Inherently non-emitting source per LEED®**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### GPX FRAMING - UNFINISHED

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_163\\_GPX\\_Framing\\_unfinished.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_163_GPX_Framing_unfinished.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SuperLite I glazing is typically used in conjunction with GPX Framing or GPX Builder Series Doors, though other framing systems or doors can be used.

### GPX BUILDER SERIES DOOR - UNFINISHED

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_163\\_GPX\\_Builders\\_Series\\_Door\\_Unfinished.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_163_GPX_Builders_Series_Door_Unfinished.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SuperLite I glazing is typically used in conjunction with GPX Builder Series Doors or with GPX Framing, though other door and framing systems can be used.

## Section 5: General Notes

SuperLite I is listed and labeled by Intertek/Warnock-Hersey Inc. and Underwriters Laboratories.



## MANUFACTURER INFORMATION

MANUFACTURER: **SAFTI FIRST**

ADDRESS: **100 N Hill Drive**

**Suite 12**

**Brisbane CA 94005, USA**

WEBSITE: <http://safti.com/product/superlite/>

CONTACT NAME: **Diana San Diego**

TITLE: **VP of Marketing**

PHONE: **888-653-3333**

EMAIL: **DianaS@safti.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*