

CLASSIFICATION: 03 35 00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: A SOLVENT BASED, NON-YELLOWING, BLUSH RESISTANT CURING AND SEALING COMPOUND. WHEN USED AS A SEALER, LUMISEAL PLUS IS DESIGNED TO PROVIDE AN ATTRACTIVE HIGH GLOSS FINISH ON CONCRETE SUBSTRATES. LUMISEAL PLUS FORMS A VERY DURABLE FILM WITH EXCELLENT EARLY WATER-RESISTANCE TO WHITENING OR BLISTERING.

Section 1: Summary

CONTENT INVENTORY

Threshold per material	Residuals and impurities considered in 0 of 1 materials	Based on the selected Content Inventory Threshold:	
<input type="radio"/> 100 ppm	<input checked="" type="radio"/> see Section 2: Material Notes	Characterized.....	<input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> 1,000 ppm	<input checked="" type="radio"/> see Section 5: General Notes	Are the Percent Weight and Role provided for all substances?	<input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="radio"/> Per GHS SDS		Screened.....	<input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Per OSHA MSDS		Are all substances screened using Priority Hazard Lists with results disclosed?	<input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="radio"/> Other		Identified.....	<input type="radio"/> Yes <input checked="" type="radio"/> No
		Are all substances disclosed by Name (Specific or Generic) and Identifier?	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

L&M™ LUMISEAL PLUS™ [AROMATIC NAPHTHA, TYPE 1 **LT-1** | CAN | GEN | MAM | MUL | END **UNDISCLOSED** **LT-UNK** 1,2,4-TRIMETHYLBENZENE **BM-2** | MAM | EYE | SKI | AQU | MUL SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC **LT-P1** | MAM | END **XYLENES** **BM-1** | MAM | SKI | END | MUL **UNDISCLOSED** **LT-1** | MAM | CAN | PHY **UNDISCLOSED** **LT-P1** | PBT | MUL **UNDISCLOSED** **LT-P1** | MUL **UNDISCLOSED** **UNK** | SKI | AQU **UNDISCLOSED** **UNK** | SKI | AQU CUMENE **LT-1** | AQU | CAN | MAM | END]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 697 Regulatory (g/l):
Does the product contain exempt VOCs:
No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: March 27, 2017	EXPIRY DATE*: March 27, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: March 27, 2017	* or within 3 months of significant change in product contents

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

L&M™ LUMISEAL PLUS™

%: 100.0000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: No

Material Notes: See SDS at www.laticrete.com for occupational exposure information.

AROMATIC NAPHTHA, TYPE 1

ID: 64742-95-6

%: 22.0000 - 30.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

EU - R-phrases

R45 - May cause cancer

GENE MUTATION

EU - R-phrases

R46 - May cause heritable genetic damage

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

GENE MUTATION

EU - GHS (H-Statements)

H340 - May cause genetic defects

CANCER

EU - GHS (H-Statements)

H350 - May cause cancer

CANCER

EU - REACH Annex XVII CMRs

Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

GENE MUTATION

EU - REACH Annex XVII CMRs

Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

EU - Annex VI CMRs

Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

GENE MUTATION

EU - Annex VI CMRs

Mutagen - Category 1B

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

%: 20.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Coating

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

1,2,4-TRIMETHYLBENZENE

ID: 95-63-6

%: 20.0000 - 30.0000

GS: BM-2

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

MAMMALIAN

EU - R-phrases

R20 - Harmful by Inhalation (gas or vapor or dust/mist)

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

SKIN IRRITATION

EU - R-phrases

R38 - Irritating to skin

ACUTE AQUATIC

EU - R-phrases

R51 - Toxic to Aquatic Organisms

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

%: 4.0000 - 8.0000

GS: LT-P1

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

ORGAN TOXICANT

EU - GHS (H-Statements)

H372 - Causes damage to organs through prolonged or repeated exposure

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

XYLENES

ID: 1330-20-7

%: 0.5000 - 3.5000

GS: BM-1

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R21 - Harmful in Contact with Skin
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

%: 0.1000 - 1.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Solvent
--------------------	----------	----------	----------	---------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	ROLE: UV Stabilizer
--------------------	-----------	----------	----------	---------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.1000 - 0.2000 GS: LT-P1 RC: None NANO: NO ROLE: UV Stabilizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.1000 - 0.3000 GS: UNK RC: None NANO: NO ROLE: UV Stabilizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN SENSITIZE EU - GHS (H-Statements) H317 - May cause an allergic skin reaction

CHRON AQUATIC EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.1000 - 0.3000 GS: UNK RC: None NANO: NO ROLE: UV Stabilizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN SENSITIZE EU - GHS (H-Statements) H317 - May cause an allergic skin reaction

CHRON AQUATIC EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CUMENE

ID: 98-82-8

%: 0.0000 - 1.0000 GS: LT-1 RC: None NANO: NO ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC EU - R-phrases R51 - Toxic to Aquatic Organisms

CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

L&M™ LUMISEAL PLUS™ meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, L&M LUMISEAL PLUS does not contain the following: •Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)* •Perfluorinated Compounds (PFCs)* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)* •Short Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. L&M LUMISEAL PLUS also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane (HCFC-151a)



MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

CONTACT NAME: Mitch Hawkins

ADDRESS: 1 Laticrete Park North
Bethany, CT 06524
USA

TITLE: Technical Services Manager

PHONE: 203-393-4619

WEBSITE: www.laticrete.com

EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.