SPARTACOTE® FLEX PURE CLINICAL PLUS™ by LATICRETE International

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 67 23.00

PRODUCT DESCRIPTION: A low VOC and minimal odor, fast curing, two part polyaspartic aliphatic polyurea sealer/finish coating for hospitals, veterinary clinics, pharmaceutical facilities, and more... Important characteristics of SPARTACOTE® FLEX PURE CLINICAL PLUS™ are its rapid-cure, its durable, seamless finish, and its antimicrobial properties. This product is low VOC and does not emit strong solvent odors during installation.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SPARTACOTE® FLEX PURE CLINICAL PLUS™ [HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER) LT-P1 TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE LT-UNK | SKI BIS(4-(1,2-BIS(ETHOXYCARBONYL)ETHYLAMINO)-3-

METHYLCYCLOHEXYL)METHANE LT-UNK | SKI DIPROPYLENE GLYCOL METHYL ETHER ACETATE (DPMA) LT-UNK 2-BUTENEDIOIC ACID (E)-, DIETHYL ESTER LT-UNK COCONUT OIL LT-UNK UNDISCLOSED BM-1 | PBT | MUL UNDISCLOSED NoGS UNDISCLOSED NoGS 1,6-HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM

UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | AQU | SKI | END | MUL | PHY]

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 61 Regulatory (g/l): 61

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE Products / LEED Certification"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-03-17 PUBLISHED DATE: 2020-05-11 EXPIRY DATE: 2023-03-17

SPARTACOTE FLEX PURE CLINICAL PLUS hpdrepository.hpd-collaborative.org



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

SPARTACOTE® FLEX PURE CLINICAL PLUS™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER)

ID: 28182-81-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17			
%: 38.00 - 45.00 GS: LT-P1		RC: None	nano: No	ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found	No wa	arnings found on	HPD Priority Hazard Lists		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE

ID: 136210-30-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17			
%: 30.00 - 36.00	GS: LT-UNK	RC: None NANO: No ROLE: Resin			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

BIS(4-(1,2-BIS(ETHOXYCARBONYL)ETHYLAMINO)-3-**METHYLCYCLOHEXYL) METHANE**

ID: 136210-32-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17			
%: 10.00 - 15.00	GS: LT-UNK	RC: None	nano: No	ROLE: Resin	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

DIPROPYLENE GLYCOL METHYL ETHER ACETATE (DPMA)

ID: 88917-22-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-17			
%: 8.00 - 17.00	GS: LT-UNK	RC: None	nano: No	ROLE: Solvent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard			HPD Priority Hazard Lists			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

2-BUTENEDIOIC ACID (E)-, DIETHYL ESTER

ID: 623-91-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-17			
%: 2.00 - 5.00	GS: LT-UNK	RC: None	nano: No	ROLE: Defoamer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warning			o warnings found	on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

COCONUT OIL ID: 8001-31-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-03-17			
%: 1.00 - 3.00	GS: LT-UNK	RC: None	nano: No	ROLE: Workability Adjuster		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17		
%: 1.00 - 1.50	GS: BM-1	RC: None	nano: No	ROLE: UV Stabilizer

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-17			
%: 0.50 - 1.00 Gs: NoGS		RC: None	NANO: No	ROLE: UV Stabilizer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings fou	nd on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17		
%: 0.50 - 1.00 GS: NoGS		RC: None	nano: No	ROLE: UV Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings for	and on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

1,6-HEXAMETHYLENE DIISOCYANATE

ID: **822-06-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17			
	%: 0.20 - 0.40	GS: LT-UNK	RC: None	nano: No	ROLE: Activator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled		
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled		
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17		
%: 0.10 - 0.20	gs: LT-P1	RC: None	nano: No	ROLE: UV Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - H	azard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17			
%: 0.05 - 0.20	gs: LT-P1	RC: None	nano: No	ROLE: Anti-Microbial	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life			
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects			
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H272 - N	May intensify fire; o	oxidiser	

	SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.
ΈΑΟ	COTE FLEX PURE CLINICAL PLUS



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

01-22

01-22

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: SPARTACOTE® FLEX PURE CLINICAL PLUS™ has not been tested for VOC emissions.

VOC CONTENT

TDS 251 "Low VOC LATICRETE Products / LEED Certification"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (industrial Maintenance (IM) Coatings).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

SPARTACOTE® FLEX PURE CLINICAL PLUS™ meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, SPARTACOTE FLEX PURE CLINICAL PLUS does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) Formaldehyde (added)
 Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) • Polycyclic Aromatic Hydrocarbons (PAH) • Short-Chain and Medium-Chain Chlorinated Paraffins Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury
 Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA

WEBSITE: https://spartacote.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.