# SPARTACOTE® FLEX SB™ Low Gloss by LATICRETE International

# Health Product Declaration v2.1

created via: HPDC Online Builder

# CLASSIFICATION: 09 67 23

**PRODUCT DESCRIPTION:** A low gloss, fast-curing two-part polyaspartic aliphatic polyurea sealer/finish coating for both decorative and protective applications. As an industrial maintenance coating, this material is self-priming and may be applied in single or multiple coats by brush, roller, broom, squeegee, or in varying thicknesses to a variety of substrates including concrete and metal.

# Section 1: Summary

# **CONTENT INVENTORY**

### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

C Material

Product

100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS

C Other

**Threshold level** 

# **Residuals/Impurities**

- Considered
   Partially Considered
- Not Considered

  Explanation(s) provided
- for Residuals/Impurities?

# Are All Substances Above the Threshold Indicated:

Characterized • Yes • No Percent Weight and Role Provided?

Screened • Yes • No Using Priority Hazard Lists with Results Disclosed?

Identified O Yes O No Name and Identifier Provided?

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

SPARTACOTE® FLEX SB™ LOW GLOSS [ HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER) LT-P1 AROMATIC NAPHTHA, TYPE 1 LT-1 | MAM | GEN | CAN | MUL | END TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE LT-UNK | SKI UNDISCLOSED LT-UNK 1,2,4-TRIMETHYLBENZENE BM-2 | AQU | SKI | EYE | MUL XYLENES BM-1 | SKI | END | MUL | REP 1,6-HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM CUMENE LT-1 | CAN | AQU | MAM | END UNDISCLOSED LT-UNK D-LIMONENE LT-P1 | PBT | AQU | SKI | MUL SILICA GEL LT-UNK UNDISCLOSED LT-UNK ]

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 340 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

# INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

# CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE® Products"

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-08-06 PUBLISHED DATE: 2018-08-06 EXPIRY DATE: 2021-08-06

**Basic Method / Product Threshold** 

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

# SPARTACOTE® FLEX SB™ LOW GLOSS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

# HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER) ID: 28182-81-2 %: 25.0000 - 35.0000 GS: LT-P1 RC: None NANO: No HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

AROMATIC NAPHTHA, TYPE 1				ID: <b>64742-95-6</b>
%: 25.0000 - 35.0000	GS: <b>LT-1</b>	GS: LT-1 RC: None		ROLE: Solvent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
MAMMALIAN	EU - GHS (H-Statements)		H304 - May be fatal if swallowed and enters airways	
GENE MUTATION	EU - GHS (H-Statements)		H340 - May cause ge	netic defects
CANCER	EU - GHS (H-Statements)		H350 - May cause ca	ncer
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
GENE MUTATION	EU - REACH Annex XVII CMRs		Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man	
MULTIPLE	ChemSec - SIN List	ChemSec - SIN List		lutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	EU - Annex VI CMRs		1B - Presumed Carcinogen based on
GENE MUTATION	EU - Annex VI CMRs	3	Mutagen - Category 1B	
ENDOCRINE	TEDX - Potential End	docrine Disruptors	Potential Endocrine	Disruptor

German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard t	o Waters
Australia - GHS	H340 - May cause genetic	c defects
Australia - GHS	H350 - May cause cancer	
it of this component may vary based on the plan	t of manufacture.	
LENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-		id: <b>136210-30-</b>
GS: LT-UNK	RC: None NAI	NO: NO ROLE: Resin
AGENCY(IES) WITH WARNINGS:		
EU - GHS (H-Statements)	H317 - May cause an alle	rgic skin reaction
It of this component may vary based on the plan	t of manufacture.	
GS: LT-UNK BC: None	NANO: <b>NO</b>	ROLE: Filler
AGENCY(IES) WITH WARNINGS:		
	Australia - GHS         Australia - GHS         Australia - GHS         Int of this component may vary based on the plan         LENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-         GS: LT-UNK         AGENCY(IES) WITH WARNINGS:         EU - GHS (H-Statements)	Australia - GHS       H340 - May cause genetic         Australia - GHS       H350 - May cause cancer         Int of this component may vary based on the plant of manufacture.         LENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-         GS: LT-UNK         RC: None         AGENCY(IES) WITH WARNINGS:

1,2,4-TRIMETHYLBENZENI	E			ID: <b>95-</b> 0	
%: 0.5000 - 10.0000	GS: <b>BM-2</b>	RC: None	NANO: <b>NO</b>	ROLE: Solvent	
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:			
CHRON AQUATIC	EU - GHS (H-Stat	tements)	H411 - Toxic to aqu	H411 - Toxic to aquatic life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-Stat	tements)	H315 - Causes skin	irritation	
EYE IRRITATION	EU - GHS (H-Stat	EU - GHS (H-Statements)		H319 - Causes serious eye irritation	
MULTIPLE	German FEA - Su Waters	German FEA - Substances Hazardous to Waters		Waters	
SUBSTANCE NOTES: The amou	int of this component m	ay vary based on the plar	t of manufacture.		
XYLENES				ıd: <b>1330-</b> 2	

%: 0.5000 - 1.0000

GS: **BM-1** 

NANO: **NO** 

HAZA	DDC.

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

# 1,6-HEXAMETHYLENE DIISOCYANATE

%: 0.5000 - 0.8000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Activator		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
RESPIRATORY	AOEC - Asthmagens		Asthmagen (G) - generally	accepted		
SKIN IRRITATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		on		
SKIN SENSITIZE	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		irritation		
MAMMALIAN	EU - GHS (H-Statements)	EU - GHS (H-Statements)				
RESPIRATORY	EU - GHS (H-Statements)		H334 - May cause allergy o difficulties if inhaled	or asthma symptoms or breathing		
RESPIRATORY	МАК		Sensitizing Substance Sah sensitization	- Danger of airway & skin		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

CUMENE				id: <mark>98-82-</mark> 6	
%: 0.3000 - 0.4000	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Solvent	
HAZARDS:	AGENCY(IES) WITH WA	RNINGS:			
CANCER	IARC	IARC		ly carcinogenic to humans	
CANCER	CA EPA - Prop 6	CA EPA - Prop 65		Carcinogen	
CANCER	US NIH - Report	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen	
CHRON AQUATIC	EU - GHS (H-Sta	EU - GHS (H-Statements)		uatic life with long lasting effects	
MAMMALIAN	EU - GHS (H-Sta	EU - GHS (H-Statements)		al if swallowed and enters airways	
ENDOCRINE	TEDX - Potential	TEDX - Potential Endocrine Disruptors		e Disruptor	
CANCER	MAK		Carcinogen Group but not sufficient f	3B - Evidence of carcinogenic effects or classification	

ID: 822-06-0

CANCER

Australia - GHS

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

# UNDISCLOSED

%: <b>0.2000 - 0.4000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Matte Agent	
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HP	PD Priority lists			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

# D-LIMONENE

%: 0.1000 - 0.3000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	ROLE: Fragrance	
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:			
РВТ	OSPAR - Priority I concern	PBTs & EDs & equivalent	PBT - Substance	of Possible Concern	
ACUTE AQUATIC	EU - GHS (H-State	ements)	H400 - Very toxic	to aquatic life	
CHRON AQUATIC	EU - GHS (H-State	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-State	EU - GHS (H-Statements)		H315 - Causes skin irritation	
SKIN SENSITIZE	EU - GHS (H-State	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
MULTIPLE	German FEA - Sul Waters	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
SKIN SENSITIZE	МАК		Sensitizing Subst	ance Sh - Danger of skin sensitizati	on
4					

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

SILICA GEL				ID: <b>1129</b>	26-00
%: 0.0500 - 0.1000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Matte Agent	
HAZARDS:	AGENCY(IES) WITH WARN	INGS:			
None Found	No warnings found	on HPD Priority lists			
SUBSTANCE NOTES: The amo	ount of this component may	y vary based on the pla	int of manufacture.		
SUBSTANCE NOTES: The amo	ount of this component may	y vary based on the pla	nt of manufacture.		
SUBSTANCE NOTES: The amo	ount of this component may	y vary based on the pla	nt of manufacture.		

ID: 5989-27-5

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2018- 08-06	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES:			
VOC CONTENT	TDS 251 "Low VOC	LATICRETE® Produ	cts"

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

SPARTACOTE® FLEX SB<sup>™</sup> Low Gloss meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, SPARTACOTE FLEX SB Low Gloss does not contain the following: •Alkylphenols\* •Asbestos •Bisphenol A (BPA)\* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes\* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)\* •Chloroprene (Neoprene) •Chromium VI\* •Chlorinated Polyvinyl Chloride (CPVC)\* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)\* •Perfluorinated Compounds (PFCs)\* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)\* •Short Chain Chlorinated Paraffins\* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. SPARTACOTE FLEX SB Low Gloss also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoronethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3-pentafluoropropane (HFC-245ca) •1,1,2,3-pentafluoropropane (HFC-

245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane )HCFC-151a)

# MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: www.laticrete.com CONTACT NAME: Mitch Hawkins TITLE: Technical Services Manager PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

# KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

# Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)