

CLASSIFICATION: 12 24 3.00 **FURNISHINGS:** ROLLER WINDOW SHADES

PRODUCT DESCRIPTION: OmniaScreen 293. Metallized Screen fabric for roller blinds / roller shades. Combines a high reflectance of heat from sunlight with a good (one-way) view through. Provides heat insulation thanks to the low-E coating. Made out of phthalate-free PVC-coated polyester yarns. Flame retardant.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

OMNIASCREEN BY VEROSOL | PVC RELATED POLYMERS NoGS
POLYETHYLENE TEREPHTHALATE (PET) LT-UNK DIOCTYL
TEREPHTHALATE BM-3 CALCIUM CARBONATE NoGS TITANIUM DIOXIDE
LT-1 | CAN | END POLYURETHANE LT-P1 ZINC STEARATE LT-P1
ANTIMONY TRIOXIDE BM-1 | CAN | MUL ZINC PYRITHIONE (ZPT) BM-1tp |
MUL ALUMINUM LT-P1 | RES | PHY | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Blind / Shading fabric based on a woven structure of PVC-coated polyester fibers with a reflective aluminum coating. OmniaScreen is compliant to: REACH, Oeko-tex 100 class IV, Greenguard Gold, ISO14001 and RoHS2. Phthalate-free, formaldehyde-free.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified
 Multi-attribute: OEKO-TEX Standard 100
 Multi-attribute: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive
 Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2018-12-14

PUBLISHED DATE: 2019-09-10

EXPIRY DATE: 2021-12-14



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

OMNIASCREEN BY VEROSOL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals common for polyester yarns and plasticized PVC are not considered.

OTHER PRODUCT NOTES: none

PVC RELATED POLYMERS

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-12-14

#: 40.00 - 60.00

GS: NoGS

RC: None

NANO: No

ROLE: yarn coating

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: polymer

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-12-14

#: 10.00 - 30.00

GS: LT-UNK

RC: None

NANO: No

ROLE: core of coated yarns

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: polyester continuous filament yarns

DIOCTYL TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-12-14

#: 10.00 - 30.00

GS: BM-3

RC: None

NANO: No

ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Non-phtalate plasticizer**

CALCIUM CARBONATE

ID: **114453-69-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-12-14**

?: **5.00 - 20.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **none**

TITANIUM DIOXIDE

ID: **13463-67-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-12-14**

?: **1.00 - 10.00**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: **none**

POLYURETHANE

ID: **64440-88-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-12-14**

?: **1.00 - 5.00**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **polyurethane dispersion**

ZINC STEARATE

ID: **557-05-1**

%: **0.50 - 5.00**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **heat stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **none****ANTIMONY TRIOXIDE**ID: **1309-64-4**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-12-14**%: **0.50 - 5.00**GS: **BM-1**RC: **None**NANO: **No**ROLE: **flame retardant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER**IARC****Group 2b - Possibly carcinogenic to humans****CANCER****CA EPA - Prop 65****Carcinogen****CANCER****US NIH - Report on Carcinogens****Reasonably Anticipated to be Human Carcinogen****CANCER****EU - GHS (H-Statements)****H351 - Suspected of causing cancer****MULTIPLE****ChemSec - SIN List****CMR - Carcinogen, Mutagen &/or Reproductive Toxicant****CANCER****MAK****Carcinogen Group 2 - Considered to be carcinogenic for man****CANCER****Japan - GHS****Carcinogenicity - Category 1B**SUBSTANCE NOTES: **none****ZINC PYRITHIONE (ZPT)**ID: **13463-41-7**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-12-14**%: **0.10 - 1.00**GS: **BM-1tp**RC: **None**NANO: **No**ROLE: **antimicrobial**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE**German FEA - Substances Hazardous to Waters****Class 3 - Severe Hazard to Waters**SUBSTANCE NOTES: **nen****ALUMINUM**ID: **7429-90-5**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-12-14**%: **0.10 - 0.50**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **reflective coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: High purity metallic aluminum coating applied by Physical Vapor Deposition. Adhesion according to ISO 2409 classification 0 (no detachment of coating)

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2011-**

EXPIRY DATE: **2019-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **all**

12-22

12-15

CERTIFICATE URL: <https://spot.ul.com>

CERTIFICATION AND COMPLIANCE NOTES: **Certificate base material: 14233-410**

MULTI-ATTRIBUTE

OEKO-TEX Standard 100

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-**

EXPIRY DATE: **2020-**

CERTIFIER OR LAB: **Hohenstein**

APPLICABLE FACILITIES: **All**

04-30

04-30

CERTIFICATE URL: <https://www.oeko-tex.com>

CERTIFICATION AND COMPLIANCE NOTES: **OEKO_TEX Standard 100 Class IV Certificate 05.0.2798**

MULTI-ATTRIBUTE

ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2016-**

EXPIRY DATE:

CERTIFIER OR LAB: **none**

APPLICABLE FACILITIES: **all**

03-23

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

MULTI-ATTRIBUTE

REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **none**

APPLICABLE FACILITIES: **All**

06-19

CERTIFICATE URL: <https://echa.europa.eu>

CERTIFICATION AND COMPLIANCE NOTES:

MANAGEMENT

ISO 14001:2004 Environmental management systems

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-**

EXPIRY DATE: **2020-**

CERTIFIER OR LAB: **Tuv Rheinland**

APPLICABLE FACILITIES: **All**

02-01

02-20

CERTIFICATE URL: <https://www.tuv.com>

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Maintenance: Dust can be removed with a soft feather duster or by vacuum-cleaning with a soft brush at lowest position. When intensive cleaning is required, the colored side can be cleaned with a wet cloth.

Section 5: General Notes

OmniaScreen distinguishes itself from competitor products with: - high solar reflectance - great value / performance ratio - phthalate-free - clear view-through and robust look and feel - high energy saving potential and visual comfort. - meets the highest fire safety standards



MANUFACTURER INFORMATION

MANUFACTURER: **Verosol**

ADDRESS: **Kieftte 18**

Eibergen Gelderland 7151HZ, Netherlands

WEBSITE: **www.verosol.com**

CONTACT NAME: **Robert Kuipers**

TITLE: **manager R&D**

PHONE: **+31545463353**

EMAIL: **r.kuipers@verosol.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.