

TERM Tile Underlayment Barrier by Polyguard Products

Health Product Declaration v2.1

CLASSIFICATION: 093413

created via: HPDC Online Builder

PRODUCT DESCRIPTION: TERM Tile Underlayment Barrier is a non-structural, non-chemical barrier which, when properly constructed as part of the building envelope, acts as a barrier to Termites and other insects, Energy leaks, radioactive Radon gas, and Moisture. Documentation of these attributes can be found at www.polyguardbarriers.com. Additionally, TERM Tile Underlayment Barrier fills the traditional role of anti-fracture tile underlayment, helping to prevent cracks in the subfloor from appearing in the tile surface above by absorbing stress created by the crack. Plus TERM Tile Underlayment Barrier has sound absorbing and insulating qualities making the floor quieter and warmer in winter.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized
Percent Weight and Role Provided? Yes No

Screened
Using Priority Hazard Lists with Results Disclosed? Yes No

Identified
Name and Identifier Provided? Yes No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

TERM TILE UNDERLAYMENT BARRIER [ASPHALT **LT-1** | CAN CALCIUM CARBONATE **BM-3** POLYESTER **UNK** STYRENE BUTADIENE RUBBER (SBR) **LT-UNK** BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE **LT-UNK** QUARTZ **LT-1** | CAN]

Number of Greenscreen BM-4/BM3 contents..... 1
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

All component hazards listed are based on individual compounds not the entire product. The components listed below are blended together to form a sheet product which is classified as an article under GHS.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC content: none

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2016-11-18

PUBLISHED DATE: 2017-08-16

EXPIRY DATE: 2019-11-18

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

TERM TILE UNDERLAYMENT BARRIER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals found in raw materials used in this product are at a level of less than 1000 ppm.

OTHER PRODUCT NOTES: None

ASPHALT

ID: 8052-42-4

#: **63.0000 - 67.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Note this material is not in the molten stage, which generates hazardous asphalt fumes. This raw material is combined with styrenated polymers and fillers, then laminated to create a sheet layer of adhesive sealant which is applied to the structure at ambient temperatures. The finished product is applied, and functions during its lifetime, at ambient temperatures.

CALCIUM CARBONATE

ID: 471-34-1

#: **13.0000 - 17.0000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Filler**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

POLYESTER

ID: 113669-95-7

#: **6.0000 - 8.0000** GS: **UNK** RC: **None** NANO: **No** ROLE: **Fabric backing**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

#: 5.0000 - 9.0000 GS: LT-UNK RC: None NANO: No ROLE: Product flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE

ID: 25038-32-8

#: 3.0000 - 7.0000 GS: LT-UNK RC: None NANO: No ROLE: Product flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

QUARTZ

ID: 14808-60-7

#: Impurity/Residual GS: LT-1 RC: None NANO: No ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens

SUBSTANCE NOTES: This material is an impurity that is found in calcium carbonate.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT none

CERTIFICATION AND COMPLIANCE NOTES: Product is not a liquid nor is it wet applied.

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYGUARD 650 LT LIQUID ADHESIVE

HPD URL: **No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

On exterior surfaces, Polyguard 650 LT Liquid Adhesive may be used.

+ Section 5: General Notes

Reviewed the SDS for all raw materials used in the production of this product. Performed calculations to determine the percentage of each component including the residuals and impurities. Only reported residuals or impurities that were above the 1000 ppm threshold.

+ Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Polyguard Products**
 ADDRESS: **4101 South I-45**
Ennis Texas 75119, US
 WEBSITE: **www.polyguardproducts.com**

CONTACT NAME: **John Muncaster**
 TITLE: **CEO**
 PHONE: **214-515-5000**
 EMAIL: **John@polyguard.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.