

CLASSIFICATION: 071352

PRODUCT DESCRIPTION: TERM® Wood Floor Underlayment|Termite Barrier is a composite membrane of polyethylene backing and TERM Sealant Barrier, 40 mils in thickness with a ½” extended edge to provide a complete overlap seal at the edge. This elastomeric, self-adhesive barrier is wound on cores with a disposable silicone-coated release sheet which is removed immediately prior to application.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | **HAZARD TYPE**

TERM WOOD FLOOR UNDERLAYMENT BARRIER [**ASPHALT / BITUMENS**
LT-1 | **CAN** **CALCIUM CARBONATE** **BM-3** **POLYETHYLENE** **LT-UNK**
STYRENE BUTADIENE RUBBER (SBR) **LT-UNK** **BENZENE, ETHENYL-,**
POLYMER WITH 2-METHYL-1,3-BUTADIENE **LT-UNK** **QUARTZ** **LT-1** | **CAN**]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals found in raw materials used in this product are at levels less than 1000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC content data is not applicable for this product category."

Other: none

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-10-26

PUBLISHED DATE: 2018-10-26

EXPIRY DATE: 2021-10-26



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

TERM WOOD FLOOR UNDERLAYMENT BARRIER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: VOC content data is not applicable for this product category.

OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.

ASPHALT / BITUMENS

ID: 8052-42-4

#: 58.0000 - 63.0000 GS: LT-1 RC: None NANO: No ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER IARC Group 2B - Possibly carcinogenic to humans

CANCER CA EPA - Prop 65 Carcinogen

CANCER US CDC - Occupational Carcinogens Occupational Carcinogen

CANCER IARC Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Note this material is not in the molten stage, which generates hazardous asphalt fumes. This raw material is combined with styrenated polymers and fillers, then laminated to create a sheet layer of adhesive sealant which is applied to the structure at ambient temperatures. The finished product is applied, and functions during it's life time, at ambient temperatures.

CALCIUM CARBONATE

ID: 471-34-1

#: 12.0000 - 16.0000 GS: BM-3 RC: None NANO: No ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

POLYETHYLENE

ID: 9002-88-4

#: 10.0000 - 12.0000 GS: LT-UNK RC: None NANO: No ROLE: Backing

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

#: **3.0000 - 9.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Product flexibility**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE

ID: 25038-32-8

#: **3.0000 - 7.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Product flexibility**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

QUARTZ

ID: 14808-60-7

#: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
CANCER	US CDC - Occupational Carcinogens Occupational Carcinogen
CANCER	CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route
CANCER	IARC Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS 6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS Carcinogenicity - Category 1A
CANCER	Australia - GHS H350i - May cause cancer by inhalation

SUBSTANCE NOTES: This raw material is an integral part of the finished product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC content data is not applicable for this product category."

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **Internal**

APPLICABLE FACILITIES: **All**

10-26

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

OTHER

none

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

10-26

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **VOC content data is not applicable for this product category.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SHURTAC™ WATERBASE LIQUID ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Prior to application of the membrane.

Section 5: General Notes

Reviewed the SDS for all raw materials used in the production of this product. Performed calculations to determine the percentage of each component including the residuals and impurities. Only reported residuals or impurities that were above the 1000 ppm threshold.



MANUFACTURER INFORMATION

MANUFACTURER: **Polyguard Products**

ADDRESS: **4101 South I-45**

Ennis TX 75119, US

WEBSITE: **WWW.polyguardproducts.com**

CONTACT NAME: **John Muncaster**

TITLE: **CEO**

PHONE: **214-515-5000**

EMAIL: **John@polyguard.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.