RECYCLED TUNTEX Commercial Duraback with Nylon 6,6 yarn by Suzhou Tuntex Fiber and Carpet Co., Ltd.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 68 13

PRODUCT DESCRIPTION: RECYCLED TUNTEX[™] Commercial Duraback[™] is designed with recyclability in mind, being completely free from harmful Volatile Organic Compounds (VOCs). Nylon consumer products (i.e. clothes hangers, backpack, seatbelt etc.) are useful recycled products made from used TUNTEX carpets after the separation of the face yarn from the backing. The backing is then recycled and re-integrated into RECYCLED TUNTEX[™] Commercial Duraback[™]. The whole carpet tile is recyclable and this is a total solution to minimize the environmental burden. The carpet tile serves as a floor covering and can be used in low traffic to high traffic commercial settings. Steam cleaning is recommended for maintenance, with cleaning frequency dependent on use.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials MethodBasic Method

Threshold Disclosed Per

C Material

• Product

Threshold level C 100 ppm O 1,000 ppm C Per GHS SDS C Per OSHA MSDS C Other

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened C Yes Ex/SC O Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

C Yes Ex/SC C Yes 🖸 No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

UNCENSOREEN SOURE | MAZARD I YPE

RECYCLED TUNTEX COMMERCIAL DURABACK WITH NYLON 6,6 YARN [CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES NYLON 6,6 LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3 POLYETHYLENE TEREPHTHALATE (PET) LT-UNK WATER BM-4 ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK | CAN UNDISCLOSED BM-2 CALCIUM OXIDE LT-P1 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-1 | CAN NICKEL LT-1 | CAN | RES | MAM | MUL | SKI UNDISCLOSED NoGS ISOPHTHALIC ACID TEREPHTHALIC ACID ETHYLENE GLYCOL POLYMER (ISOPHTHALIC ACID TEREPHTHALIC ACID ETHYLENE GLYCOL POLYMER) NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for the basic inventory display – chemical substances are listed by weight in the entire product instead of grouped by material. Nanomaterials are not used in this product. All substances including residuals are disclosed to 1,000 ppm. Not all substance name and identifiers are disclosed due to their proprietary nature to the supplier or manufacturer, however all substances are screened with their hazards reported.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Green Label Plus Indoor Air Quality Testing Program Recycled content: GreenCircle Certified Recycled Content Certification Management: Quality Management System (ISO9001:2015)

Management: Environmental Management System (ISO14001:2015)

RECYCLED TUNTEX Commercial Duraback with Nylon 6,6 yarn hpdrepository.hpd-collaborative.org

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

• Yes

PREPARER: Self-Prepared VERIFIER: GreenCircle Certified VERIFICATION #: 6H3-2755 SCREENING DATE: 2018-02-05 PUBLISHED DATE: 2018-12-19 EXPIRY DATE: 2021-02-05 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

RECYCLED TUNTEX COMMERCIAL DURABACK WITH NYLON 6,6 YARN

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER PRODUCT NOTES: All substances including residuals are disclosed to 1,000 ppm.

| CALCIUM CARBONATE | | | | ID: 471-34-1 |
|--------------------------------|------------------------|--------------------|-----------------|---------------------|
| HAZARD SCREENING METHOD: Phare | HAZARD SCREENI | NG DATE: 2018-02-0 | 05 | |
| %: 47.6500 - 61.8500 | GS: BM-3 | RC: PreC | NANO: NO | ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | No hazards found | | | |

SUBSTANCE NOTES: This substance contains both virgin and pre-consumer recycled content. Substance ranges based on supplier documentation. Pre-consumer recycled content obtained from the recycled backing component.

| POLYVINYL CHLORIDE (P) | /C) | | | | ID: 9002-86-2 |
|-----------------------------|---|-----------------|-----------------|-------------------|-----------------------|
| HAZARD SCREENING METHOD: Ph | HAZARD SCREENING DATE: 2018-02-05 | | | | |
| %: 15.2100 - 20.4600 | GS: LT-P1 | RC: PreC | NANO: NO | ROLE: Seco | ndary Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARN | INGS | | |
| RESPIRATORY | AOEC - Asthmagens | Asth | magen (Rs) - se | ensitizer-induced | |
| | stance contains both virgin and pre-consur umer recycled content obtained from the r | - | | ce ranges base | a on supplier |
| NYLON 6,6 | | | | | ID: 32131-17-2 |
| HAZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | HAZ | ZARD SCREENING | DATE: 2018-02-0 | 05 |
| %: 9.5000 - 13.5800 | GS: LT-UNK | RC: | None | NANO: No | ROLE: Yarn |
| | rehealt with Nuley C.C. years | | | | |

| | AGENCY AND LIST TITLES | WARNINGS | | |
|--|--|--|---|--|
| | No hazards found | | | |
| SUBSTANCE NOTES: Substand | ce ranges based on supplier documentation. | | | |
| | | | | |
| BIS(2-ETHYLHEXYL) TERE | EPHTHALATE | | | ID: 6422-86 |
| HAZARD SCREENING METHOD: PI | haros Chemical and Materials Library | HAZARD SCREEN | ING DATE: 2018-0 | 02-05 |
| %: 7.9000 - 10.3900 | GS: BM-3 | RC: PreC | NANO: No | ROLE: Plasticizer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | No hazards found | | | |
| | stance contains both virgin and pre-consum sumer recycled content obtained from the ba THALATE (PET) | | Substance rang | es based on supplier ID: 25038-59 |
| AZARD SCREENING METHOD: PI | haros Chemical and Materials Library | HAZARD SCREENING | a date: 2018-02- | -05 |
| 6: 1.0900 - 2.3900 | GS: LT-UNK | RC: None | NANO: No | ROLE: Primary Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | No hazards found | | | |
| | | | | |
| SUBSTANCE NOTES: Substand | ce ranges based on supplier documentation. | | | |
| SUBSTANCE NOTES: Substand | | | | ID: 7732-1 8 |
| VATER | | | EENING DATE: 201 | |
| AZARD SCREENING METHOD: PI | ce ranges based on supplier documentation. | | EENING DATE: 201 NANO: N | 8-02-05 |
| VATER | ce ranges based on supplier documentation. haros Chemical and Materials Library | HAZARD SCRE | | 8-02-05 |
| VATER AZARD SCREENING METHOD: PI 5: 1.0100 - 1.8700 | ce ranges based on supplier documentation. haros Chemical and Materials Library GS: BM-4 | HAZARD SCRE RC: None | | 8-02-05 |
| VATER AZARD SCREENING METHOD: PI 6: 1.0100 - 1.8700 HAZARD TYPE | ce ranges based on supplier documentation. haros Chemical and Materials Library GS: BM-4 | HAZARD SCRE RC: None WARNINGS | | 8-02-05 |
| VATER AZARD SCREENING METHOD: PI 5: 1.0100 - 1.8700 HAZARD TYPE | ce ranges based on supplier documentation. haros Chemical and Materials Library GS: BM-4 AGENCY AND LIST TITLES No hazards found | HAZARD SCRE RC: None WARNINGS | | 8-02-05 |
| VATER AZARD SCREENING METHOD: PI 5: 1.0100 - 1.8700 HAZARD TYPE SUBSTANCE NOTES: Substance | ce ranges based on supplier documentation. haros Chemical and Materials Library GS: BM-4 AGENCY AND LIST TITLES No hazards found ce ranges based on supplier documentation. | HAZARD SCRE RC: None WARNINGS | | 8-02-05 o ROLE: Water |
| VATER IAZARD SCREENING METHOD: PI 6: 1.0100 - 1.8700 HAZARD TYPE SUBSTANCE NOTES: SUBSTANCE | ce ranges based on supplier documentation. haros Chemical and Materials Library GS: BM-4 AGENCY AND LIST TITLES No hazards found ce ranges based on supplier documentation. | HAZARD SCRE RC: None WARNINGS | | 8-02-05 o ROLE: Water ID: 24937-78 |
| VATER IAZARD SCREENING METHOD: PI 6: 1.0100 - 1.8700 HAZARD TYPE SUBSTANCE NOTES: SUBSTANCE | ce ranges based on supplier documentation. haros Chemical and Materials Library GS: BM-4 AGENCY AND LIST TITLES No hazards found ce ranges based on supplier documentation. TE POLYMER (EVA) | HAZARD SCRE RC: None WARNINGS | NANO: N | 8-02-05 o ROLE: Water |
| VATER AZARD SCREENING METHOD: PI A: 1.0100 - 1.8700 HAZARD TYPE SUBSTANCE NOTES: Substance THYLENE VINYL ACETAT AZARD SCREENING METHOD: PI | ce ranges based on supplier documentation. haros Chemical and Materials Library GS: BM-4 AGENCY AND LIST TITLES No hazards found ce ranges based on supplier documentation. TE POLYMER (EVA) haros Chemical and Materials Library | HAZARD SCRE | NANO: N | o ROLE: Water ID: 24937-78 |

| SOLID GLASS AND GLASS | 6 / MINERAL FIBER (SEE VARIANTS) | | | ID: 65997-17-3 |
|---|---|---|---|---|
| HAZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | HAZARD SCREEN | IING DATE: 2018-02 | 2-05 |
| %: 0.6500 - 0.8600 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Structure |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | EU - GHS (H-Statements) | H351 - Suspe | ected of causing ca | ancer |
| SUBSTANCE NOTES: Substanc | e ranges based on supplier documentation. | | | |
| UNDISCLOSED | | | | |
| HAZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | HAZARD SCREENIN | IG DATE: 2018-02- | 05 |
| %: 0.6400 - 0.8200 | GS: BM-2 | RC: PreC | NANO: NO | ROLE: Plasticizer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | | | | |
| documentation. Pre-const | No hazards found stance contains both virgin and pre-consumer sumer recycled content obtained from the recy er; however, the range and health hazards are | cled backing compo | | |
| documentation. Pre-const | stance contains both virgin and pre-consumer sumer recycled content obtained from the recy | cled backing compo | | |
| documentation. Pre-consu proprietary by the supplie | stance contains both virgin and pre-consumer sumer recycled content obtained from the recy | rcled backing compo disclosed. | | ID: 1305-78-8 |
| documentation. Pre-consu proprietary by the supplie | stance contains both virgin and pre-consumer sumer recycled content obtained from the recy er; however, the range and health hazards are | rcled backing compo disclosed. | nent. This substa | ID: 1305-78-8 |
| documentation. Pre-const proprietary by the supplie CALCIUM OXIDE HAZARD SCREENING METHOD: Ph | stance contains both virgin and pre-consumer sumer recycled content obtained from the recy er; however, the range and health hazards are haros Chemical and Materials Library | rcled backing compo disclosed. HAZARD SCRE | nent. This substa | ID: 1305-78-8 02-05 |
| documentation. Pre-consu proprietary by the supplie CALCIUM OXIDE HAZARD SCREENING METHOD: Ph %: 0.1000 - 0.1300 | stance contains both virgin and pre-consumer sumer recycled content obtained from the recy er; however, the range and health hazards are naros Chemical and Materials Library cs: LT-P1 | rcled backing compo disclosed. HAZARD SCRE RC: PreC | nent. This substa | ID: 1305-78-8 02-05 |
| documentation. Pre-consu proprietary by the supplie CALCIUM OXIDE HAZARD SCREENING METHOD: Ph %: 0.1000 - 0.1300 HAZARD TYPE SUBSTANCE NOTES: This subs | stance contains both virgin and pre-consumer sumer recycled content obtained from the recy per; however, the range and health hazards are maros Chemical and Materials Library GS: LT-P1 | HAZARD SCRE RC: PreC WARNINGS | nent. This substa EENING DATE: 2018- NANO: No | ID: 1305-78-8 02-05 ROLE: Filler |
| documentation. Pre-consu proprietary by the supplie CALCIUM OXIDE HAZARD SCREENING METHOD: Ph %: 0.1000 - 0.1300 HAZARD TYPE SUBSTANCE NOTES: This subs | stance contains both virgin and pre-consumer numer recycled content obtained from the recy per; however, the range and health hazards are maros Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES No hazards found stance contains both virgin and pre-consumer | HAZARD SCRE RC: PreC WARNINGS | nent. This substa EENING DATE: 2018- NANO: No | ID: 1305-78-8 02-05 ROLE: Filler |
| documentation. Pre-consu proprietary by the supplie CALCIUM OXIDE HAZARD SCREENING METHOD: Ph %: 0.1000 - 0.1300 HAZARD TYPE SUBSTANCE NOTES: This subs documentation. Pre-consu UNDISCLOSED | stance contains both virgin and pre-consumer numer recycled content obtained from the recy per; however, the range and health hazards are maros Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES No hazards found stance contains both virgin and pre-consumer | HAZARD SCRE RC: PreC WARNINGS | nent. This substa EENING DATE: 2018- NANO: No | ance is considered ID: 1305-78-8 02-05 ROLE: Filler based on supplier |
| documentation. Pre-consu proprietary by the supplie CALCIUM OXIDE HAZARD SCREENING METHOD: Ph %: 0.1000 - 0.1300 HAZARD TYPE SUBSTANCE NOTES: This subs documentation. Pre-consu UNDISCLOSED | estance contains both virgin and pre-consumer sumer recycled content obtained from the recy per; however, the range and health hazards are haros Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES No hazards found estance contains both virgin and pre-consumer sumer recycled content obtained from the recy | HAZARD SCRE RC: PreC WARNINGS | Ibstance ranges nent. | ance is considered ID: 1305-78-8 02-05 ROLE: Filler based on supplier |
| documentation. Pre-consu proprietary by the supplie CALCIUM OXIDE HAZARD SCREENING METHOD: Ph %: 0.1000 - 0.1300 HAZARD TYPE SUBSTANCE NOTES: This subs documentation. Pre-consu UNDISCLOSED HAZARD SCREENING METHOD: Ph | estance contains both virgin and pre-consumer sumer recycled content obtained from the recy per; however, the range and health hazards are haros Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES No hazards found estance contains both virgin and pre-consumer sumer recycled content obtained from the recy | HAZARD SCREENII | IDSTANCE TANGE TANG | DE: 1305-78-8 02-05 ROLE: Filler based on supplier |

RECYCLED TUNTEX Commercial Duraback with Nylon 6,6 yarn hpdrepository.hpd-collaborative.org

MAK

CANCER

Carcinogen Group 3A - Evidence of carcinogenic effects

but not sufficient to establish MAK/BAT value

| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
|-----------|---------------------------------------|--|
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

SUBSTANCE NOTES: Substance ranges based on supplier documentation. This substance is considered proprietary by the supplier; however, the range and health hazards are disclosed.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2018-02-05 | | |
|--|-----------------------------------|---|---------------------|------------------------------|
| %: 0.0000 - 0.3000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Colorant |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | US CDC - Occupational Carcinogens | Occupationa | al Carcinogen | |
| CANCER | МАК | Carcinogen Group 3B - Evidence of carcinogenic effect but not sufficient for classification | | • |
| CANCER | CA EPA - Prop 65 | Carcinogen | - specific to chemi | cal form or exposure route |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled occupational sources | | nic to humans - inhaled from |

SUBSTANCE NOTES: Substance ranges based on supplier documentation. This substance is considered proprietary by the supplier; however, the range and health hazards are disclosed.

NICKEL

| HAZARD SCREENING METHOD: P | naros Chemical and Materials Library | HAZARD SCREEN | IING DATE: 2018-02 | -05 |
|----------------------------|--------------------------------------|--------------------------------|-----------------------|--------------------------|
| %: 0.0000 - 0.1400 | GS: LT-1 | RC: None NANO: No ROLE: Colora | | ROLE: Colorant |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | IARC | Group 1 - Ag | gent is Carcinogeni | c to humans |
| CANCER | IARC | Group 2b - F | Possibly carcinoger | nic to humans |
| CANCER | CA EPA - Prop 65 | Carcinogen | | |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen | | |
| CANCER | US NIH - Report on Carcinogens | Reasonably | Anticipated to be H | Human Carcinogen |
| RESPIRATORY | AOEC - Asthmagens | Asthmagen only | (ARs) - sensitizer-ir | nduced - inhalable forms |
| CANCER | EU - GHS (H-Statements) | H351 - Susp | ected of causing c | ancer |
| ORGAN TOXICANT | EU - GHS (H-Statements) | H372 - Caus repeated ex | • • | ns through prolonged or |
| MULTIPLE | German FEA - Substances Hazardous to | Class 2 - Ha | zard to Waters | |

RECYCLED TUNTEX Commercial Duraback with Nylon 6,6 yarn hpdrepository.hpd-collaborative.org

ID: 7440-02-0

| | Waters | | | | |
|-----------------------------|---|------------------------------|-----------------|--------------------|--------------------------|
| CANCER | МАК | Carcinogen man | Group 1 - Su | bstances th | nat cause cancer in |
| RESPIRATORY | МАК | Sensitizing sensitization | | ah - Danger | of airway & skin |
| SKIN SENSITIZE | EU - GHS (H-Statements) | H317 - May | cause an alle | ergic skin re | action |
| SUBSTANCE NOTES: Substanc | e ranges based on supplier documentation. | | | | |
| | | | | | |
| UNDISCLOSED | | | | | |
| HAZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | HAZARD SCREENIN | NG DATE: 2018 | 3-02-05 | |
| %: 0.0000 - 2.4400 | gs: NoGS | RC: None | NANO: NO | ROL | E: Stain Resist |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| | No hazards found | | | | |
| | e ranges based on supplier documentation. ealth hazards are disclosed. | This substance is co | nsidered pro | oprietary b | y the supplier; |
| | PHTHALIC ACID ETHYLENE GLYCOL POL PHTHALIC ACID ETHYLENE GLYCOL POL | | | | ID: 24938-04-3 |
| HAZARD SCREENING METHOD: Ph | aros Chemical and Materials Library | | HAZARD SO | CREENING DA | TE: 2018-02-05 |
| %: 0.0000 - 0.9500 | GS: NoGS | | RC: None | NANO: No | ROLE: Primary Backing |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| | No hazards found | | | | |
| SUBSTANCE NOTES: Substanc | e ranges based on supplier documentation. | | | | |

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | Green Label Plus Indoor Air Quality Testing Program | | | | |
|---|---|-------------------------|---|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: http://www.tuntex- carpet.com/en/international_recognition.php | ISSUE DATE: 2008- 12-04 | EXPIRY DATE: 2018-02-14 | CERTIFIER OR LAB: The Carpet and Rug Institute | | |

CERTIFICATION AND COMPLIANCE NOTES: Range of Total VOCs 0.5 mg/m3 or less for Private Office Scenario.

| RECYCLED CONTENT | GreenCircle Certified Recycled Content Certification | | | | |
|---|--|-----------------------------|--|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: http://www.tuntex- carpet.com/en/international_recognition.php | ISSUE DATE: 2017- 07-01 | EXPIRY DATE: 2018- 06-30 | CERTIFIER OR LAB: GreenCircle Certified | | |

CERTIFICATION AND COMPLIANCE NOTES: Renaissance of Art products are certified for a minimum of 18% pre-consumer content, and Ecoconcept products are certified for a minimum of 25% pre-consumer content. Both product types are included in this HPD.

| MANAGEMENT | Quality Management System (ISO9001:2015) | | | | |
|--|--|-------------------------|---|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: http://www.tuntex- carpet.com/en/international_recognition.php CERTIFICATION AND COMPLIANCE NOTES: | ISSUE DATE: 2017- 12-26 | EXPIRY DATE: 2021-01-06 | CERTIFIER OR LAB: IQNet and CQC | | |
| MANAGEMENT | Environmental Ma | anagement System (I | SO14001:2015) | | |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: http://www.tuntex- carpet.com/en/international_recognition.php CERTIFICATION AND COMPLIANCE NOTES: | ISSUE DATE: 2017- 12-21 | EXPIRY DATE: 2021-01-08 | CERTIFIER OR LAB: IQNet and CQC | | |
| OTHER | Singapore Green | Building Product Lab | elling Scheme Certificate | | |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: http://www.tuntex- carpet.com/en/international_recognition.php CERTIFICATION AND COMPLIANCE NOTES: | ISSUE DATE: 2016- 04-26 | EXPIRY DATE: 2018-04-25 | CERTIFIER OR LAB: Singapore Green Building Council | | |

Section 4: Accessories

RECYCLED TUNTEX Commercial Duraback with Nylon 6,6 yarn hpdrepository.hpd-collaborative.org

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

TX-500 MODULAR CARPET ADHESIVE BY SUZHOU TUNTEX FIBER& CARPET CO., LTD. HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The carpet tile tack adhesive is used for installation of the carpet tile.

INSTALLATION STICKER BY SHANGHAI ZHENGHUAN ADHESIVE PRODUCTS CO., LTD.

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The installation stick/film is an adhesive used as an alternate for the carpet tile tack adhesive for installations.

Section 5: General Notes

Product variance based on size, shape, and finishing. All products are functionally similar, certifications listed in Section 3: Certifications and Compliance applies to all products included, and the content differences between the products account for 10% or less of the total mass of each product.

MANUFACTURER INFORMATION

MANUFACTURER: Suzhou Tuntex Fiber and Carpet Co., Ltd. ADDRESS: No.28 ChengXi South Road

TaiCang JiangSu 215400, China

WEBSITE: http://www.tuntex-carpet.com/en/

CONTACT NAME: Kurt Wu TITLE: Tuntex HPD Support PHONE: +86-512-53530142 EMAIL: Kurt.Wu@tuntexcarpet.com

LT-P1 List Translator Possible Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

RECYCLED TUNTEX Commercial Duraback with Nylon 6,6 yarn hpdrepository.hpd-collaborative.org