Stego® Wrap Class C Vapor Retarder by Stego Industries, LLC

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 26 16.00

PRODUCT DESCRIPTION: Stego Wrap Class C Vapor Retarder is a low-permeance under-slab vapor retarder (0330 00, 07 26 00) engineered to exceed ASTM E1745 Class C performance requirements and provide long-term moisture vapor protection. Additional CSI MasterFormat designation: 03 30 00



Section 1: Summary

Basic Method / Product Threshold

\sim	ITENI	C	NITODV
C AL JIN			NTORY

Inventory Reporting Format Nested Materials Method Basic Method **Threshold Disclosed Per**

Material Product

Threshold	level
C 100 ppm	

1,000 ppm

Per GHS SDS Per OSHA MSDS

C Other

Residuals/Impurities

Considered

C Partially Considered Not Considered

Explanation(s) provided

for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STEGO WRAP [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*** Manufacturer has opted for the basic inventory display - chemical substances are listed by weight in the entire product instead of grouped by material. *** We have worked closely with our suppliers to ensure the least toxic ingredients are chosen while maintaining required performance characteristics. *** Stego Wrap contains no VOC's.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VFRIFIFR: VERIFICATION #: **SCREENING DATE: 2019-04-04** PUBLISHED DATE: 2017-09-12 EXPIRY DATE: 2022-04-04



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STEGO WRAP

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Due to the physical nature of the product-- specifically, the manner in which ingredients are physical bound in the polymer matrix-- and the quality built into the sourcing and manufacturing processes, no attempt has been made to catalogue or quantify residuals or impurities at this time.

OTHER PRODUCT NOTES: *** Stego Wrap Vapor Barrier meets the standards of the Federal, Food, Drug, and Cosmetic Act and the rules and regulations promulgated there under. No additional substances, such as heavy metals (antimony, arsenic, barium, cadmium, chromium, lead, mercury, selenium or silver), are intentionally added to this product that would violate governmental guidelines.

- *** Stego Wrap Vapor Barrier complies with Model Toxics Legislation that regulates the heavy metals lead, cadmium, mercury and hexavalent chromium. Per Model Toxics Legislation, the sum of the aforementioned metals is less than 100ppm in Stego Wrap Vapor Barrier. www.toxicsinpackaging.org/docs/lab_testing_guidance.pdf.
- *** In accordance with CONEG (Coalition of Northeastern Governors) regulations currently in effect, Stego Wrap Vapor Barrier contains less than 100ppm in total of cadmium, chromium, lead and mercury. www.coneg.org.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-04		
%: 0.0000 - 95.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Bulk Polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The polyethylene blend for Stego Wrap, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret. As per paragraph (i) of OSHA Hazard Communication Standard 29 CFR Part 1910.1200, formulation is considered a trade secret and specific chemical identify and exact percentage of composition may be withheld. Specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designation representatives in accordance with applicable provisions of paragraph (i).

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-04-04		
%: 0.0000 - 95.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Bulk Polymer	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: The polyethylene blend for Stego Wrap, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret. As per paragraph (i) of OSHA Hazard Communication Standard 29 CFR Part 1910.1200, formulation is considered a trade secret and specific chemical identify and exact percentage of composition may be withheld. Specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designation representatives in accordance with applicable provisions of paragraph (i).

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-04		
%: 0.0000 - 95.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Bulk Polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The polyethylene blend for Stego Wrap, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret. As per paragraph (i) of OSHA Hazard Communication Standard 29 CFR Part 1910.1200, formulation is considered a trade secret and specific chemical identify and exact percentage of composition may be withheld. Specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designation representatives in accordance with applicable provisions of paragraph (i).

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-04		
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Anti-block
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The additives utilized in Stego Wrap, which lend various properties to the product during manufacturing and through its subsequent lifetime, represent Trade Secrets. Therefore, neither the specific percentages of each additive (by weight), nor the exact components themselves, can currently be disclosed.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

04-04

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is an exterior applied product.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STEGO TAPE

HPD URL: https://www.stegoindustries.com/stego-

industries-hpd

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Recommended for all installations.

STEGO CRETE CLAW TAPE

HPD URL: https://www.stegoindustries.com/stego-

industries-hpd

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Recommended for all installations.

STEGO MASTIC

HPD URL: https://www.stegoindustries.com/stego-

industries-hpd

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Recommended for all installations. Wet-applied product; VOC content less than 30 grams/liter.

STEGOTACK TAPE

HPD URL: https://www.stegoindustries.com/stego-

industries-hpd

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Recommended for most installations.

STEGO TERM BAR

HPD URL: https://www.stegoindustries.com/stego-

industries-hpd

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Recommended for some installations.

Section 5: General Notes

*** Stego Industries ("Stego") officially embarked on its Footprint Project in June of 2014 to eliminate the carbon emissions of its business operations and help brand a culture of sustainability Stego has incorporated into its business model from the beginning. Our Stego Green Team, which includes every corporate department, is using life cycle thinking to review the impacts of our products and our operations. These ongoing efforts' ultimate goal is to create a comprehensive corporate sustainability report to demonstrate our commitment to the environment and improve our performance in key areas. We hope you will hold us accountable for the good of our planet so we can prove yellow is green. - See more at: https://www.stegoindustries.com/sustainability *** Before Stego codified its sustainability efforts under its Footprint project, we already led our industry in green initiatives - both on the projects we supplied our products to and in how we conducted our business operations. Stego proudly converted its corporate headquarters in sunny San Clemente, Calif. to a 100 percent solar powered facility in 2010. Each year, Stego's solar panels: produce approximately 55.7 megawatts of electricity, offset the equivalent of approximately three acres of trees, could power approximately 1,150 homes for one day. We also provide a number of offsets and incentives to our employees: we began offsetting carbon emissions from all business air travel in 2013 and we offer a vehicle purchase incentive for employees to upgrade their work-use vehicles to more fuel-efficient choices. *** Stego served as a Pilot Manufacturer in the Health Product Declaration Collaborative (HPDC), which was a step taken to help lead the charge towards standardized transparency of building products. More recently, Stego has also become a Supporter Level Sponsor and member of the Manufacturer Advisory Panel (MAP) to further our support and involvement. Stego is also a member of the United States Green Building Council (USGBC) and we have sponsored the ABC Green Home since the project's inception in 2011. - See more at: https://www.stegoindustries.com/sustainability/achievements *** Stego, the stegosaurus design logo[s], Crete Claw, StegoTack, StegoCrawl, Beast, and the Beast design logo are all deemed to be registered and/or protectable trademarks or service marks of Stego Industries, LLC. © 2019 All rights reserved. Please visit http://www.stegoindustries.com/legal/ for more information.

MANUFACTURER INFORMATION

MANUFACTURER: Stego Industries, LLC ADDRESS: 216 Avenida Fabricante

Suite 101

San Clemente California 92672, USA

WEBSITE

https://www.stegoindustries.com/products/vapor-

retarder-10-mil-c

CONTACT NAME: Tom Marks CSI CDT LEED Green

Associate

TITLE: Sustainability Manager

PHONE: (877) 464-7834

EMAIL: tommarks@stegoindustries.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity **EYE** Eye irritation/corrosivity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.