

# 1600 DuraPoxy Interior Matte Enamel by Kelly-Moore Paints

# Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 91 23

PRODUCT DESCRIPTION: DuraPoxy is a line of super-premium 100% acrylic interior enamels. It has been created with a stain and mildew resistant formula that can hold up to repeated washing. This product is designed for use on walls and accents where a durable and washable epoxy-like finish is desired.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method
- Basic Method

#### Threshold Disclosed Per

- Material
- Product

#### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

#### Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

Characterized  Yes  No  
Percent Weight and Role Provided?

Screened  Yes  No  
Using Priority Hazard Lists with Results Disclosed?

Identified  Yes  No  
Name and Identifier Provided?

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)  
[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

1600 DURAPOXY INTERIOR MATTE ENAMEL [ WATER NoGS POLYMETHYL METHACRYLATE (PMMA) LT-P1 | RES KAOLIN CLAY (CALCINED) LT-P1 | MUL KAOLIN, CALCINED LT-UNK 1-PHENOXY-2-PROPANOL LT-UNK SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL CARBENDAZIM LT-1 | END | AQU | GEN | REP | MUL | DEL 1,2-BENZISOTHAZOLIN-3-ONE (BIT) LT-P1 | AQU | SKI | EYE | MUL DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB) LT-UNK CELLULOSE, MICROCRYSTALLINE NoGS AMMONIA LT-P1 | RES | AQU | SKI | MAM | END | MUL POLYETHYLENE GLYCOL LT-UNK HYDROXYETHYL CELLULOSE LT-P1 | END TITANIUM DIOXIDE LT-1 | CAN | END METHYLOXIRANE POLYMER WITH OXIRANE MONOBUTYL ESTER LT-UNK POLYETHYLENE GLYCOL MONOISODECYL ETHER LT-UNK SODIUM ETASULFATE LT-UNK CASTOR OIL, POLYMER WITH TDI NoGS PENTAPOTASSIUM TRIPHOSPHATE LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, ISOCTYL PHOSPHATE, POTASSIUM SALT NoGS ALCOHOLS, C9-11, ETHOXYLATED LT-P1 | MUL POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT LT-UNK AMMONIUM POLYACRYLATE LT-UNK POLYSILOXANE NoGS POLOXANLENE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 20.453 Regulatory (g/l): 49.769  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: Yes

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario  
VOC content: SCAQMD Rule 1113 Architectural Coatings - Clear Wood Finishes including Varnish & Sanding Sealer, Lacquers, Mastic Coatings, Recycled Coatings - 2007 amendments

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-09-14

PUBLISHED DATE: 2018-09-17

EXPIRY DATE: 2021-09-14



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### 1600 DURAPOXY INTERIOR MATTE ENAMEL

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All raw materials were considered prior to formulation.

OTHER PRODUCT NOTES:

#### WATER

ID: 558440-22-5

%: 49.1200 - 56.7200 GS: NoGS RC: None NANO: No ROLE: VEHICLE

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

#### POLYMETHYL METHACRYLATE (PMMA)

ID: 9011-14-7

%: 23.4700 - 24.1600 GS: LT-P1 RC: None NANO: No ROLE: BINDER, DEFOAMER

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES:

#### KAOLIN CLAY (CALCINED)

ID: 66402-68-4

%: 6.7500 - 7.4700 GS: LT-P1 RC: None NANO: No ROLE: FILLER

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES:

#### KAOLIN, CALCINED

ID: 92704-41-1

%: 2.6400 - 2.7300 GS: LT-UNK RC: None NANO: No ROLE: EXTENDER

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**1-PHENOXY-2-PROPANOL**

ID: 770-35-4

%: **1.1100 - 1.4900** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **COALESCENT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES**

ID: 64742-65-0

%: **0.5900 - 0.8300** GS: **LT-1** RC: **None** NANO: **No** ROLE: **DEFOAMER**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES:

**CARBENDAZIM**

ID: 10605-21-7

%: **0.4000 - 0.4100** GS: **LT-1** RC: **None** NANO: **No** ROLE: **FUNGICIDE**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEVELOPMENTAL	MAK	Pregnancy Risk Group B

GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
GENE MUTATION	Japan - GHS	Germ cell mutagenicity - Category 1B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
REPRODUCTIVE	Australia - GHS	H360Fd - May damage fertility. Suspected of damaging the unborn child

SUBSTANCE NOTES:

### 1,2-BENZISOTHIAZOLIN-3-ONE (BIT)

ID: 2634-33-5

%: **0.3700 - 0.4000**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **MICROBIOCIDES**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

### DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB)

ID: 29911-28-2

%: **0.3300 - 0.5300**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **COALESCENT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found	No warnings found on HPD Priority lists
------------	---

SUBSTANCE NOTES:

### CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

%: **0.1000 - 0.1600**      GS: **NoGS**      RC: **None**      NANO: **No**      ROLE: **RHEOLOGY MODIFIER**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found	No warnings found on HPD Priority lists
------------	---

SUBSTANCE NOTES:

**AMMONIA**

ID: 7664-41-7

%: **0.0900 - 0.3700**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **PRESERVATIVE**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rr) - irritant-induced

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

SKIN IRRITATION

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

MAMMALIAN

EU - GHS (H-Statements)

H331 - Toxic if inhaled

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

MAMMALIAN

US EPA - EPCRA Extremely Hazardous Substances

Extremely Hazardous Substances

SUBSTANCE NOTES:

**POLYETHYLENE GLYCOL**

ID: 25322-68-3

%: **0.0500 - 0.0500**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **ANTIMICROBIAL**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**HYDROXYETHYL CELLULOSE**

ID: 9004-62-0

%: **0.0200 - 0.3000**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **RHEOLOGY MODIFIER**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES:

**TITANIUM DIOXIDE**

ID: 13463-67-7

%: **0.0000 - 10.5700**      GS: **LT-1**      RC: **None**      NANO: **No**      ROLE: **PIGMENT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES:

**METHYLOXIRANE POLYMER WITH OXIRANE MONOBUTYL ESTER**

ID: 9038-95-3

%: 0.0000 - 3.8600

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **RHEOLOGY MODIFIER**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**POLYETHYLENE GLYCOL MONOISODECYL ETHER**

ID: 61827-42-7

%: 0.0000 - 0.3700

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **RHEOLOGY MODIFIER**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**SODIUM ETASULFATE**

ID: 126-92-1

%: 0.0000 - 1.5400

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **RHEOLOGY MODIFIER**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**CASTOR OIL, POLYMER WITH TDI**

ID: 67700-43-0

%: 0.0000 - 2.4600

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **RHEOLOGY MODIFIER**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**PENTAPOTASSIUM TRIPHOSPHATE**

ID: 13845-36-8

%: 0.0000 - 0.0500

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **DISPERSANT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, ISOOCTYL PHOSPHATE, POTASSIUM SALT**

ID: 68186-41-4

%: **0.0000 - 0.1500** GS: **NoGS** RC: **None** NANO: **No** ROLE: **WETTING AGENT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**ALCOHOLS, C9-11, ETHOXYLATED**

ID: 68439-46-3

%: **0.0000 - 0.4900** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **WETTING AGENT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

**POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT**

ID: 68186-36-7

%: **0.0000 - 0.1500** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **DISPERSANT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**AMMONIUM POLYACRYLATE**

ID: 9003-03-6

%: **0.0000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **DISPERSANT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**POLYSILOXANE**

ID: 9011-19-2

%: **0.0000 - 0.5200** GS: **NoGS** RC: **None** NANO: **No** ROLE: **DISPERSANT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**POLOXANLENE**

ID: 9003-11-6

%: **0.0000 - 0.4000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **SURFACTANT**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

---

**None Found**

**No warnings found on HPD Priority lists**

---

SUBSTANCE NOTES:



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2018-06-01**      EXPIRY DATE: **2019-05-31**      CERTIFIER OR LAB: **SCS Global Services**  
APPLICABLE FACILITIES: **Kelly Moore Paint Hurst Factory 301 W Hurst Blvd, Hurst, TX 76053**  
CERTIFICATE URL:  
[https://www.scs-certified.com/products/cert\\_pdfs/Kelly-Moore\\_2018-19\\_SCS-IAQ-03621\\_s.pdf](https://www.scs-certified.com/products/cert_pdfs/Kelly-Moore_2018-19_SCS-IAQ-03621_s.pdf)

CERTIFICATION AND COMPLIANCE NOTES: The table below summarizes the product emissions history results by Paints and Coatings for the individual volatile organic compounds (VOCs) tested for compliance to CA Specification 01350 (CDPH/EHLB Standard Method v1.2-2017, effective January, 2017) private office, school classroom, and single-family residence parameters when modeled as wallcoverings. PRODUCT LINE 1600 DuraPoxy 100% Acrylic Interior Matte Finish/1600-121 REPORT #/DATE 316-007-01A-May0515 CREL VOCs Not Detected/TVOC EF (ug/ m2-h) at 96-hrs 438.00 Private Office\* Results PASS School Classroom\*\* Results PASS Single-Family Residence\*\*\* PASS TVOC Range 0.5-5.0 mg/m3 or less

### VOC CONTENT

### SCAQMD Rule 1113 Architectural Coatings - Clear Wood Finishes including Varnish & Sanding Sealer, Lacquers, Mastic Coatings, Recycled Coatings - 2007 amendments

CERTIFYING PARTY: **Self-declared**      ISSUE DATE: **2018-09-12**      EXPIRY DATE:      CERTIFIER OR LAB: **None**  
APPLICABLE FACILITIES: **Kelly Moore Paint Hurst Factory 301 W Hurst Blvd, Hurst, TX 76053**  
CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: The table below summarizes the product VOC content for paints and coatings for compliance to South Coast Air Quality Air Management District (SCAQMD) Rule 1113 and review of intentionally added Methylene Chloride and Perchloroethylene. Name of Product Line 1600 Matte Architectural Application (as defined by SCAQMD 1113) Non-Flat Top Coat VOC Content (g/L less water)\* 48.6 Specified Application Amount: (g/m<sup>2</sup>)\*\* 27.9 Methylene Chloride/CAS # 79-09-2 is added to the product?\*\*\* No Perchloroethylene/CAS # 127-18-4 is added to the product?\*\*\* No Product is wet-applied in Asia, and meet the Hong Kong Air Pollution Control (VOC) Regulation? No Product is wet-applied in Europe, and meet the European Decopain Directive? No Product is wet-applied in Canada, and meet the Canadian VO Concentration Limits for Arch. Coatings (VOC) Regulation? No Product is wet-applied in North America (Canada, Mexico, and/or United States)? Yes

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### 971 ACRYPLEX PVA

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_220\\_971\\_Acryplex\\_PVA\\_Interior\\_Primer\\_1535137432.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_971_Acryplex_PVA_Interior_Primer_1535137432.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Recommended primer for Drywall and Masonry.

### 973 ACRYPLEX UNDERCOATER

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_220\\_973\\_AcryPlex\\_Latex\\_Interior\\_Enamel\\_Undercoat\\_1535390105.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_973_AcryPlex_Latex_Interior_Enamel_Undercoat_1535390105.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Recommended primer for wood and hardboard.

**5725 DTM PRIMER/FINISH**

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_220\\_5725\\_DTM\\_Acrylic\\_Primer\\_Finisher\\_1536340863.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_5725_DTM_Acrylic_Primer_Finisher_1536340863.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Primer for metal.

**295 KEL-BOND UNIVERSAL PRIMER**

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish\\_220\\_295\\_Kel\\_Bond\\_Universal\\_Interior\\_Exterior\\_Primer\\_1535046486.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_295_Kel_Bond_Universal_Interior_Exterior_Primer_1535046486.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Primer for stain blocking.

**287 KEL-BOND ADHESION PLUS**

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Primer for dense and glossy surfaces.

**521 PRIME & FILL BLOCK FILLER**

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Primer for porous masonry.

**265 HYBRID PRIMER**

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Primer for Tannin Rich wood.

**285 KEL-BOND ULTRA**

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Primer for rough uneven surfaces.

**98 MULTI-SEAL**

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Primer for chalky surfaces.

## Section 5: General Notes

Tintable bases differ primarily in the amount of titanium dioxide included in each formula: light base includes the highest amount of TiO<sub>2</sub> while the neutral base has no TiO<sub>2</sub>. Some bases also differ in dispersants, extenders, and thickeners.



## MANUFACTURER INFORMATION

MANUFACTURER: **Kelly-Moore Paints**  
 ADDRESS: **987 Commercial St**  
**San Carlos California 94070, United States**  
 WEBSITE: <https://www.kellymoore.com/>

CONTACT NAME: **Tiffany Alvarez Gonda**  
 TITLE: **Director, Product Stewardship**  
 PHONE: **6506104253**  
 EMAIL: [talvarez@kellymoore.com](mailto:talvarez@kellymoore.com)

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*