

# 600 Series Stool by KI

# Health Product Declaration v2.1

CLASSIFICATION: 12 52 00.00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Sturdy construction, economical value and a variety of styles makes the 600 Series stool the clear choice for all-purpose environments

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  
Percent Weight and Role Provided?  Yes  No

**Screened**  
Using Priority Hazard Lists with Results Disclosed?  Yes  No

**Identified**  
Name and Identifier Provided?  Yes  No

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

600 SERIES STOOL [ STEEL (STEEL) **NoGS** POLYPROPYLENE (POLYPROPYLENE) **LT-UNK** POLYESTER (POLYESTER) **NoGS** BARIUM SULFATE (BARIUM SULFATE) **BM-2** | CAN ACRYLONITRILE -METHYL-METHACRYLATE -VINYLIDENE CHLORIDE COPOLYMER (ACRYLONITRILE -METHYL-METHACRYLATE -VINYLIDENE CHLORIDE COPOLYMER) **LT-P1** | END SORBITAN, TRI-9-OCTADECANOATE, POLY(OXY-1,2-ETHANEDIYL) DERIVS., EO 15 AND 20 MOL (SORBITAN, TRI-9-OCTADECANOATE, POLY(OXY-1,2-ETHANEDIYL) DERIVS., EO 15 AND 20 MOL) **LT-UNK** WHITE MINERAL OIL (WHITE MINERAL OIL) **LT-UNK** TITANIUM DIOXIDE (TITANIUM DIOXIDE) **LT-1** | CAN | END C.I. PIGMENT BLUE 15 (C.I. PIGMENT BLUE 15) **BM-3** CARBON BLACK (CARBON BLACK) **LT-1** | CAN BENZENE-1,2,4,5-TETRACARBOXYLIC ACID, COMPOUND WITH 4,5-DIHYDRO-2-PHENYL-1H-IMIDAZOLE (1:2) (BENZENE-1,2,4,5-TETRACARBOXYLIC ACID, COMPOUND WITH 4,5-DIHYDRO-2-PHENYL-1H-IMIDAZOLE (1:2)) **LT-P1** | MUL ]

### INVENTORY AND SCREENING NOTES:

Residuals were considered. Requested supplier chemical info down to 100 ppm.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold  
Multi-attribute: BIFMA Furniture Sustainability Level 2 (e3-2014)

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-11-16

PUBLISHED DATE: 2017-11-16

EXPIRY DATE: 2020-11-16

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### 600 SERIES STOOL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Requested chemical info from suppliers down to 100 ppm.

OTHER PRODUCT NOTES:

#### STEEL (STEEL)

ID: 12597-69-2

#: 91.5000 GS: NoGS RC: None NANO: No ROLE: Frame

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Steel frame

#### POLYPROPYLENE (POLYPROPYLENE)

ID: 9003-07-0

#: 7.3000 GS: LT-UNK RC: None NANO: No ROLE: Seat and foot caps

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Poly seat and foot caps

#### POLYESTER (POLYESTER)

ID: 113669-95-7

#: 0.3700 GS: NoGS RC: None NANO: No ROLE: Resin for powderpaint

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Powderpaint for frame

#### BARIUM SULFATE (BARIUM SULFATE)

ID: 7727-43-7

#: 0.3600 GS: BM-2 RC: None NANO: No ROLE: Paint ingredient

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Powderpaint for frame

**ACRYLONITRILE -METHYL-METHACRYLATE -VINYLIDENE CHLORIDE COPOLYMER (ACRYLONITRILE -METHYL-METHACRYLATE -VINYLIDENE CHLORIDE COPOLYMER)**

ID: 25036-25-3

%: <b>0.2500</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Powderpaint ingredient</b>
------------------	------------------	-----------------	-----------------	-------------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ENDOCRINE	EU - Priority Endocrine Disrupters	Category 1 - In vivo evidence of Endocrine Disruption Activity

SUBSTANCE NOTES: Powderpaint for frame

**SORBITAN, TRI-9-OCTADECANOATE, POLY(OXY-1,2-ETHANEDIYL) DERIVS., EO 15 AND 20 MOL (SORBITAN, TRI-9-OCTADECANOATE, POLY(OXY-1,2-ETHANEDIYL) DERIVS., EO 15 AND 20 MOL)**

ID: 9005-70-3

%: <b>0.0700</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Paint ingredient</b>
------------------	-------------------	-----------------	-----------------	-------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: Plastic seat colorant

**WHITE MINERAL OIL (WHITE MINERAL OIL)**

ID: 8042-47-5

%: <b>0.0440</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Paint ingredient</b>
------------------	-------------------	-----------------	-----------------	-------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: Seat colorant

**TITANIUM DIOXIDE (TITANIUM DIOXIDE)**

ID: 13463-67-7

%: <b>0.0200</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Paint ingredient</b>
------------------	-----------------	-----------------	-----------------	-------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route

CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
SUBSTANCE NOTES: Seat colorant		

**C.I. PIGMENT BLUE 15 (C.I. PIGMENT BLUE 15)**

ID: 147-14-8

%: <b>0.0200</b>	GS: <b>BM-3</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Paint ingredient</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Seat colorant				

**CARBON BLACK (CARBON BLACK)**

ID: 1333-86-4

%: <b>0.0200</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Paint ingredient</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
SUBSTANCE NOTES: Seat colorant				

**BENZENE-1,2,4,5-TETRACARBOXYLIC ACID, COMPOUND WITH 4,5-DIHYDRO-2-PHENYL-1H-IMIDAZOLE (1:2) (BENZENE-1,2,4,5-TETRACARBOXYLIC ACID, COMPOUND WITH 4,5-DIHYDRO-2-PHENYL-1H-IMIDAZOLE (1:2))**

ID: 54553-91-2

%: <b>0.0100</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Powderpaint ingredient</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SUBSTANCE NOTES: Powderpaint for frame				

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	SCS Indoor Advantage Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-06-02	EXPIRY DATE: 2018-06-01	CERTIFIER OR LAB: SCS Global Services
APPLICABLE FACILITIES: Bonduel, WI			
CERTIFICATE URL: <a href="https://www.scs-certified.com/products/cert_pdfs/KI_2017_SCS-IAQ-03102_s4.pdf">https://www.scs-certified.com/products/cert_pdfs/KI_2017_SCS-IAQ-03102_s4.pdf</a>			
CERTIFICATION AND COMPLIANCE NOTES:			

MULTI-ATTRIBUTE	BIFMA Furniture Sustainability Level 2 (e3-2014)		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-12-16	EXPIRY DATE: 2018-12-15	CERTIFIER OR LAB: SCS Global Services
APPLICABLE FACILITIES: Bonduel, WI			
CERTIFICATE URL: <a href="https://www.scs-certified.com/products/cert_pdfs/KI_2016_SCS-SCF-03500_s4.pdf">https://www.scs-certified.com/products/cert_pdfs/KI_2016_SCS-SCF-03500_s4.pdf</a>			
CERTIFICATION AND COMPLIANCE NOTES:			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Disassembly instructions are available for the 600 series stool at <http://datahub.ki.com:8081/KiPortal/documents/download/P0033-0047>

## Section 6: References

### MANUFACTURER INFORMATION

MANUFACTURER: **KI**

CONTACT NAME: **Lisa Kaster**

## KEY

<b>OSHA MSDS</b>	Occupational Safety and Health Administration Material Safety Data Sheet
<b>GHS SDS</b>	Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

## GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

## Recycled Types

<b>PreC</b> Preconsumer (Post-Industrial)
<b>PostC</b> Postconsumer
<b>Both</b> Both Preconsumer and Postconsumer
<b>Unk</b> Inclusion of recycled content is unknown
<b>None</b> Does not include recycled content

## Other Terms

### Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

---

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*