

Rejuvenations Restore with Diamond 10® Technology - Heterogeneous Sheet by Armstrong Flooring, Inc.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 65 16

PRODUCT DESCRIPTION: Rejuvenations Restore is a no-polish, low-maintenance solution that offers the perfect balance of performance and comfort under foot. And, with Diamond 10 Technology coating, floors look newer, longer as a result of category-leading scratch, stain, and scuff resistance.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

REJUVENATIONS RESTORE WITH DIAMOND 10® TECHNOLOGY - HETEROGENEOUS SHEET [POLYVINYL CHLORIDE LT-P1 | RES CALCIUM CARBONATE (LIMESTONE) LT-UNK | DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg | SOYBEAN OIL, EPOXIDIZED LT-UNK | DIAZENE-1,2-DICARBOXAMIDE (C,C'-AZODI(FORMAMIDE)) LT-UNK | RES DISTILLATES, PETROLEUM, HYDROTREATED LIGHT BM-2 | MAM | CAN ETHANOL, 2,2'-OXYBIS-, DIBENZOATE LT-P1 | MUL GLASS, OXIDE, CHEMICALS LT-UNK | TITANIUM DIOXIDE LT-1 | CAN | END OCTADECANOIC ACID, ZINC SALT LT-UNK | PROPANOL, OXYBIS-, DIBENZOATE LT-P1 | MUL ZINC OXIDE BM-1 | RES | AQU | MUL | END METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK | TRIISOTRIDECYL PHOSPHITE LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes

PREPARER: Self-Prepared

VERIFIER:

SCREENING DATE: 2020-04-10

PUBLISHED DATE: 2020-04-13



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

REJUVENATIONS RESTORE WITH DIAMOND 10® TECHNOLOGY - HETEROGENEOUS SHEET

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED:

Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

OTHER PRODUCT NOTES: For more information on this product visit: <https://www.armstrongflooring.com/commercial/en-us/products/het/rejuvenations-restore-d10.html>

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: 40.00 - 45.00	GS: LT-P1	RC: None	NANO: Unknown	ROLE: Binder
------------------	-----------	----------	---------------	--------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Binder component

CALCIUM CARBONATE (LIMESTONE)

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: 30.00 - 35.00	GS: LT-UNK	RC: None	NANO: Unknown	ROLE: Filler
------------------	------------	----------	---------------	--------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Limestone filler

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: 15.00 - 20.00	GS: BM-3dg	RC: None	NANO: Unknown	ROLE: Plasticizer
------------------	------------	----------	---------------	-------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder component

SOYBEAN OIL, EPOXIDIZED

ID: 8013-07-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: 1.00 - 3.00 GS: LT-UNK RC: None NANO: Unknown ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Biobased binder component

DIAZENE-1,2-DICARBOXAMIDE (C,C'-AZODI(FORMAMIDE))

ID: 123-77-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: 0.10 - 1.00 GS: LT-UNK RC: None NANO: Unknown ROLE: Blowing Agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

RESPIRATORY EU - GHS (H-Statements) H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

SUBSTANCE NOTES: Component in backing

DISTILLATES, PETROLEUM, HYDROTREATED LIGHT

ID: 64742-47-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: 0.10 - 1.00 GS: BM-2 RC: None NANO: Unknown ROLE: Additive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

MAMMALIAN EU - GHS (H-Statements) H304 - May be fatal if swallowed and enters airways

CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Binder component

ETHANOL, 2,2'-OXYBIS-, DIBENZOATE

ID: 120-55-8

#: **0.10 - 1.00** GS: **LT-P1** RC: **None** NANO: **Unknown** ROLE: **Plasticizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: **Binder component****GLASS, OXIDE, CHEMICALS**ID: **65997-17-3**

#: **0.10 - 1.00** GS: **LT-UNK** RC: **None** NANO: **Unknown** ROLE: **Reinforcer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Reinforcer****TITANIUM DIOXIDE**ID: **13463-67-7**

#: **0.10 - 1.00** GS: **LT-1** RC: **None** NANO: **Unknown** ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: **Titanium dioxide is listed as a hazard in respirable form. Titanium dioxide is not in a respirable form in the final product.****OCTADECANOIC ACID, ZINC SALT**ID: **557-05-1**

#: **0.10 - 0.50** GS: **LT-UNK** RC: **None** NANO: **Unknown** ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Stabilizer component

PROPANOL, OXYBIS-, DIBENZOATE

ID: 27138-31-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-10**

%: **0.10 - 0.50** GS: **LT-P1** RC: **None** NANO: **Unknown** ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Plasticizer component

ZINC OXIDE

ID: 1314-13-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-10**

%: **0.10 - 0.50** GS: **BM-1** RC: **None** NANO: **Unknown** ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Stabilizer component

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

ID: 25852-37-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-10**

%: **0.10 - 0.50** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Additive

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-10**

#: **0.10 - 0.50**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: **Stablizier component**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

FloorScore

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2019-**

EXPIRY DATE: **2020-**

CERTIFIER OR LAB: **SCS**

APPLICABLE FACILITIES: **No Facilities**

09-01

08-31

CERTIFICATE URL:

<https://www.armstrongflooring.com/pdbupimages-flr/220312.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ADHESIVES RECOMMENDED FOR INSTALLATION

HPD URL: **no hpd available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Full-Spread Adhesives: S-599 ChoiceStrong™, S-543, Flip® Spray Adhesive, S-240 Epoxy or S-580 Flash Cove Adhesive
Seams: Heat Weld or 761 Seam Adhesive

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information Armstrong Flooring expresses no opinion and makes no representations as to the applicability suitability accuracy or completeness of the declaration form or the standards rules classifications warnings or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongflooring.com as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.



MANUFACTURER INFORMATION

MANUFACTURER: **Armstrong Flooring, Inc.**
 ADDRESS: **No. 683, Yuexiu Road**
FOHO New & Hi-Tech Industrial Development Zone
Wujiang Jiang Su Province 215211, China
 WEBSITE: **www.armstrongflooring.com**

CONTACT NAME: **TechLine**
 TITLE: **Customer Service**
 PHONE: **1-888-276-7876**
 EMAIL: **fpotechline@armstrongflooring.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.