

CLASSIFICATION: 06 00 00 Wood, Plastics, and Composites

created via: HPDC Online Builder

PRODUCT DESCRIPTION: VESTA is a specialty brand for panels manufactured using an ultra low emitting formaldehyde (ULEF) resin system. This makes it the optimal choice for additional LEED points and other ULEF specified projects. Along with our other panel products, VESTA is made with 100% recycled and/or recovered wood fiber and is an ECC™ (Eco-Certified Composite) sustainably certified product. VESTA is available in a wide range of thicknesses and dimensions and can be raw or TFL finished with your choice of design from the PRISM collection.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold Disclosed Per**

- Material
- Product

**Threshold level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

**Residuals/Impurities**

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  
Percent Weight and Role Provided?  Yes  No

**Screened**  
Using Priority Hazard Lists with Results Disclosed?  Yes  No

**Identified**  
Name and Identifier Provided?  Yes  No

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

ARAUCO NA PARTICLEBOARD - VESTA ULEF [ CELLULOSE, MICROCRYSTALLINE NoGS MELAMINE-UREA-FORMALDEHYDE (MUF) LT-1 UNK UNDISCLOSED CHEMICAL #1 LT-1 | CAN | MUL UNDISCLOSED CHEMICAL #2 BM-4 UREA LT-UNK UNDISCLOSED CHEMICAL #3 NoGS UNDISCLOSED CHEMICAL #4 LT-P1 | MAM | SKI | RES | END AMMONIUM SULFATE LT-P1 | END AMMONIUM CHLORIDE LT-P1 | MAM | EYE | END ]

**INVENTORY AND SCREENING NOTES:**

This HPD includes the following substrates: Ultra Vesta Ultra low emitting formaldehyde (ULEF), Duraflake Vesta ULEF, Duraflake Vesta Moisture Resistant (MR) ULEF, Vesta Door Core ULEF. Ingredient names undisclosed on HPD are considered proprietary.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

Formaldehyde emissions: CARB ULEF Executive Order N-16-181 Vesta - Albany OR  
Formaldehyde emissions: CARB ULEF Executive Order N-17-139 Vesta ULEF - Bennettsville, SC (PB)  
Formaldehyde emissions: CARB ULEF Executive Order N-17-151 Vesta - St. Stephen, NB (PB)  
Composite Wood: ECC - Eco-certified Composite Grademark Program - Albany, OR

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared  
VERIFIER: SCS Global Services  
VERIFICATION #: qGE-3364

SCREENING DATE: 2017-08-18  
PUBLISHED DATE: 2018-01-29  
EXPIRY DATE: 2020-08-18

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### ARAUCO NA PARTICLEBOARD - VESTA ULEF

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: ARAUCO NA worked with an HPD Third Party Preparer to confirm that all residual and impurities have been considered during the preparation of this HPD.

OTHER PRODUCT NOTES:

#### CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

#: 83.0000 - 92.0000 GS: NoGS RC: None NANO: No ROLE: Structural Component

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

#### MELAMINE-UREA-FORMALDEHYDE (MUF)

ID: 25036-13-9

#: 5.0000 - 15.0000 GS: LT-UNK RC: None NANO: No ROLE: Resin

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

#### UNDISCLOSED CHEMICAL #1

ID: Undisclosed

#: 0.1500 - 0.6000 GS: LT-1 RC: None NANO: No ROLE: Water Repellent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

EU - R-phrases

R45 - May cause cancer

CANCER

EU - GHS (H-Statements)

H350 - May cause cancer

CANCER

EU - REACH Annex XVII CMRs

Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

RESTRICTED LIST

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

CANCER EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

CANCER Australia - GHS H350 - May cause cancer

SUBSTANCE NOTES: This chemical has been identified and screened by Arauco's HPD Third Party Preparer. Due to its propriety nature, this chemical and its CAS# were not able to be disclosed on this HPD.

**UNDISCLOSED CHEMICAL #2**

ID: **Undisclosed**

#: **0.1200 - 0.5000** GS: **BM-4** RC: **None** NANO: **No** ROLE: **Water Repellent**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This chemical has been identified and screened by Arauco's HPD Third Party Preparer. Due to its propriety nature, this chemical and its CAS# were not able to be disclosed on this HPD. The GreenScreen Benchmark® assessment score of BM-4 was provided through the HPD 2.1 Builder Tool.

**UREA**

ID: **57-13-6**

#: **0.0300 - 0.4000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Scavenger**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**UNDISCLOSED CHEMICAL #3**

ID: **Undisclosed**

#: **0.0020 - 0.0500** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Water Repellent**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This chemical has been identified and screened by Arauco's HPD Third Party Preparer. Due to its propriety nature, this chemical and its CAS# were not able to be disclosed on this HPD.

**UNDISCLOSED CHEMICAL #4**

ID: **Undisclosed**

#: **0.0006 - 0.0150** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Water Repellent**

HAZARDS: AGENCY(IES) WITH WARNINGS:

MAMMALIAN EU - R-phrases R20 - Harmful by Inhalation (gas or vapor or dust/mist)

MAMMALIAN EU - R-phrases R21 - Harmful in Contact with Skin

MAMMALIAN EU - R-phrases R22 - Harmful if Swallowed

SKIN IRRITATION	EU - R-phrases	R34 - Causes burns
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: This chemical has been identified and screened by Arauco's HPD Third Party Preparer. Due to its propriety nature, this chemical and its CAS# were not able to be disclosed on this HPD.

### AMMONIUM SULFATE

ID: 7783-20-2

#: 0.0000 - 1.0000      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **Catalyst**

HAZARDS:      AGENCY(IES) WITH WARNINGS:

ENDOCRINE      TEDX - Potential Endocrine Disruptors      Potential Endocrine Disruptor

SUBSTANCE NOTES:

### AMMONIUM CHLORIDE

ID: 12125-02-9

#: 0.0000 - 0.2000      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **Catalyst**

HAZARDS:      AGENCY(IES) WITH WARNINGS:

MAMMALIAN      EU - R-phrases      R22 - Harmful if Swallowed

EYE IRRITATION      EU - R-phrases      R36 - Irritating to eyes

EYE IRRITATION      EU - GHS (H-Statements)      H319 - Causes serious eye irritation

ENDOCRINE      TEDX - Potential Endocrine Disruptors      Potential Endocrine Disruptor

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### FORMALDEHYDE EMISSIONS

### CARB ULEF Executive Order N-16-181 Vesta - Albany OR

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-

EXPIRY DATE:

CERTIFIER OR LAB:

CERTIFICATE URL:  
[https://www.arb.ca.gov/toxics/compwood/naf\\_ulef/listofnaf\\_ulef.htm](https://www.arb.ca.gov/toxics/compwood/naf_ulef/listofnaf_ulef.htm)

CERTIFICATION AND COMPLIANCE NOTES:

**FORMALDEHYDE EMISSIONS** **CARB ULEF Executive Order N-17-139 Vesta ULEF - Bennettsville, SC (PB)**

CERTIFYING PARTY: Third Party ISSUE DATE: 2017-03-22 EXPIRY DATE: 2019-03-22 CERTIFIER OR LAB: California Air Resources Board  
APPLICABLE FACILITIES:  
CERTIFICATE URL:  
[https://www.arb.ca.gov/toxics/compwood/naf\\_ulef/listofnaf\\_ulef.htm](https://www.arb.ca.gov/toxics/compwood/naf_ulef/listofnaf_ulef.htm)

CERTIFICATION AND COMPLIANCE NOTES:

**FORMALDEHYDE EMISSIONS** **CARB ULEF Executive Order N-17-151 Vesta - St. Stephen, NB (PB)**

CERTIFYING PARTY: Third Party ISSUE DATE: 2017-09-18 EXPIRY DATE: 2019-09-17 CERTIFIER OR LAB: California Air Resources Board  
APPLICABLE FACILITIES: ARAUCO North America - St. Stephen  
CERTIFICATE URL:  
[https://www.arb.ca.gov/toxics/compwood/naf\\_ulef/fb151.pdf](https://www.arb.ca.gov/toxics/compwood/naf_ulef/fb151.pdf)

CERTIFICATION AND COMPLIANCE NOTES:

**COMPOSITE WOOD** **ECC - Eco-certified Composite Grademark Program - Albany, OR**

CERTIFYING PARTY: Third Party ISSUE DATE: 2016-05-18 EXPIRY DATE: CERTIFIER OR LAB: Composite Panel Association  
APPLICABLE FACILITIES: ARAUCO North America - Albany, Oregon  
CERTIFICATE URL:  
<https://www.arauco.cl/na/sostenibilidad/certificaciones/>

CERTIFICATION AND COMPLIANCE NOTES: Has Completed and Fulfilled the Requirements of: CPA 4-11 Eco-Certified Composites (ECC) Sustainability Standard and California Air Resources Board (CARB) Airborne Toxic Control Measure (ATCM) 93120; Scope of certification: Particleboard. Eco-attributes: Carbon Footprint; Locally Sourced Fiber; Recycled, Recovered or Post-Consumer Fiber Content.

**COMPOSITE WOOD** **ECC - Eco-certified Composite Grademark Program - Bennettsville, SC (PB)**

CERTIFYING PARTY: Third Party ISSUE DATE: 2016-05-19 EXPIRY DATE: CERTIFIER OR LAB: Composite Panel Association  
APPLICABLE FACILITIES: ARAUCO North America - Bennettsville, South Carolina  
CERTIFICATE URL:  
<https://www.arauco.cl/na/sostenibilidad/certificaciones/>

CERTIFICATION AND COMPLIANCE NOTES: Has Completed and Fulfilled the Requirements of: CPA 4-11 Eco-Certified Composites (ECC) Sustainability Standard and California Air Resources Board (CARB) Airborne Toxic Control Measure (ATCM) 93120; SCOPE OF CERTIFICATION: Particleboard. ECO-ATTRIBUTES: Carbon Footprint; Locally Sourced Fiber; Recycled, Recovered or Post-Consumer Fiber Content; Responsible Wood Sourcing

**COMPOSITE WOOD** **ECC - Eco-certified Composite Grademark Program - St. Stephen, NB (PB)**

CERTIFYING PARTY: Third Party ISSUE DATE: 2016-05- EXPIRY DATE: CERTIFIER OR LAB: Composite  
ARAUCO NA Particleboard - Vesta ULEF  
[hpdrepository.hpd-collaborative.org](http://hpdrepository.hpd-collaborative.org)

Stephen New Brunswick

CERTIFICATE URL:

<https://www.arauco.cl/na/sostenibilidad/certificaciones/>

CERTIFICATION AND COMPLIANCE NOTES: Has Completed and Fulfilled the Requirements of: CPA 4-11 Eco-Certified Composites (ECC) Sustainability Standard and California Air Resources Board (CARB) Airborne Toxic Control Measure (ATCM) 93120; SCOPE OF CERTIFICATION: Particleboard ECO-ATTRIBUTES: Locally Sourced Fiber; Recycled, Recovered or Post-Consumer Fiber Content; Responsible Wood Sourcing

**MANAGEMENT****ISO 14001 – Environmental Management System and OHSAS 18001 – Safety Management System**

CERTIFYING PARTY: Third Party

ISSUE DATE:2017-12-

EXPIRY DATE: 2020-

CERTIFIER OR LAB: Lloyd's

APPLICABLE FACILITIES: Bennettsville, SC; Fort Mill, SC; Eugene, OR; Albany, OR; Malvern, AR; Sault Ste. Marie, ON; St. Stephen, NB; Moncure, NC; Biscoe, NC

21

12-20

Register Quality Assurance

CERTIFICATE URL:

<https://www.arauco.cl/na/sostenibilidad/certificaciones/>

CERTIFICATION AND COMPLIANCE NOTES: Lloyd's Register Quality Assurance approved the above facilities to the ISO 14001:2004 and OHSAS 18001:2007 Management Systems. These Management Systems are applicable to the manufacturer of a diverse line of composite panel products.

**OTHER****Forest Stewardship Council® - FSC Chain of Custody and Controlled Wood**

CERTIFYING PARTY: Third Party

ISSUE DATE:2013-09-

EXPIRY DATE: 2018-

CERTIFIER OR LAB: Rainforest

APPLICABLE FACILITIES: As a multi-site certificate, the activities and products included in the scope of this certificate are performed by a network of participating sites (all ARAUCO NA manufacturing facilities). Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents and must be stated on the customer PO in order to receive as such.

23

09-22

Alliance

CERTIFICATE URL:

<https://www.arauco.cl/na/sostenibilidad/certificaciones/>

CERTIFICATION AND COMPLIANCE NOTES: Certificate Type: Multi-site Chain of Custody and Controlled Wood; Standard(s): FSC-STD-40-003 V1-0; FSC-STD-40-004 V2-1; FSC-STD-40-005 V2-1; Product group(s): MDF, MDF with laminate; Particleboard, particleboard with laminate; Valid from 23 September 2013 to 22 September 2018; Certificate Registration Code: RA-COC-000444, RA-CW-000444; FSC License Code: FSC-C019364; Certificate Issue Number: IN-2015-1

**+ Section 4: Accessories**

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Ingredient percentages are expressed in terms of dry weight basis and represent average production values across multiple mills. Safety Data Sheets (SDS) in GHS format can be found at [www.arauco.cl/na/](http://www.arauco.cl/na/). ToxServices LLC considered all residuals and impurities identified for the ingredients of this product. Models covered under HPD: Ultra Vesta ULEF, Duraflake Vesta ULEF, Duraflake, Vesta MR ULEF, Vesta Door Core ULEF. Variations within group: These products are offered in a variety of thickness and panel sizes. Variations within this group include dosing percentages for wood, resin and other additives, due to process variation from mill to mill and optimization of recipes for targeted panel properties.

## Section 6: References

### MANUFACTURER INFORMATION

**MANUFACTURER:** Arauco North America  
**ADDRESS:** 400 Perimeter Center Terrace, Suite 750  
Atlanta GA 30346, USA  
**WEBSITE:** <https://www.arauco.cl/na/>

**CONTACT NAME:** Kerry Little  
**TITLE:** Corporate Sustainability Manager  
**PHONE:** 506-465-2975  
**EMAIL:** [kerry.little@arauco-na.com](mailto:kerry.little@arauco-na.com)

### KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

---

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*