Monarch Plank - Manor Collection by Galleher

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 0964009 64 33 Laminated Wood Flooring

PRODUCT DESCRIPTION: 3/4" prefinished engineered wood flooring. 6.0mm thick European Oak hardwood wear layer on a 10mm thick hardwood lumber core (Hevea) and 2mm back layer (Sengon). UV urethane finish. Wood layers glued together with an EPI adhesive with hardener.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method C Basic Method

Threshold Disclosed Per Material

Product

Threshold level

C 100 ppm 1,000 ppm

Per GHS SDS

Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities? O Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

© Yes Ex/SC © Yes © No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

○ Yes Ex/SC ○ Yes ○ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow quidance.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

HARDWOOD CORE - HEVEA [SC:HEVEA Not Screened] HARDWOOD WEAR LAYER - EUROPEAN OAK [SC:EUROPEAN OAK Not Screened] HARDWOOD BACK LAYER - SENGON [SC:SENGON Not Screened] UV **URETHANE FINISH, BASE COAT AND TOP COAT [NONHAZARDOUS** ARCRYLATE POLYMERS Not Screened NONHAZARDOUS ARCRYLATE POLYMERS Not Screened SC:NONHAZARDOUS ACRYLATE POLYMERS Not Screened 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL TRIPROPYLENE GLYCOL DIACRYLATE (PRIMARY CASRN IS 42978-66-5) LT-P1 | AQU | SKI | EYE | MUL BENZOPHENONE LT-1 | CAN | END NEOPENTYL GLYCOL DIACRYLATE LT-UNK | MAM | SKI | EYE TRIMETHYLOLPROPANE TRIACRYLATE LT-UNK | RES | CAN | SKI | EYE] HARDENER FOR EPI GLUE POLYMERIC MDI (PMDI) LT-UNK RES MUL | CAN | EPI GLUE | WATER BM-4 ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial, GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. Galleher Corporation will update this HPD once guidelines for reporting Special Condition Materials are published by HPDC.

Any hazards associated with the chemicals used in the manufacture of this wood flooring's finish are only present when the finish is in a wet state (i.e. when it is being applied at the factory). Through the UV curing process, the chemicals are altered and become inert such that there is no exposure to the user.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2019-10-26 PUBLISHED DATE: 2019-10-26 EXPIRY DATE: 2022-10-26



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

HARDWOOD CORE - HEVEA

%: 54.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities.

OTHER MATERIAL NOTES: This is the natural wood core (middle layer) of the engineered flooring.

SC:HEVEA ID: SC:Bio HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-10-26 %: 100.00 - 100.00 gs: Not Screened RC: None NANO: **No** ROLE: Platform HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: Hevea brasiliensis

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

HARDWOOD WEAR LAYER - EUROPEAN OAK

%: 32.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities.

OTHER MATERIAL NOTES: This is the natural wood used in the wear layer (the top, visible layer) of the engineered wood flooring.

SC:EUROPEAN OAK ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-10-26		
%: 100.00 - 100.00	GS: Not Screened	RC: None	NANO: No	ROLE: Platform	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	Hazard Screening not performed				

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: Quercus robur

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

HARDWOOD BACK LAYER - SENGON

%: 9.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities.

OTHER MATERIAL NOTES: This is the natural wood used in the back (bottom) layer of the engineered wood flooring.

SC:SENGON				ID: SC:BIO
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2019-1	0-26
%: 100.00 - 100.00	GS: Not Screened	RC: None	nano: No	ROLE: Platform
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES:

SCISENCON

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: Albizia chinensis

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

UV URETHANE FINISH, BASE COAT AND TOP COAT

%: 2.00 - 5.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

ID. CCIDIO

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities.

other material notes: Substances are the chemical components of the base and top coats used in the flooring's UV-cured factory finish. The hazards associated with all of the chemicals used in the manufacture of this finish are only present when the finish is in a wet state (i.e. when it is being applied at the factory). Through the UV curing process, the chemicals are altered and become inert such that there is no exposure to the user.

NONHAZARDOUS ARCRYLATE POLYMERS

ID: Not Registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	NING DATE: 2019-1	0-26
%: 7.00 - 70.00	GS: Not Screened	RC: None	NANO: No	ROLE: Finish
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

nazaru screening not performed

SUBSTANCE NOTES: The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present.

NONHAZARDOUS ARCRYLATE POLYMERS

ID: Not Registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2019-1	0-26
%: 7.00 - 70.00	gs: Not Screened	RC: None	nano: No	ROLE: Finish
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present.

SC:NONHAZARDOUS ACRYLATE POLYMERS

ID: SC:GeoMat

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2019-1	10-26
%: 7.00 - 70.00	GS: Not Screened	RC: None	nano: No	ROLE: Flnish
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCGeoMats/2018-02-23

Origin: Germany

Typical Composition: This disclosure does not provide typical composition.

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological

materials.

The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present.

1,6-HEXANEDIOL DIACRYLATE ID: 13048-33-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-26		
GS: LT-P1	RC: None	nano: No	ROLE: Finish	
AGENCY AND LIST TITLES	WARNINGS			
EU - GHS (H-Statements)	H315 - Causes s	skin irritation		
EU - GHS (H-Statements)	H317 - May caus	se an allergic skin r	eaction	
EU - GHS (H-Statements)	H319 - Causes s	serious eye irritatior	1	
German FEA - Substances Hazardous to Waters	Class 2 - Hazaro	d to Waters		
MAK	Sensitizing Subs	stance Sh - Danger	of skin sensitization	
	GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) EU - GHS (H-Statements) EU - GHS (H-Statements) German FEA - Substances Hazardous to Waters	GS: LT-P1 RC: None MARNINGS EU - GHS (H-Statements) EU - GHS (H-Statements) H315 - Causes s H317 - May cau EU - GHS (H-Statements) H319 - Causes s German FEA - Substances Hazardous to Waters	GS: LT-P1 RC: None NANO: No AGENCY AND LIST TITLES WARNINGS EU - GHS (H-Statements) H315 - Causes skin irritation EU - GHS (H-Statements) H317 - May cause an allergic skin recorded by the statements of the statement	

SUBSTANCE NOTES:

TRIPROPYLENE GLYCOL DIACRYLATE (PRIMARY CASRN IS 42978-66-5)

ID: 193898-52-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-26
%: 1.00 - 10.00	GS: LT-P1	RC: None NANO: No ROLE: Finish
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

BENZOPHENONE ID: 119-61-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	NG DATE: 2019-10-	26
%: 1.00 - 5.00	gs: LT-1	RC: None	nano: No	ROLE: Finish
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2b - Poss	ibly carcinogenic to	o humans
CANCER	CA EPA - Prop 65	Carcinogen		
ENDOCRINE	ChemSec - SIN List	Endocrine Disru	otion	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endoci	ine Disruptor	

SUBSTANCE NOTES:

NEOPENTYL GLYCOL DIACRYLATE

ID: **2223-82-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	NG DATE: 2019-10-	26
%: 0.01 - 0.90	GS: LT-UNK	RC: None	nano: No	ROLE: Finish
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in co	ontact with skin	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause	e an allergic skin rea	action
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes se	rious eye irritation	

SUBSTANCE NOTES:

TRIMETHYLOLPROPANE TRIACRYLATE

ID: **15625-89-5**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-26			
%: 0.01 - 0.90	GS: LT-UNK	RC: None	NANO: No	ROLE: Finish	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

HARDENER FOR EPI GLUE

%: 1.00 - 2.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities.

OTHER MATERIAL NOTES:

POLYMERIC MDI (PMDI)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-26		
%: 100.00	GS: LT-UNK	RC: None NANO: No ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		

SUBSTANCE NOTES:

EPI GLUE %: 1.00 - 2.00

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities.

OTHER MATERIAL NOTES: Emulsion Polymer Isocyanate (EPI) glue used to bind together the layers of wood in engineered flooring.

WATER HAZARD SCREENING METHOD: F	ID: 558440-2: HAZARD SCREENING DATE: 2019-10-26			
%: 30.00 - 80.00	GS: BM-4	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found on	HPD Priority Hazard List

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-26		
: 10.00 - 20.00	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		

LIMESTONE, CALCIUM CARBONATE				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-26		
%: 10.00 - 30.00	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found on	HPD Priority Hazard Lists
SUBSTANCE NOTES:				

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Factory CERTIFICATE URL:	ISSUE DATE: 2019- 06-10	EXPIRY DATE: 2020- 06-10	CERTIFIER OR LAB: SCS
CERTIFICATION AND COMPLIANCE NOTES:			
SUSTAINABLE FORESTRY	FSC Certification - Chain of Custody (COC)		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Factory, Distribution facilities CERTIFICATE URL:	ISSUE DATE: 2019- 04-16	EXPIRY DATE: 2024- 04-10	CERTIFIER OR LAB: Advanced Certification Solutions



Section 4: Accessories

CERTIFICATION AND COMPLIANCE NOTES:

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Galleher

ADDRESS: 9303 Greenleaf Ave.

Santa Fe Springs CA 90670, United States

WEBSITE: www.monarchplank.com

CONTACT NAME: Jason Grant

TITLE: Environmental Compliance Manager

PHONE: **7075365983**

EMAIL: jgrant@galleher.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.