

CLASSIFICATION: 09 64 33 Laminated Wood Flooring

created via: HPDC Online Builder

PRODUCT DESCRIPTION: 3/4" unfinished 3-ply engineered wood flooring. 6mm European Oak hardwood wear layer, lumber core and back veneer. Wood layers glued together with an EPI adhesive with hardener. Wear layer thickness, core thickness and overall product thickness vary, but the composition does not.

**Section 1: Summary**

**Nested Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold Disclosed Per**

- Material
- Product

**Threshold level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

**Residuals/Impurities**

Residuals/Impurities Considered in 5 of 5 Materials

**Explanation(s) provided for Residuals/Impurities?**

- Yes
- No

*Are All Substances Above the Threshold Indicated:*

**Characterized**

*Percent Weight and Role Provided?*

- Yes
- No

**Screened**

*Using Priority Hazard Lists with Results Disclosed?*

- Yes
- No

**Identified**

*Name and Identifier Provided?*

- Yes
- No

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1  
 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-UNK  
 Nanomaterial..... No

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | HAZARD TYPE

HARDWOOD CORE - EUROPEAN OAK [ EUROPEAN OAK UNK ]  
 HARDWOOD WEAR LAYER - EUROPEAN OAK [ EUROPEAN OAK UNK ]  
 HARDWOOD BACK LAYER - EUROPEAN OAK [ EUROPEAN OAK UNK ] EPI  
 GLUE [ WATER BM-4 ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK  
 LIMESTONE; CALCIUM CARBONATE LT-UNK ] HARDENER FOR EPI GLUE [ POLYMERIC MDI (PMDI) LT-UNK | RES | MUL | CAN ]

**INVENTORY AND SCREENING NOTES:**

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: FloorScore  
 Sustainable forestry: Forest Stewardship Council

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-03-31

PUBLISHED DATE: 2017-08-25

EXPIRY DATE: 2020-03-31

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### HARDWOOD CORE - EUROPEAN OAK

#: 56.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities.

OTHER MATERIAL NOTES: This is the natural wood core (middle layer) of the engineered flooring.

#### EUROPEAN OAK

ID: Not registered

#: 100.0000

GS: UNK

RC: None

NANO: No

ROLE: Platform

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### HARDWOOD WEAR LAYER - EUROPEAN OAK

#: 31.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities.

OTHER MATERIAL NOTES: This is the natural wood used in the wear layer (the top, visible layer) of the engineered wood flooring.

#### EUROPEAN OAK

ID: Not registered

#: 100.0000

GS: UNK

RC: None

NANO: No

ROLE: Wear layer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### HARDWOOD BACK LAYER - EUROPEAN OAK

#: 10.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities.

OTHER MATERIAL NOTES: This is the natural wood used in the back (bottom) layer of the engineered wood flooring.

### EUROPEAN OAK

ID: **Not registered**

#: **100.0000** GS: **UNK** RC: **None** NANO: **No** ROLE: **Platform**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### EPI GLUE

#: **1.0000 - 2.0000**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities.

OTHER MATERIAL NOTES: Emulsion Polymer Isocyanate (EPI) glue used to bind together the layers of wood in engineered flooring.

### WATER

ID: **7732-18-5**

#: **30.0000 - 80.0000** GS: **BM-4** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: **24937-78-8**

#: **10.0000 - 30.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### LIMESTONE; CALCIUM CARBONATE

ID: **1317-65-3**

#: **10.0000 - 30.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities.

OTHER MATERIAL NOTES:

POLYMERIC MDI (PMDI)

ID: 9016-87-9

%: 100.0000 GS: LT-UNK RC: None NANO: No ROLE: Binder

Table with 3 columns: HAZARDS, AGENCY(IES) WITH WARNINGS, and details. Rows include Respiratory, Restricted List, Cancer, and Sensitizing Substance.

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Table for VOC EMISSIONS and FloorScore. Includes certifying party, applicable facilities, issue/expiry dates, and certifier/lab information.

Table for SUSTAINABLE FORESTRY and Forest Stewardship Council. Includes certifying party, applicable facilities, issue/expiry dates, and certifier/lab information.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

## Section 6: References

### MANUFACTURER INFORMATION

MANUFACTURER: **Galleher**  
ADDRESS: **9303 Greenleaf Ave.**  
**Santa Fe Springs CA 90670, United States**  
WEBSITE: **www.monarchplank.com**

CONTACT NAME: **Jason Grant**  
TITLE: **Environmental Compliance Manager**  
PHONE: **7075365983**  
EMAIL: **jgrant@galleher.com**

### KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

## Other Terms

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

---

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*