

CLASSIFICATION: 09 64 33 Laminated Wood Flooring

PRODUCT DESCRIPTION: 1/2" x 5" prefinished engineered wood flooring. 2mm thick hardwood wear layer (Red Oak, White Oak, Maple, Walnut or Hickory) on a 10.7mm thick Eucalyptus plywood platform. UV urethane finish with aluminum oxide. Wear layer glued to plywood with EPI adhesive. Plywood veneers glued together with phenol-formaldehyde adhesive.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

Residuals/Impurities
Considered in 5 of 5 Materials

Explanation(s) provided
for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PLYWOOD PLATFORM - EUCALYPTUS [EUCALYPTUS (EUCALYPTUS) NoGS] WEAR LAYER - HICKORY, MAPLE, RED OAK, WALNUT, WHITE OAK [HICKORY, MAPLE, RED OAK, WALNUT OR WHITE OAK NoGS] UV URETHANE FINISH, BASE COAT AND TOP COAT [NONHAZARDOUS ACRYLATE POLYMERS NoGS 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL TRIPROPYL GLYCOL DIACRYLATE NoGS METHYL BENZOYLFORMATE (METHYL BENZOYLFORMATE) LT-UNK BENZOPHENONE LT-1 | CAN | END] MELAMINE UREA FORMALDEHYDE GLUE [WATER BM-4 UREA (UREA) LT-UNK FORMALDEHYDE LT-1 | RES | CAN | MAM | SKI | GEN | MUL | END MELAMINE (MELAMINE) LT-P1 | CAN | END POLY(VINYL ALCOHOL) (POLY(VINYL ALCOHOL)) LT-UNK FORMIC ACID (FORMIC ACID) BM-2 | SKI SODIUM HYDROXIDE (SODIUM HYDROXIDE) LT-P1 | SKI | PHY METHANOL (METHANOL) BM-1 | MAM | DEL | PHY | END | MUL | REP] ETHYLENE VINYL ACETATE GLUE [WATER BM-4 ETHYLENE VINYL ACETATE POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA)) LT-UNK CALCIUM CARBONATE BM-3 ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL (ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL) LT-UNK VINYL ACETATE (VINYL ACETATE) LT-P1 | CAN | PHY | END | MUL | MAM | GEN]

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC content: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

PREPARER: Self-Prepared

VERIFIER:

SCREENING DATE: 2018-03-30

PUBLISHED DATE: 2018-05-03



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

PLYWOOD PLATFORM - EUCALYPTUS

#: 82.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities

OTHER MATERIAL NOTES:

EUCALYPTUS (EUCALYPTUS)

ID: Not registered

#: 100.0000

GS: NoGS

RC: None

NANO: No

ROLE: Platform

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

WEAR LAYER - HICKORY, MAPLE, RED OAK, WALNUT, WHITE OAK

#: 12.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities

OTHER MATERIAL NOTES:

HICKORY, MAPLE, RED OAK, WALNUT OR WHITE OAK

ID: HICKORY, MAPLE, RED OAK, WALNUT or WHITE OAK

#: 100.0000

GS: NoGS

RC: None

NANO: No

ROLE: Wear layer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

UV URETHANE FINISH, BASE COAT AND TOP COAT

#: 2.0000 - 5.0000

HPD URL:

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES:

NONHAZARDOUS ACRYLATE POLYMERS

ID: **Undisclosed**

#: **7.0000 - 70.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Finish**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present.

1,6-HEXANEDIOL DIACRYLATE

ID: **13048-33-4**

#: **4.0000 - 40.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Finish**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

TRIPROPYL GLYCOL DIACRYLATE

ID: **47978-66-5**

#: **1.0000 - 10.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Finish**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

METHYL BENZOYLFORMATE (METHYL BENZOYLFORMATE)

ID: **15206-55-0**

#: **1.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Finish**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

BENZOPHENONE

ID: **119-61-9**

?: **1.0000 - 5.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Finish**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 2b - Possibly carcinogenic to humans

CANCER

CA EPA - Prop 65

Carcinogen

ENDOCRINE

ChemSec - SIN List

Endocrine Disruption

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES:

MELAMINE UREA FORMALDEHYDE GLUE

?: **1.0000 - 2.0000**

HPD URL:

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **No known residuals and impurities**

OTHER MATERIAL NOTES:

WATER

ID: **7732-18-5**

?: **40.0000 - 50.0000**

GS: **BM-4**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

UREA (UREA)

ID: **57-13-6**

?: **25.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

FORMALDEHYDE

ID: **50-00-0**

%: 19.0000

GS: LT-1

RC: None

NANO: No

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY	AOEC - Asthmagens	Asthmagens (G) - generally accepted
CANCER	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES:

MELAMINE (MELAMINE)

ID: 108-78-1

%: 16.0000

GS: LT-P1

RC: None

NANO: No

ROLE: Binder

HAZARDS: AGENCY(IES) WITH WARNINGS:

CANCER IARC Group 2b - Possibly carcinogenic to humans

ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES:

POLY(VINYL ALCOHOL) (POLY(VINYL ALCOHOL))

ID: 9002-89-5

#: 0.0010 - 0.1000 GS: LT-UNK RC: None NANO: No ROLE: Binder

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES:

FORMIC ACID (FORMIC ACID)

ID: 64-18-6

#: 0.0010 - 0.1000 GS: BM-2 RC: None NANO: No ROLE: Binder

HAZARDS: AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION EU - R-phrases R35 - Causes severe burns

SKIN IRRITATION EU - GHS (H-Statements) H314 - Causes severe skin burns and eye damage

SUBSTANCE NOTES:

SODIUM HYDROXIDE (SODIUM HYDROXIDE)

ID: 1310-73-2

#: 0.0010 - 0.1000 GS: LT-P1 RC: None NANO: No ROLE: Binder

HAZARDS: AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION EU - R-phrases R35 - Causes severe burns

SKIN IRRITATION EU - GHS (H-Statements) H314 - Causes severe skin burns and eye damage

PHYSICAL HAZARD (REACTIVE) Korea - GHS H290: May be corrosive to metals

SUBSTANCE NOTES:

METHANOL (METHANOL)

ID: 67-56-1

#: 0.0010 - 0.1000 GS: BM-1 RC: None NANO: No ROLE: Binder

HAZARDS: AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - R-phrases	R23 - Toxic by Inhalation (gas, vapour, dust/mist)
MAMMALIAN	EU - R-phrases	R24 - Toxic in Contact with Skin
MAMMALIAN	EU - R-phrases	R25 - Toxic if Swallowed
ORGAN TOXICANT	EU - R-phrases	R39 - Danger of very serious irreversible effects
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ORGAN TOXICANT	EU - GHS (H-Statements)	H370 - Causes damage to organs
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES:

ETHYLENE VINYL ACETATE GLUE

%: 1.0000 - 2.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES:

WATER

ID: 7732-18-5

%: 48.0000 - 52.0000

GS: BM-4

RC: None

NANO: No

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ETHYLENE VINYL ACETATE POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA))

ID: 24937-78-8

%: 22.0000 - 26.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

CALCIUM CARBONATE

ID: 471-34-1

#: **18.0000 - 22.0000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL (ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL)

ID: 25213-24-5

#: **4.0000 - 8.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

VINYL ACETATE (VINYL ACETATE)

ID: 108-05-4

#: **0.0100 - 0.5000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER IARC Group 2b - Possibly carcinogenic to humans

PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H225 - Highly flammable liquid and vapour

CANCER EU - GHS (H-Statements) H351 - Suspected of causing cancer

ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

CANCER MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

MAMMALIAN US EPA - EPCRA Extremely Hazardous Substances Extremely Hazardous Substances

GENE MUTATION New Zealand - GHS 6.6A - Known or presumed human mutagens

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

RFCI FloorScore

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2017-**

EXPIRY DATE:

CERTIFIER OR LAB: **Scientific**

APPLICABLE FACILITIES: **Factory**

10-14

Certification Systems

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: **Galleher**

ADDRESS: **9303 Greenleaf Ave.**

Santa Fe Springs CA 90670, United States

WEBSITE: **9303 Greenleaf Ave.**

CONTACT NAME: **Jason Grant**

TITLE: **Environmental Compliance Manager**

PHONE: **7075365983**

EMAIL: **jgrant@galleher.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.