

# Reward Hardwood Flooring - Old Mill Collection by Galleher

# Health Product Declaration v2.1

CLASSIFICATION: 09 64 33 Laminated Wood Flooring

created via: HPDC Online Builder

PRODUCT DESCRIPTION: 9/16" prefinished engineered wood flooring. 3mm thick European Oak hardwood wear layer on an 11 mm Russian Birch plywood platform. UV urethane finish with aluminum oxide. Wear layer glued to plywood with PMDI adhesive. Plywood veneers glued together with phenol-formaldehyde adhesive.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities Considered in 5 of 5 Materials

#### Explanation(s) provided for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

#### Characterized

Percent Weight and Role Provided?

- Yes  No

#### Screened

Using Priority Hazard Lists with Results Disclosed?

- Yes  No

#### Identified

Name and Identifier Provided?

- Yes  No

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | HAZARD TYPE

PLYWOOD PLATFORM - BALTIC BIRCH [ BALTIC BIRCH **NoGS** ] WEAR LAYER - EUROPEAN OAK [ EUROPEAN OAK **NoGS** ] UV URETHANE FINISH, BASE COAT AND TOP COAT [ NONHAZARDOUS ACRYLATE POLYMERS **NoGS** 1,6-HEXANEDIOL DIACRYLATE (1,6-HEXANEDIOL DIACRYLATE) **LT-P1** | EYE | SKI | MUL TRIPROPYL GLYCOL DIACRYLATE **NoGS** METHYL BENZOYLFORMATE (METHYL BENZOYLFORMATE) **LT-UNK** BENZOPHENONE (BENZOPHENONE) **LT-1** | CAN | END ] PHENOLFORMALDEHYDE GLUE [ PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE) **LT-P1** | RES SODIUM HYDROXIDE (SODIUM HYDROXIDE) **LT-P1** | SKI | PHY ] PMDI GLUE [ POLYMERIC MDI (PMDI) (POLYMERIC MDI (PMDI)) **LT-UNK** | RES | MUL | CAN METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) (METHYLENE BISPHENYL DIISOCYANATE (PURE MDI)) **LT-UNK** | MAM | EYE | SKI | CAN | RES | MUL ]

Number of Greenscreen BM-4/BM3 contents..... 0  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

### INVENTORY AND SCREENING NOTES:

The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present. Any hazards associated with the chemicals used in the manufacture of this wood flooring's finish are only present when the finish is in a wet state (i.e. when it is being applied at the factory). Through the UV curing process, the chemicals are altered and become inert such that there is no exposure to the user. Any formaldehyde used in this wood flooring's adhesive system emits at extremely low levels and meets the stringent limits set

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC content: RFCI FloorScore

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-08-08

PUBLISHED DATE: 2017-08-26

EXPIRY DATE: 2020-08-08

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### PLYWOOD PLATFORM - BALTIC BIRCH

#: 84.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities

OTHER MATERIAL NOTES:

#### BALTIC BIRCH

ID: **Undisclosed**

#: **100.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Wear layer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### WEAR LAYER - EUROPEAN OAK

#: 14.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Natural wood - no residuals and impurities

OTHER MATERIAL NOTES:

#### EUROPEAN OAK

ID: **Undisclosed**

#: **100.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Wear layer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Natural wood.

### UV URETHANE FINISH, BASE COAT AND TOP COAT

#: 2.0000 - 5.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

OTHER MATERIAL NOTES:

**NONHAZARDOUS ACRYLATE POLYMERS**ID: **Undisclosed**

#: <b>7.0000 - 70.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Finish</b>
----------------------------	-----------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The Acrylate Polymers used in our wood flooring finish cannot currently be screened and are considered Special Condition Materials by HPDC. There isn't a single CAS number registered for Acrylate Polymers and neither a GreenScreen score nor associated hazards data for screening is available in the HPD Builder. However, we have confidence that the Acrylate Polymers used are nonhazardous because the finish manufacturer is located in Europe and is subject to the EU REACH regulation which requires that the European Chemicals Agency be notified of the presence of all chemical Substances of Very High Concern. No SVHCs have been reported because none are present.

**1,6-HEXANEDIOL DIACRYLATE (1,6-HEXANEDIOL DIACRYLATE)**ID: **13048-33-4**

#: <b>4.0000 - 40.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Finish</b>
----------------------------	------------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

SKIN IRRITATION

EU - R-phrases

R38 - Irritating to skin

SKIN SENSITIZE

EU - R-phrases

R43 - May cause sensitization by skin contact

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

**TRIPROPYL GLYCOL DIACRYLATE**ID: **47978-66-5**

#: <b>1.0000 - 10.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Finish</b>
----------------------------	-----------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**METHYL BENZOYLFORMATE (METHYL BENZOYLFORMATE)**ID: **15206-55-0**

#: <b>1.0000 - 5.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Finish</b>
---------------------------	-------------------	-----------------	-----------------	---------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### BENZOPHENONE (BENZOPHENONE)

ID: 119-61-9

#: **1.0000 - 5.0000**      GS: **LT-1**      RC: **None**      NANO: **No**      ROLE: **Finish**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
CANCER	IARC      Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65      Carcinogen
ENDOCRINE	ChemSec - SIN List      Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors      Potential Endocrine Disruptor

SUBSTANCE NOTES:

### PHENOLFORMALDEHYDE GLUE

#: **1.0000 - 2.0000**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES: Adhesive used to laminate wood veneers into plywood

### PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE)

ID: 9003-35-4

#: **90.0000 - 97.0000**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **Binder**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
RESPIRATORY	AOEC - Asthmagens      Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Adhesive used to laminate wood veneers into plywood

### SODIUM HYDROXIDE (SODIUM HYDROXIDE)

ID: 1310-73-2

#: **2.5000 - 10.0000**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **Binder**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
SKIN IRRITATION	EU - R-phrases      R35 - Causes severe burns
SKIN IRRITATION	EU - GHS (H-Statements)      H314 - Causes severe skin burns and eye damage
PHYSICAL HAZARD (REACTIVE)	Korea - GHS      H290: May be corrosive to metals

SUBSTANCE NOTES:

**PMDI GLUE**

**%: 1.0000 - 2.0000**

**HPD URL:**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities

OTHER MATERIAL NOTES: This is the adhesive used to glue the wear layer to the plywood platform.

**POLYMERIC MDI (PMDI) (POLYMERIC MDI (PMDI))**

ID: **9016-87-9**

**%: 50.0000 - 60.0000**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **Binder**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES:

**METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) (METHYLENE BISPHENYL DIISOCYANATE (PURE MDI))**

ID: **101-68-8**

**%: 40.0000 - 50.0000**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **Binder**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects
RESPIRATORY	EU - R-phrases	R42 - May cause sensitization by inhalation
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
ORGAN TOXICANT	EU - R-phrases	R48: Danger of serious damage to health by prolonged exposure.
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published

SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES:

### Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

#### VOC CONTENT

#### RFCI FloorScore

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2016-12-28**      EXPIRY DATE:      CERTIFIER OR LAB: **Scientific Certification Systems**  
 APPLICABLE FACILITIES: **Manufacturing facilities**  
 CERTIFICATE URL:  
 CERTIFICATION AND COMPLIANCE NOTES:

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes

## MANUFACTURER INFORMATION

MANUFACTURER: **Galleher**  
ADDRESS: **9303 Greenleaf Ave.**  
**Santa Fe Springs CA 90670, United States**  
WEBSITE: **www.rewardhardwood.com**

CONTACT NAME: **Jason Grant**  
TITLE: **Environmental Compliance Manager**  
PHONE: **7075365983**  
EMAIL: **jgrant@galleher.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available,*

full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.