

# FINE 4000 CORE-FILL GROUT by Package Pavement - Spec Mix

CLASSIFICATION: 04 05 16 MASONRY GROUTING

created via: HPDC Online Builder

PRODUCT DESCRIPTION: PRODUCT DESCRIPTION: SPEC MIX® FINE 4000 CORE FILL GROUT IS USED TO FILL CELLS OF CONCRETE MASONRY UNITS AND HORIZONTAL BOND BEAMS AS WELL AS THE CAVITIES OF COMPOSITE MASONRY CONSTRUCTION. OUR FINE 4000 GROUT, SOLD UNDER THE SPEC MIX AND PACKAGE PAVEMENT BRANDS, IS A DRY, PRE-BLENDED PRODUCT CONTAINING PORTLAND CEMENT AND DRIED FINE AGGREGATES FORMULATED FOR SUPERIOR FLOW TO FILL MASONRY VOIDS AND PROVIDE OPTIMAL COMPRESSIVE STRENGTH WHILE MEETING ASTM C-476 PROPERTY REQUIREMENTS FOR REINFORCED MASONRY CONSTRUCTION (ASTM C-476 SECTION 4.2.1.2).

### Section 1: Summary

### Basic Method / Product Threshold

#### CONTENT INVENTORY

##### Inventory Reporting Format

- Nested Materials Method
- Basic Method

##### Threshold Disclosed Per

- Material
- Product

##### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

##### Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

**Characterized**  
Percent Weight and Role Provided?  Yes  No

**Screened**  
Using Priority Hazard Lists with Results Disclosed?  Yes  No

**Identified**  
Name and Identifier Provided?  Yes  No

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | **RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE** | **HAZARD TYPE**

FINE 4000 CORE-FILL GROUT [ QUARTZ (QUARTZ (SAND)) **LT-1** | CAN  
PORTLAND CEMENT (PORTLAND CEMENT) **LT-P1** | END | CAN  
TRICALCIUM SILICATE (TRICALCIUM SILICATE (PORTLAND CEMENT  
INGREDIENT)) **LT-UNK** DICALCIUM SILICATE (DICALCIUM SILICATE  
(PORTLAND CEMENT INGREDIENT)) **LT-UNK** CALCIUM ALUMINATE  
(CALCIUM ALUMINATE (PORTLAND CEMENT INGREDIENT)) **LT-UNK**  
LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE  
(PORTLAND CEMENT INGREDIENT)) **LT-UNK** GYPSUM (GYPSUM  
(PORTLAND CEMENT INGREDIENT)) **LT-UNK** ]

Number of Greenscreen BM-4/BM3 contents..... 0  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

#### INVENTORY AND SCREENING NOTES:

Please note that the BM-1 warning, (LT-1) that is applied to Quartz Sand used in all ASTM C-476 conforming products, applies to the quartz dust which may be present prior to the products chemical reaction when not activated by the addition of water. This warning and all safety precautions and the use of protective gear and devices must be observed when handling, during activation of this product with water or when aggravated during (including but not limited to, cutting, drilling, chipping, crushing or milling.) Once this grout has been thoroughly mixed with water the primary risk of silica dust is diffused, as is the case with other quartz products, like counter-tops, or windows.

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

#### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

No certifications have been added to this HPD.

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-10-17

PUBLISHED DATE: 2017-10-20

EXPIRY DATE: 2020-10-17

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### FINE 4000 CORE-FILL GROUT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: The product is composed of a blend of Fine Aggregate in the form of an ASTM-C404 sand and C150 compliant Portland Cement Type I/II. The residuals/impurities are considered when over 1000 ppm, and if applicable would be listed as an ingredient on the form below. All efforts are made to include the average manufacturing specifications needed to generate a compliant product. The slight variation in percentages listed is to account for the adjustments needed by our suppliers in the manufacture of the product, in the form of Fine Aggregate or Portland Cement.

OTHER PRODUCT NOTES: This product is a pre-blended grout made with Portland Cement and Fine Aggregate.

#### QUARTZ (QUARTZ (SAND))

ID: 14808-60-7

%: 70.0000 - 75.0000	GS: LT-1	RC: None	NANO: No	ROLE: FINE AGGREGATE
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens			Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens			Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK			Carcinogen Group 1 - Substances that cause cancer in man
CANCER	CA EPA - Prop 65			Carcinogen - specific to chemical form or exposure route
CANCER	IARC			Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	New Zealand - GHS			6.7A - Known or presumed human carcinogens
CANCER	Australia - GHS			H350 - May cause cancer

SUBSTANCE NOTES: The risk level assessment is associated with dust exposure during mixing of the pre-blended product with water or demolition of the dried in place cured product.

#### PORTLAND CEMENT (PORTLAND CEMENT)

ID: 65997-15-1

%: 25.0000 - 30.0000	GS: LT-P1	RC: PreC	NANO: No	ROLE: CEMENT BINDER
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Disruptors			Potential Endocrine Disruptor
CANCER	MAK			Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Proper safety gear and protection must be worn during handling, mixing and application. Portland Cement can cause serious chemical burns to skin, eyes, and lungs. Proper safety gear and protection must be worn during handling, mixing and application.

**TRICALCIUM SILICATE (TRICALCIUM SILICATE (PORTLAND CEMENT INGREDIENT))**

ID: 12168-85-3

#: **14.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **PORTLAND CEMENT - INGREDIENT**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: INGREDIENT IN PORTLAND CEMENT

**DICALCIUM SILICATE (DICALCIUM SILICATE (PORTLAND CEMENT INGREDIENT))**

ID: 10034-77-2

#: **5.0000 - 6.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **PORTLAND CEMENT - INGREDIENT**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: INGREDIENT IN PORTLAND CEMENT

**CALCIUM ALUMINATE (CALCIUM ALUMINATE (PORTLAND CEMENT INGREDIENT))**

ID: 12042-78-3

#: **2.5000 - 3.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **PORTLAND CEMENT - INGREDIENT**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: INGREDIENT IN PORTLAND CEMENT

**LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE (PORTLAND CEMENT INGREDIENT))**

ID: 1317-65-3

#: **1.5000 - 2.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **PORTLAND CEMENT - INGREDIENT**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: INGREDIENT IN PORTLAND CEMENT

**GYPSUM (GYPSUM (PORTLAND CEMENT INGREDIENT))**

ID: 13397-24-5

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: **INGREDIENT IN PORTLAND CEMENT**

### Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

#### **POTABLE WATER**

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Add the dry Core Fill Grout material to enough clean, potable water to obtain a flowable 8 in to 11 in (200 mm to 275 mm) slump complying with ASTM C 476 and local building codes.

### Section 5: General Notes

Our Fine 4000 Core-Fill Grout is crafted to meet or exceed the property specifications of ASTM C-476 (Section 4.2.1.2). With the natural variations found in mined raw materials, including color, gradation and overall composition, we have listed the ingredients according to the information provided by our suppliers and using Prior to use, the user must be made aware of the risks of silica dust, and the chemical risks associated with exposure of Portland cement and lime, which can cause serious damage to skin, eyes and lungs. Proper safety gear must be used, including waterproof safety gloves and work boots, an ANSI approved dust mask and eye protection and long sleeve shirt to avoid exposure.

### Section 6: References

#### **MANUFACTURER INFORMATION**

MANUFACTURER: **Package Pavement - Spec Mix**  
 ADDRESS: **675 LEETOWN ROAD**  
**P.O. Box 408**

CONTACT NAME: **John J Doherty**  
 TITLE: **VP Communications**  
 PHONE: **8007248193**

**KEY**

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

**Recycled Types**

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms**

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*