

Terroxy Industrial Coating Part A by Terrazzo and Marble Supply

Health Product Declaration v2.0

CLASSIFICATION: 09 67 23 RESINOUS FLOORING

created via: HPDC Online Builder

PRODUCT DESCRIPTION: PART A OF TERROXY INDUSTRIAL COATING IS A TWO-COMPONENT, RE-COATABLE EPOXY AND BINDER RESIN. IT MAY BE USED DIRECTLY OVER PRIMED SUBSTRATES. INDUSTRIAL COATING SELF-LEVELING EPOXY IS EXTREMELY HARD WEARING, CHEMICAL RESISTANT, IMPACT AND ABRASION RESISTANT. TERROXY INDUSTRIAL COATING IS AVAILABLE VARIETY OF STANDARD INDUSTRIAL COLORS.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 1 of 1 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

| | | |
|---------------------------------------------------------------------------------|----------------------------------|----------------------------------|
| Characterized..... | <input type="radio"/> | <input checked="" type="radio"/> |
| Are the Percent Weight and Role provided for all substances? | Yes | No |
| Screened..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are all substances screened using Priority Hazard Lists with results disclosed? | Yes | No |
| Identified..... | <input checked="" type="radio"/> | <input type="radio"/> |
| Are all substances disclosed by Name (Specific or Generic) and Identifier? | Yes | No |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

TERROXY INDUSTRIAL COATING PART A [EPICHLOROHYDRIN-BISPHENOL A RESIN **LT-P1** | EYE | SKI | AQU | MUL BARIUM SULFATE **BM-2** | CAN SOLID / PLATE GLASS **LT-UNK** | OXIRANE, 2-((2-METHYLPHENOXY)METHYL)- **LT-P1** | SKI | AQU | GEN | MUL TALC **BM-3** | CAN QUARTZ **LT-1** | CAN ALKYL (C12, C14) GLYCIDYL ETHER **LT-P1** | SKI | MUL]

Number of Greenscreen BM-4/BM3 contents..... 1
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: No

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

| | | | |
|--------------------------------------------------|-----------------|--------------------------------|----------------------------------------------------------------|
| <input checked="" type="radio"/> Self-Published* | VERIFIER: | SCREENING DATE: April 13, 2017 | EXPIRY DATE*: April 13, 2020 |
| <input type="radio"/> Third Party Verified | VERIFICATION #: | RELEASE DATE: April 13, 2017 | * or within 3 months of significant change in product contents |
| *See HPDC website for details | | | |



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

TERROXY INDUSTRIAL COATING PART A %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: Yes

Material Notes:

EPICHLOROHYDRIN-BISPHENOL A RESIN

ID: 25068-38-6

%: 44.8000 - 55.6000

GS: LT-P1

RC: None

NANO: NO

ROLE:

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

SKIN IRRITATION

EU - R-phrases

R38 - Irritating to skin

SKIN SENSITIZE

EU - R-phrases

R43 - May cause sensitization by skin contact

ACUTE AQUATIC

EU - R-phrases

R51 - Toxic to Aquatic Organisms

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

BARIUM SULFATE

ID: 7727-43-7

%: 15.6000 - 19.3000

GS: BM-2

RC: None

NANO: NO

ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES:

SOLID / PLATE GLASS

ID: 65997-17-3

%: 5.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

OXIRANE, 2-((2-METHYLPHENOXY)METHYL)-

ID: 2210-79-9

%: 4.7000 - 5.9000

GS: LT-P1

RC: None

NANO: NO

ROLE: Diluent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION

EU - R-phrases

R38 - Irritating to skin

SKIN SENSITIZE

EU - R-phrases

R43 - May cause sensitization by skin contact

ACUTE AQUATIC

EU - R-phrases

R51 - Toxic to Aquatic Organisms

GENE MUTATION

EU - R-phrases

R68 - May cause irreversible effects

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

GENE MUTATION

EU - GHS (H-Statements)

H341 - Suspected of causing genetic defects

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

TALC

ID: 14807-96-6

%: 3.2000 - 4.0000

GS: BM-3

RC: None

NANO: NO

ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

%: 3.2000 - 4.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

| | | |
|--------|-----------------------------------|------------------------------------------------------------------------------|
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CANCER | IARC | Group 1: Agent is carcinogenic to humans - inhaled from occupational sources |
| CANCER | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CANCER | MAK | Carcinogen Group 1 - Substances that cause cancer in man |

SUBSTANCE NOTES:

ALKYL (C12, C14) GLYCIDYL ETHER

ID: 68609-97-2

%: 1.2000 - 2.0000

GS: LT-P1

RC: None

NANO: NO

ROLE: Diluent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

| | | |
|-----------------|---------------------------------------------|-----------------------------------------------|
| SKIN IRRITATION | EU - R-phrases | R38 - Irritating to skin |
| SKIN SENSITIZE | EU - R-phrases | R43 - May cause sensitization by skin contact |
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - Causes skin irritation |
| SKIN SENSITIZE | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Terrazzo and Marble Supply

CONTACT NAME: Erik Wachholder

ADDRESS: 3555 West 123rd
Alsip, Illinois 60803
United States

TITLE: Chemist

PHONE: 7083856633

WEBSITE: www.tmsupply.com

EMAIL: EWACHHOLDER@TMSUPPLY.COM

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.