Non-Vinyl Wallcovering by Roysons Corporation

CLASSIFICATION: 09 72 00 Finishes: Wall Coverings PRODUCT DESCRIPTION: Terralon

Health Product Declaration v2.1.1

created via: HPDC Online Builder

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method
 Basic Method

Threshold Disclosed Per

C Material

Product

Threshold level C 100 ppm C 1,000 ppm Per GHS SDS C Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 4 Materials

Explanation(s) provided for Residuals/Impurities? • Yes • No All Substances Above the Threshold Indicated Are:

Characterized	○ Yes Ex/SC
% weight and role pro	ovided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

NON-WOVEN BASE [CELLULOSE PULP (CELLULOSE PULP) NoGS (POLYETHYLENE-ACRYLIC ACID) COPOLYMER ((POLYETHYLENE-ACRYLIC ACID) COPOLYMER) LT-UNK POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET)) LT-UNK] WOVEN BACKING [POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) (POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)) LT-UNK] ADHESIVE [ETHYLENE VINYL ACETATE POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA)) LT-UNK WATER (WATER) BM-4] TOPCOAT [WATER (WATER) BM-4 PROPYLENE GLYCOL (PROPYLENE GLYCOL) BM-2 | END]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK Nanomaterial ... No INVENTORY AND SCREENING NOTES:

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-02-17 PUBLISHED DATE: 2020-02-17 EXPIRY DATE: 2023-02-17 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

NON-WOVEN BASE

%: 50.00 - 75.00

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Cellulose, Polyester and Acrylic Binder

OTHER MATERIAL NOTES:

CELLULOSE PULP (CELLU					
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-	02-17	
%: 45.00 - 55.00	GS: NOGS	RC: None	NANO: NO	ROLE: Wet	Laid Fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	ound on HPD P	riority Hazard Lists
SUBSTANCE NOTES:					
(POLYETHYLENE-ACRYLI COPOLYMER)	IC ACID) COPOLYMER ((POLYETHYLENE-/	ACRYLIC ACID)			id: 9010-77- \$
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library		HAZARD SCRE	ENING DATE: 202	20-02-17
%: 30.00 - 35.00	GS: LT-UNK		RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	ound on HPD P	riority Hazard Lists
	THALATE (PET) (POLYETHYLENE TEREPH	ITHALATE			ID: 25038-59- 1
POLYETHYLENE TEREPH (PET))	THALATE (PET) (POLYETHYLENE TEREPH haros Chemical and Materials Library		D SCREENING DATI	≝ 2020-02-17	id: 25038-59- 5
POLYETHYLENE TEREPH (PET))					
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZAR			
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: PR %: 10.00 - 20.00	haros Chemical and Materials Library	hazar rc: N 4	DNE NANO: I	No role: N	
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: Pr %: 10.00 - 20.00 HAZARD TYPE	haros Chemical and Materials Library	hazar rc: N 4	DNE NANO: I	No role: N	Net Laid Fiber
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: Pr %: 10.00 - 20.00 HAZARD TYPE None found	haros Chemical and Materials Library	hazar rc: N 4	DNE NANO: I	No role: N	Net Laid Fiber
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: Pr %: 10.00 - 20.00 HAZARD TYPE None found	haros Chemical and Materials Library	hazar rc: N 4	DNE NANO: I	No role: N	Net Laid Fiber
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: Pr %: 10.00 - 20.00 HAZARD TYPE None found	haros Chemical and Materials Library	hazar rc: N 4	DNE NANO: I	No role: N	Net Laid Fiber
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: Pr %: 10.00 - 20.00 HAZARD TYPE None found	haros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	hazar rc: N 4	DNE NANO: I	No role: N	Net Laid Fiber
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: Pr %: 10.00 - 20.00 HAZARD TYPE None found SUBSTANCE NOTES:	haros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	HAZAR RC: No WARNINGS	DNE NANO: I	No ROLE: N	Wet Laid Fiber
POLYETHYLENE TEREPH (PET)) HAZARD SCREENING METHOD: Pr 10.00 - 20.00 HAZARD TYPE None found SUBSTANCE NOTES: OVEN BACKING OVEN BACKING	haros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	HAZAR RC: No WARNINGS 25.00 - 35.00	DNE NANO: I	No ROLE: N	Net Laid Fiber

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD S	TE: 2020-02-17	
%: 100.00 - 100.00	GS: LT-UNK		RC: None	NANO: No	ROLE: Backing Fiber
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	und on HPD	Priority Hazard List
SUBSTANCE NOTES:					
DHESIVE		%: 10.00 - 15.00			
ODUCT THRESHOLD: Per GH	S SDS	RESIDUALS AND IMPURITIES	CONSIDERED: N	0	
SIDUALS AND IMPURITIES NOTE	s: Co-polymer of Vinyl Acetate a	nd Ethylene			
HER MATERIAL NOTES:					
ETHYLENE VINYL ACETAT (EVA))	E POLYMER (EVA) (ETHYLENE VINYI	ACETATE POLYMER			id: 24937-7 8
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library		HAZARD SCREENII	NG DATE: 202	20-02-17
%: 40.00 - 60.00	GS: LT-UNK		RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	und on HPD	Priority Hazard List
SUBSTANCE NOTES:					
WATER (WATER)					ID: 7732-1 8
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCF	REENING DATE: 202	20-02-17	
%: 40.00 - 60.00	GS: BM-4	RC: None	NANO: N	D R	OLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	und on HPD	Priority Hazard List
SUBSTANCE NOTES:					

RESIDUALS AND IMPURITIES NOTES: Polyethylene Glycol water based topcoat

OTHER MATERIAL NOTES:

WATER (WATER)				ID: 7732-18-5
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-02-	17
%: 95.00 - 99.00	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found or	HPD Priority Hazard Lists
SUBSTANCE NOTES:				
PROPYLENE GLYCOL (PRO	PYLENE GLYCOL)			ID: 57-55-6
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-02	-17
%: 0.50 - 2.00	GS: BM-2	RC: None	NANO: NO	ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	ocrine Disruptor	

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard M Office scenario	CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: Rockaway NJ	ISSUE DATE: 2015- 01-06	EXPIRY DATE:	CERTIFIER OR LAB: Berkeley Analytical	
CERTIFICATE URL:				

CERTIFICATION AND COMPLIANCE NOTES: Cert # 150106-08

General Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ADHESIVE

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

For use when affixing to wall structures

ADHESIVE PRIMER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Primer for use in preparing wall for adhesive

Section 5: General Notes

NSF 342 Sustainability Standard for Wallcovering - Certified

MANUFACTURER INFORMATION

MANUFACTURER: Roysons Corporation Address: 40 Vanderhoof Ave Rockaway New Jersey 07866, United States WEBSITE: www.roysons.com CONTACT NAME: Mark Rain TITLE: Director QC PHONE: 9736255570 EMAIL: mrain@roysons.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)