

CLASSIFICATION: 105161

PRODUCT DESCRIPTION: High End and High Security Combination lock for wood, plastic laminate, glass, metal and phenolic lockers and cabinets. Comes in custom finishes. Sleek design.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities
Considered in 3 of 3 Materials

- Explanation(s) provided
for Residuals/Impurities?
- Yes
 - No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
ZINC ALLOY [ZINC LT-P1 | AQU | MUL | PHY | END ALUMINUM LT-P1 | RES | END | PHY MAGNESIUM LT-UNK | PHY COPPER LT-UNK]
STAINLESS STEEL [304 STAINLESS STEEL NoGS] SATIN NICKEL FINISH [NICKEL LT-1 | CAN | RES | SKI | MAM | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The contents inventory in this HPD is based on a details of the specific alloys included in the body materials and standard plating. These are high-quality alloys that contain negligible quantities of impurities, specific details on possible impurities are provided with each material.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2018-06-14

PUBLISHED DATE: 2018-07-06

EXPIRY DATE: 2021-06-14



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ZINC ALLOY

%: 99.9800

HPD URL:

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: This "Zamak 3" alloy may contain residual iron (Fe) at up to 0.1% and trace amounts (<0.01%) of lead, cadmium, and tin according to http://www.fishercast.com/downloads/Composition_and_Properties_of_Zinc_2008.pdf.

OTHER MATERIAL NOTES: No other notes required.

ZINC

ID: 7440-66-6

%: 95.7000 - 96.5000

GS: LT-P1

RC: None

NANO: No

ROLE: Body of alloy.

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H260 - In contact with water releases flammable gases which may ignite spontaneously

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Zinc makes up the primary body of the alloy. Zinc is toxic to some aquatic life in high concentrations; as part of the alloy used to make Keyless.CO locks it does not represent a health hazard.

ALUMINUM

ID: 91728-14-2

%: 3.5000 - 4.3000

GS: LT-P1

RC: UNK

NANO: No

ROLE: Adjusting physical characteristics of body of lock

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Aluminum adds some malleability to the alloy. Aluminum is an asthmagen when inhaled; as part of the alloy used to make Keyless.CO locks it does not represent a health hazard.

MAGNESIUM

ID: 7439-95-4

#: 0.0200 - 0.0500 GS: LT-UNK RC: UNK NANO: No ROLE: unknown

HAZARDS: AGENCY(IES) WITH WARNINGS:

PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Trace ingredient in the alloy

COPPER

ID: 7440-50-8

#: 0.0000 - 0.2500 GS: LT-UNK RC: None NANO: No ROLE: Adds malleability

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Copper is a minor ingredient in this alloy.

STAINLESS STEEL

#: 0.0100

HPD URL:

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals beyond the identified alloys in 304 stainless are minimal.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

304 STAINLESS STEEL

ID: 12597-68-1

#: 100.0000 GS: NoGS RC: None NANO: No ROLE: Body of spring

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Carbon (C) ≤ 0.08% Silicon (Si) ≤1.00% Manganese (Mn) ≤2% Phosphorus (P) ≤0.045% Sulphur (S) ≤0.030% Nickel (Ni) ≤8-10.5% Chromium (Cr) ≤18.00-20.00%

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: This is high quality finish with carefully controlled ingredients. This entire material is used in tiny quantities in the product, and any residuals or impurities are even more miniscule.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

NICKEL

ID: 7440-02-0

#: 99.0000 - 99.9000 GS: LT-1 RC: UNK NANO: No ROLE: Coating

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Nickel is the primary constituent of the satin nickel finish. Ingested in large quantities in the form of dust or fumes it can be hazardous. Nickel is also an essential nutrient, however, necessary for human life. The nickel plated surfaces on Keyless.CO locks do not represent a health hazard.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **N/A**

06-14

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD meets the published requirements for LEED v4 Material Ingredients credit, Option 1.



MANUFACTURER INFORMATION

MANUFACTURER: **Keyless.CO, LLC**
 ADDRESS: **1825 W. Walnut Hill Lane**
**Suite 102
 Irving TX 75038, USA**
 WEBSITE: **www.keyless.com**

CONTACT NAME: **Estera Kuhlmann**
 TITLE: **President**
 PHONE: **972-331-2770**
 EMAIL: **estera@keyless.co**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.