

# REGAL SELECT WATERBORNE INTERIOR FLAT FINISH (547) by Benjamin Moore & Co.

## Health Product Declaration v2.1.1

created via: HPDC Online Builder

**CLASSIFICATION:** 09 00 00.00 Finishes: Finishes

**PRODUCT DESCRIPTION:** A premium quality, easy to apply 100% acrylic coating in a flat finish with excellent hide, durability and spatter resistance. It features fast dry, soap and water cleanup, with no unpleasant paint odor. An elegant flat finish for ceilings and low traffic areas. Regal Select is self-priming on most substrates.

### Section 1: Summary

### Basic Method / Product Threshold

#### CONTENT INVENTORY

##### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

##### Threshold Disclosed Per

- Material  
 Product

##### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

##### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*All substances disclosed by Name (Specific or Generic) and Identifier.*

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

REGAL SELECT WATERBORNE INTERIOR FLAT FINISH (547) [ WATER  
BM-4 TITANIUM DIOXIDE LT-1 | CAN | END METHYL METHACRYLATE,  
COPOLYMER WITH BUTYL ACRYLATE LT-UNK KAOLIN, CALCINED LT-  
UNK LIMESTONE, CALCIUM CARBONATE LT-UNK DIATOMACEOUS  
EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]  
LT-UNK SILICA, AMORPHOUS LT-P1 | CAN NEPHELINE SYENITE LT-UNK  
ALUMINA TRIHYDRATE BM-2 | RES SOLVENT-DEWAXED HEAVY  
PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL ALCOHOLS, C9-  
11, ETHOXYLATED LT-P1 | MUL POLYETHYLENE GLYCOL LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

None

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): 0.00  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: Yes

#### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -  
Classroom & Office scenario  
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor  
coatings, non flat coatings, quick dry enamels, roof coatings only - 2007  
amendments

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2019-01-10

Yes  
 No

VERIFIER:  
VERIFICATION #:

PUBLISHED DATE: 2019-01-10  
EXPIRY DATE: 2022-01-10



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### REGAL SELECT WATERBORNE INTERIOR FLAT FINISH (547)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Based on data provided by raw material suppliers

OTHER PRODUCT NOTES: None

#### WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-10

#: 35.0000 - 50.0000

GS: BM-4

RC: None

NANO: No

ROLE: Thinner/solvent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: None

#### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-10

#: 10.0000 - 20.0000

GS: LT-1

RC: None

NANO: No

ROLE: Color Pigment

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: None

**METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE**

ID: 25852-37-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-10**%: **10.0000 - 20.0000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **None****KAOLIN, CALCINED**

ID: 92704-41-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-10**%: **5.0000 - 10.0000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Extender filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **None****LIMESTONE, CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-10**%: **3.0000 - 10.0000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Extended Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **None****DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]**

ID: 61790-53-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-10**%: **0.5000 - 5.0000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Extender Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **None****SILICA, AMORPHOUS**

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-10**

#: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: **None**

### NEPHELINE SYENITE

ID: **37244-96-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-10**

#: **0.5000 - 2.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Extender Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	No hazards found	

SUBSTANCE NOTES: **None**

### ALUMINA TRIHYDRATE

ID: **21645-51-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-10**

#: **Impurity/Residual** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: **None**

### SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: **64742-65-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-01-10**

#: **0.2000 - 1.5000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: **None**

**ALCOHOLS, C9-11, ETHOXYLATED**

ID: **68439-46-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-10**

#: **0.1000 - 1.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**MULTIPLE**

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: **None**

**POLYETHYLENE GLYCOL**

ID: **25322-68-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-10**

#: **Impurity/Residual**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **None**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

**CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario**

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2017-02-24**

EXPIRY DATE: **2020-02-24**

CERTIFIER OR LAB: **Berkeley Analytical**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

### VOC CONTENT

**SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments**

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-01-10**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### **GENNEX COLORANTS (229)**

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

**Required for all tinted products**

## Section 5: General Notes

TDS and SDS available on [www.benjaminmoore.com](http://www.benjaminmoore.com)



## MANUFACTURER INFORMATION

MANUFACTURER: **Benjamin Moore & Co.**  
 ADDRESS: **101 Paragon Dr**  
**Montvale New Jersey 07645, United States**  
 WEBSITE: **www.Benjaminmoore.com**

CONTACT NAME: **Edja Kouassi**  
 TITLE: **Technical Project Manager**  
 PHONE: **973-252-2607**  
 EMAIL: **Edja.kouassi@benjaminmoore.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*